

Original Homoeopathic Medicines

DR. RECKENWEG & CO
GERMANY GMBH



HOMOEOPATHY
WHERE GOOD HEALTH COMES NATURALLY

Dr. Reckeweg - Homoeopathic Specialities

Product Name	Indication	Page No
* Dr. Reckeweg R 1 Anginacid	Inflammation drops	10 - 11
* Dr. Reckeweg R 2 Aurin	Essentia Aurea - Gold drops	12
Dr. Reckeweg R 3 Corvosan	Heart drops	13
Dr. Reckeweg R 4 Enterocolin	Diarrhoea drops	14
* Dr. Reckeweg R 5 Gastreu	Stomach drops	15 - 16
* Dr. Reckeweg R 6 Gripfektan	Influenza drops	17
* Dr. Reckeweg R 7 Hepagalen	Liver and gallbladder drops	18
Jutussin - Dr. Reckeweg R 8	Cough syrup	19
Jutussin - Dr. Reckeweg R 9 Jutussin	Cough drops	19
* Dr. Reckeweg R 10 Klimakteran	Climacteric drops	20
* Dr. Reckeweg R 11 Lumbagin	Rheumatism drops	21 - 22
* Dr. Reckeweg R 12 Multojodin	Arteriosclerosis drops	23
* Dr. Reckeweg R 13 Prohaemorrhin	Haemorrhoidal drops	24
* Dr. Reckeweg R 14 Quieta	Nerve and sleep drops	25
Dr. Reckeweg Vita-C 15	Nerve Tonic	26
Dr. Reckeweg Vita-C 15 forte	Energy Tonic	27 - 28
* Dr. Reckeweg R 16 Cimisan	Migraine and Neuralgia drops	29
* Dr. Reckeweg R 17 Cobralactin	Glandular enlargement drops	30
* Dr. Reckeweg R 18 Cystophylin	Kidney and bladder drops	31
Dr. Reckeweg R 19 Euglandin-M	Glandular drops for men	32
* Dr. Reckeweg R 20 Euglandin-F	Glandular drops for women	32
* Dr. Reckeweg R 21 Medorrhän	Skin drops (affections of blood and skin)	33
Dr. Reckeweg R 22 Najasthen	Drops for nervous disorders (anginous condition of the heart)	34
Dr. Reckeweg R 23 Nosoderm	Eczema drops	35
Dr. Reckeweg R 24 Pleurasin	Pleurisy drops	36
* Dr. Reckeweg R 25 Prostatan	Prostate drops	37
Dr. Reckeweg R 26 Remisin	Regeneration drops	38
* Dr. Reckeweg R 27 Renocalcin	Renal calculi drops	39
Dr. Reckeweg R 28 Secalen	Menstrual disorder drops	40
Dr. Reckeweg R 29 Theridon	Vertigo drops	41
Atomare-Beckeron Dr. Reckeweg R 30	Universal ointment	42

* Also available as injectable



Product Name	Indication	Page No
Dr. Reckeweg R 31 Contraemin	Anaemia drops	43
Dr. Reckeweg R 32 Antihidrosin	Hyperhidrosis drops	44
Dr. Reckeweg R 33 Buforan	Epilepsy drops	45
* Dr. Reckeweg R 34 Calcossin	Recalcifying drops	46
Dr. Reckeweg R 35 Chadontin	Teething Aches drops	47
Dr. Reckeweg R 36 Choresan	Diseases of the Nerves drops	48
* Dr. Reckeweg R 37 Colinteston	Intestinal colic drops	49
Dr. Reckeweg R 38 Dextronex	Ovary drops (right side)	50
Dr. Reckeweg R 39 Sinistronex	Ovary drops (left side)	51
Dr. Reckeweg R 40 Diaglukon	Diabetes drops	52
* Dr. Reckeweg R 41 Fortivirone plain	Sexual neurasthenia drops	53
* Dr. Reckeweg R 41 Forte	Impotence drops	54
* Dr. Reckeweg R 42 Haemovenin	Varicosis drops	55
* Dr. Reckeweg R 43 Herbamine	Asthma drops	56
* Dr. Reckeweg R 44 Hypotonol	Hypotension drops	57
Dr. Reckeweg R 45 Laryngin	Laryngitis drops	58
* Dr. Reckeweg R 46 Manurheumin	Arthritis drops	59
Dr. Reckeweg R 47 Neuroglobin	Hysteric complaints drops	60
Dr. Reckeweg R 48 Pulmosol	Pulmonary drops	61
* Dr. Reckeweg R 49 Rhinopulsan	Sinusitis drops	62
Dr. Reckeweg R 50 Sacrogynol	Gynecological sacroiliac complaints drops	63
Dr. Reckeweg R 51 Thyreosan	Thyroid drops	64
Dr. Reckeweg R 52 Vomisan	Vomiting drops	65
Dr. Reckeweg R 53 Comedonin	Acne vulgaris drops	66
* Dr. Reckeweg R 54 Lmbelion	Memory drops	67
* Dr. Reckeweg R 55 Rutavine	Injury drops	68
Dr. Reckeweg R 56 Oxysan	Worms drops	69
Dr. Reckeweg R 57 Scorosan	Pulmonary tonic drops	70
Dr. Reckeweg R 58 Vernadon	Oedema drops	71
* Dr. Reckeweg R 59 Vesiculine	Slimming drops	72
Dr. Reckeweg R 60 Purhaemine	Blood purifying drops	73

* Also available as injectable



Product Name	Indication	Page No
Lumbagin - Dr. Reckeweg R 61	Rheumatic ointment	74
Dr. Reckeweg R 62 Morbillin	Measles drops	75
* Dr. Reckeweg R 63 Endangitin	Circulation drops	76
Dr. Reckeweg R 64 Nephralbin	Albuminuria drops	77
Dr. Reckeweg R 65 Psoriasin	Psoriasis drops	78
Dr. Reckeweg R 66 Arrhythmmin	Cardiac arrhythmia drops	79
Dr. Reckeweg R 67 Kollapsin	Circulatory debility drops	80
Dr. Reckeweg R 68 Herpezostin	Shingles drops	81
Dr. Reckeweg R 69 Intercostalbin	Intercostal neuralgia drops	82
Dr. Reckeweg R 70 Prosopalgin	Neuralgia drops	83
* Dr. Reckeweg R 71 Ischialgin	Sciatica drops	84
Dr. Reckeweg R 72 Pankropatin	Pancreas drops	85
* Dr. Reckeweg R 73 Spondarthrin	Osteo-arthritis drops	86
Dr. Reckeweg R 74 Nocturnin	Enuresis drops	87
Dr. Reckeweg R 75 Dolomensin	Dysmenorrhea drops	88
Dr. Reckeweg R 76 Herbamine forte	Asthma forte drops	89
Dr. Reckeweg R 77 Fumacin	Anti-Smoking drops	90
Dr. Reckeweg R 78 Ocuvit	Eye-care drops	91
Dr. Reckeweg R 79 Heart-Capsules	Heart-Capsules	92
Dr. Reckeweg R 80 Arnica oil	Arnica-Oil	93
Dr. Reckeweg R 81 Maldol	Analgesic Drops	94
Dr. Reckeweg R 82 Mycox	Anti-Fungal Drops	95
Dr. Reckeweg R 83 Alimentol	Food-Allergy Drops	96
Dr. Reckeweg R 84 Inhallengol	Inhalent Allergy Drops	97
Dr. Reckeweg R 85 Cephabol	High Blood Pressure Drops	98
Dr. Reckeweg R 86 Hypocin	Low Blood Sugar Drops	99
Dr. Reckeweg R 87 Bacterol	Anti-Bacterial Drops	100
Dr. Reckeweg R 88 Devirol	Anit-Viral Drops	101
Dr. Reckeweg R 89 Lipocol	Hair Care Drops	102

* Also available as injectable



Product Name	Indication	Page No
Dr. Reckeweg R 91 Sports Drops	Sports Drops	103
Dr. Reckeweg R 92 Digestive Enzyme	Digestive Enzyme Formula	104
Dr. Reckeweg R 93 Immune System	Immune System Fortifier	105
Dr. Reckeweg R 94 Calendula solution	Calendula Solution	106
Dr. Reckeweg R 95	Alfalfa Tonic	107
Dr. Reckeweg R 96 Sinusitis nasal spray	Sinusitis nasal spray	108
Dr. Reckeweg R 97 Allergy nasal spray	Allergy nasal drops	109
Dr. Reckeweg R 118 Dengue-Fever tablets	Dengue-Fever tablets	110
Dr. Reckeweg R 130	Insulin Drops	111
Dr. Reckeweg R 131	Carduus Hepatic Drops	112
Dr. Reckeweg R 182	Stomatitis drops	113
Dr. Reckeweg R 183	Anti-Allergy drops	114
Dr. Reckeweg R 184	Anti-stress drops	115
Dr. Reckeweg R 185	Hypertension drops	116
Dr. Reckeweg R 186	Mumps drops	117
Dr. Reckeweg R 187	Neuralgic headache drops	118
Dr. Reckeweg R 188	Warts drops	119
Dr. Reckeweg R 189	Nail disorders drops	120
Dr. Reckeweg R 190	Digestion Drops	121
Dr. Reckeweg R 191	Tinnitus drops	122
Dr. Reckeweg R 192	Constipation drops	123
Dr. Reckeweg R 193	Immune System Fortifier drops	124
Cineraria Martima	Eye Drops	125
Dr. Reckeweg Ambra	Ambra 1000 Drops	126
Dr. Reckeweg Damia Gold	Damia Gold Drops	127
Uranium Nitricum 8x	Diabetes Tablets	128-129



Company Profile:

Around the turn of the last century, the medical practitioner Heinrich Reckeweg (1877-1944) established the "Eupha Laboratory" in pursuit of his vision of a natural medicine. His aim was the responsible production of effective, natural and well-tolerated drugs.

Today, the pharmaceutical company Dr. Reckeweg & Co. GmbH, Bensheim, Germany, is continuing this tradition. First of all, our preparations enjoy success and worldwide appreciation because of their carefully chosen ingredients.

Based on our own research, we created a series of well-tolerated often imitated but never equaled, combination drugs. Characterized by their broad therapeutic spectrum, they are highly acclaimed by experts from all over the world.

Continuity in the management of the family-owned company, qualified and motivated employees, dedication and identification of all colleagues with their products- all of these factors contributed to the worldwide recognition and distribution of Reckeweg preparations, which today are appreciated as reliable and helpful medicine in more than forty countries and in all continents.

Research:

At Dr. Reckeweg Bensheim, research goes beyond product improvement or new product development. For more than fifteen years our company is one of the very few in the world that are active in the field of basic research in homoeopathy.

The primary goal of our research work is trying to answer a question, that has been unresolved for two Centuries: how is it possible that substance are effective and make a difference after they have been Diluted to an extreme degree by way of potentiation? The work of the research department is documented Impressively in several books and dozens of publications

At Dr. Reckeweg, we are challenged to develop new models of thinking, a new understanding of cause and effect mainly by investigating into physical systems that are able to save specific pieces of structural information without requiring the existence of a special carrier matter.



In order to explain the action mechanisms of homoeopathic drugs, such systems are now discussed on a global scale.

International symposia are organized at regular intervals, which provide an information platform on recent research development and serve as an exchange forum for medical practitioners.

A research journal is published quarterly highlighting the research of eminent scholars.

Quality Control:

The high-quality level of homeopathic drugs from Dr. Reckeweg Bensheim is the result of a strict selection of raw materials, a manufacturing process that meets today's national and international requirements without sacrificing well-established traditions, and a perfect quality assurance and control system during each manufacturing stage which allows Dr. Reckeweg Bensheim to offer its medical practitioners reliable preparations of very high quality.

Manufacturing:

Dr Reckeweg's homoeopathic remedies owe their high level of quality to an innovative manufacturing procedure that takes into account national (PharmBetro) and international (GMP,PIC) production guidelines. The criteria outlined in the Homoeopathic pharmacopoeia (HAB), the German pharmacopoeia (DAB), the European pharmacopoeia (Ph.Eur.), and the pharmacopoeis of the United States (HPUS) are also rigidly adhered to.

High-quality products, especially if they are manufactured according to traditional methods, require the most advanced filling and packing technologies.

Fully automated filling and packing lines prevent any physical contact between staff and product, thus guaranteeing absolutely hygienic drugs.



Combined, all these measures in manufacturing and quality control provide medical practitioners and patients with preparations of extreme high quality.

Hand Potentization: At Dr. Reckeweg Bensheim, Potentising, the decisive production step in homoeopathy, is deliberately performed manually, i.e. without using any technological equipment.

Manual shaking according to Hahnemann's multiple glass technique has a great tradition that stood the test of times and, therefore will be preserved.



Dr. Reckeweg's Homoeopathy

The ever increasing interest in biologic therapy encourages us to reveal to a larger number of practitioners the modus operandi underlying our specialities. These having been developed as a result of our experiences in the fields of homeopathy, popular therapy and biology, and subjected to constant improvements in the course of many years, have now become First Class remedies. For the doctor as yet unacquainted with our remedies, their efficacy in most cases turns out to be a unique therapeutic event.

The secret of the efficacy of our remedies lies in the carefully selected composition. In accordance with the principles of homeopathy, the use of more than one Antidote has been avoided. On the other hand the pairing of ingredients with similar, compensating effects has been encouraged. In this way their field of efficacy has been enlarged, their aggressiveness increased and therapeutic results assured.

The "pure" homeopath tries to control a disease with the least possible number of remedies. For the doctor who is inexperienced in this type of therapy it is quite a laborious undertaking to get acquainted with the homeopathic pharmacopoeia and to select that remedy which is most likely to ensure success. He usually does not have the necessary time. For the practitioner it is therefore of enormous advantage to have a remedy at his disposal which makes this laborious work unnecessary, but which, on the other hand, permits him to practice Biologic Therapy. He does not have to search for the correct remedy from among an enormous number of symptoms listed after every medicine.

Our preparations take into consideration the most important symptoms in a given condition and may therefore be used with utmost confidence in accordance with the listed indications.

They exert their influences by animating the healing forces inherent in the organism. For the biologically interested practitioner we have sketched the salient symptoms for each individual ingredient. In this way the novice gains insight into the principles underlying homeopathic thinking and may perhaps be induced to study this science of biology more deeply, especially after he has experienced satisfactory results from his first attempts. In this manner our specialities may perhaps form a bridge between official medicine and biology — which today an ever increasing number of doctors are desirous of crossing. To many a doctor such hitherto new therapeutic successes will bring a larger, grateful, clientele and therewith the satisfaction is the heritage of every true healer.



General instruction regarding the use of specialities

The drops are to be taken in a teaspoonful of water and always on an empty stomach. If 3 times daily is indicated, the first dose should be taken in the morning on an empty stomach, the second at noon before mealtime and the third one before retiring. If a more frequent medication is indicated, then the additional doses should be spread evenly over the day. If there is no improvement after several days of medication, the dose may be increased without hesitation. The more acute a condition is the more often the medicament can be taken at the beginning of treatment.

The use of our remedies awakens the curative forces inherent in the organism. There is no reason for fearing injurious results, even from over-medication.

A correct interpretation of the auto-curative effort of the organism permits a doctor to observe and guide this restorative attempt in quite a new and unique manner. The same applies to acute fever conditions in which the organism reacts with increased eagerness to any type of outside help which is meant to assist the body in its efforts to get well again. When, inspite of frequent application of our remedies in acute infections accompanied by high fever, there has been no apparent improvement after a period of 24 hours, then it will be noticed that the additional use of penicillin at this time is more likely to assure control of the infection and hasten recovery, as the addition of these biologic stimulants elicits from the organism a more effective mobilisation of its defensive forces. In most infections the additional use of such medicaments will not be necessary.

The application of our biological remedies does not involve a onesided principle, but an attempt to awaken in the organism healing forces which have hitherto hardly ever been taken into consideration. It would be wrong to underrate this importance. In many chronic conditions, already after a few days, the patient will feel he is now on the way of recovery.

Any additional information required will be gladly given by us. On the other hand, we would be only too glad to hear from doctors who may have had new or unique experiences in the use of our remedies.



R1 Anginacid – Inflammation Drops

- Ingredients:** Apis melt. D 4, Barium chlorat. D 6, Belladonna D 4, Calcium jodat. D 4, Hepar sulf. D12, Kalium bichrom. D 4, Lachesis D12, Marum verum D 6, Mercur subl. corr. D 5, Phytolacca D 4.
- Indications:** Local inflammations, acute and chronic, of catarrhal and purulent nature, with swelling of the glands. Sudden infections and high fever, with irritations of the meninges, conjunctivas and pharynx.
- In particular: Inflammations and suppurations of the lymphatics of the pharynx, mainly all forms of tonsillary angina, tonsillitis, scarlet fever, otitis media, conjunctivitis, iridocyclitis, meningitis, inflammations of the maxillary sinus and of the dental roots.
- Inflammations of glands; mumps, orchitis, pancreatitis, cholecystitis, appendicitis, parametritis, Bartholin's.
- Acute rheumatic polyarthritis, monoarthritis, arthritis urica. Lymphadenitis, lymphangitis, phlegmonous inflammations, abscess, withlow, furuncles and carbuncles, erysipelas, quinsy.
- Mode of action:** Apis mel.: Inflammatory infiltrations, edematous swellings.
- Barium chlorat.: Chronic diseases with swelling and suppuration of the glands in different scrofulous affections of children.
- Belladonna: Inflammatory hyperemia of skin, of mucous membranes and glands. High fever. Aridity of the mucosa, delirium, moist feverish skin.
- Calcium jodatum: Chronic tonsillitis of children, scrofulous increase of lymph nodes on neck and nape.
- Hepar sulfur's: Tendency for cathartic inflammations and pyesis.
- Kalium bichromicum: Plastic exudation of mucous membranes in nose, pharyngeal cavity and pharynx. Viscous, stringy mucus. Mucosae ulcer.
- Lachesis: Acute pyogenic infections, cardiac irregularities.
- Marum verum: Adenoid vegetation, chronic catarrh of the postnasal space.
- Mercur. subl. corr.: Acute inflammations of the mucosa involving the glands, sticky perspirations.
- Phytolacca: Swelling and dark reddening of the pharynx and tonsils, radiating pain up to the ears.
- Dosage:** In case of acute infections with high fever, in the beginning 10-15 drops in some water every 1/2 hour for 1/2-1 day. Same treatment to be followed in case of purulent inflammations (e.g.: inflammations of the tonsils or furuncles). After improvement, take same dose every 1-2 hour. After recovery it is advisable to take 10-15 drops 2-3 times a day for about a week.
- Chronic inflammations: 2-3 times a day 10-15 drops.
- Constitutional modifications in chronic glandular hypertrophy of children; once a day 5-8 drops in some water for a longer period of time.



Remarks:

In case of influenza, use R 6.

In case of chronic arthritis, use R 11.

In acute polyarthritis (i.e. rheumatoid arthritis) administer R 24 in alternation with R 1 every one to two hours to begin with.

In ovaritis: administer R 24 in alternation with R 1.

In adnexitis-parametritis administer additionally R 38 and R 39, 2-3 times daily.

In chronic paroxysmal appendicitis: once daily R 1, R 24 and R 38, 10-15 drops of each.

In acute appendicitis until surgery R 24 and R 38, 10-15 drops alternatively every one to two hours.

Teething difficulties: see R 35.

Bronchitis: see R 48 and R 57; if necessary also Jutussin R 8 and R 9.

Whooping cough: see Jutussin drops R 9 and syrup R 8.

Muscular rheumatism and chronic rheumatism of joints: see R 11 and R 46.

Nephrolithiasis: see R 27. Cysto-pyelitis: see R 18. Pleuritis: see R 24.

Proteinuria subsequent to tonsillitis quinsy or nephritis: administer additionally R 64.

Influenza: see R 6. Pancreatitis: see R 72.

Also available as injectable



R2 Aurin – Essentia aurea - Gold drops

- Ingredients:** Aconitum D6, Arnica D3, Aurum chlorat. D 6, Cactus D4, Digitalis D 3, Ignatia D6, Laurocerasus D3, Spigelia D3, Valeriana D2, Crataegus Q, Kalium phosphoric. D4.
- Indications:** Organic and functional affections of the heart, mainly **cardiac neurosis**. Nervous perturbations. Arrhythmia, tachycardia, extrasystoles, constrictions, angina pectoris, coronary insufficiencies. Strong pulse, palpitations, excitations, anguish and oppression of the heart, vegetative dystonia.
- Mode of action:** **Aconitum:** Cardiac neurosis with anguish and agitation, strong pulse.
Arnica: Painful sensation in the heart.
Aurum chlorat.: Main action on: Myocardium, aorta and coronary artery. Heart oppressions and dilatations, afflux of blood to the head, precordial pains.
Cactus: Sensations of suffocation, strong pulse, oppression. Stenocardia and angina pectoris.
Crataegus: Excellent tonic for heart and blood circulation. Myocardial weakness and hypotonia.
Digitalis: Heart tonic in case of cardiac weakness.
Ignatia: Various nervous sensations of the heart, mainly following affections of a depressing nature (anxiety restlessness). Also in general nervous irritation and sleeplessness.
Kalium phosphor.: General nervous exhaustion, anaemia and myocardial weakness. Conduction disturbances.
Laurocerasus: Cyanosis with myocardial insufficiency. Pressure and pain in the chest.
Spigelia: Strong and abnormal pulsations, visible and perceivable. Pain extending down left arm.
Valeriana: Nervous agitations, changing humour, nervous hypersensitivity. Functional affections of the heart, strong pulse, cardiac nervousness.
- Dosage:** According to graveness, in the beginning 3-6 times a day 10-15 drops in some water. In acute cardiac affections, every $\frac{1}{4}$ — $\frac{1}{2}$ hour 10 — 15 drops until improvement sets in.
- Remarks:** In myocardial insufficiencies of light to medium degree, use **R 3**. In gastro-cardiac symptoms, additional use of **R 5**, 1-3 times a day 10 — 15 drops before or after meals.
 In cardiac arrhythmias: **R 66** or **R 22**.
 In acute myocardial infarct: give in alternation every $\frac{1}{2}$ -1 — 2 hours 10 — 15 drops of: **R 2**, **R 67** and **R 55**. Follow-up treatment with **R 3**, also **R 44**.

Also available as injectable



R3 Corvosan – Heart Drops

- Ingredients:** Arsen. alb. D5, Cactus D2, Crataegus 0, Digitalis D3, Kalium carbon. D3, Kalmia D3, Phosphorus D5, Scilla D2, Spigelia D3, Strophanthus D3.
- Indications:** Heart insufficiencies of a light to medium degree, with a tendency towards oedema. Myocardial weakness in cases of valvular heart diseases. Dilatations. Post-infectious myocardial weakness. Degenerative processes of the myocardium, coronary insufficiencies, cardiac infarction, functional irregularities, myo- and endocarditis, hypotonia.
- Mode of action:** Increases muscular strength of the heart, caused by the following group.
- Arsen. alb.:** Heart weakness with uneasiness and anguish, mainly around midnight, with orthopnea. Difficult breathing; general conditions exhaustion.
- Cactus:** Oppression with symptoms of angina pectoris. Strong pulse, suffocation.
- Crataegus:** Myodegeneratio cordis with cardiac weakness; enfeeblement of the heart during infectious diseases. Painful spasms; hypotension; tendency towards decompensation; functional irregularities.
- Digitalis:** Heart failure with cardiac dilatation.
- Kalium carbonicum:** Weakness of the heart and the cardiovascular system in endo-myocarditis. Sharp pain in the heart.
- Kalmia:** Pains extending down left arm. Chronic heart weakness with difficult breathing.
- Acute and chronic endocarditis, following gout and rheumatism.
- Phosphorus:** Heart palpitations mainly when resting on the left side, afflux of blood to the chest and suffocation, anguish. General nervous exhaustion and hypersensitivity.
- Scilla:** Insufficiency of the cardiovascular system with dysrhythmia. Decompensation phenomenon.
- Spigelia:** Strong and abnormal palpitation, low pulse, endo-myocarditis.
- Strophanthus:** Fast acting heart tonic.
- Dosage:** According to the weakness of the heart, 3 times daily 10-20-30 drops in some water, in the beginning of the treatment even 4-6 times daily. In case of strong tendency towards hydropsy, to be taken undiluted. Improvement should follow after several days only. If not, the dose should be increased, and reduced again after improvement to 20 drops, 3 times a day. Even after complete disappearance of the complaints a treatment of 10-15 drops 2-3 times a day should be continued for a longer period of time. Overdosing presents no danger. In acute weakness of the heart, every 15 to 30 minutes 10-20 drops.
- Remarks:** In cardiac neurosis, angina pectoris etc., use R 2 Gold drops.
- In myocarditis and endocarditis administer additionally R 22. Decompensated heart: R 58. In myocardial infarct: R 67 and R 2, follow-up with R 3. Cardiac arrhythmias: R 66. Cardiac neurosis: R 22.



R4 Enterocolin– Diarrhoea Drops

- Ingredients:** Acid. phosphoric. D 3, Baptisia D 4, Chamomilla D 4, Chinin. arsenicos. D 3, Colocynthis D 6, Ferrum phosphoric. D 8, Mercur. subl. corr. D 5, Oleander D6, Rhus Tox. D 4, Veratrum D 6.
- Indications:** Acute and chronic gastro-entero-colitis of all types. Summer diarrhoea after a chill or faulty diet. Intestinal catarrh, intestinal influenza, diarrhoea with fever, typhoid fever, dysentery.
- Mode of action:**
- Acid. phosphor.:** Typhoid fever, sleepyness, acute and chronic diarrhoea.
 - Baptisia:** Diarrhoea with much mucus, dull headache, fever, brown coated tongue, swollen body.
 - Chamomilla:** Aqueous or greenish stools after a chill, colics.
 - Chinin. arsen.:** Bactericidal, diarrhoea with fever, general exhaustion and asthenia.
 - Colocynthis:** Dysenteric stools with violent intestinal spasms.
 - Ferrum phosphoricum:** Watery diarrhoea with strong flatulence. Remedy for fever and inflammation.
 - Mercur. subl. corr.:** Glairy and blood-tinged stools, exhausting colics and tenacious tenesmus.
 - Oleander:** Explosive pultaceous stools, colicky intestinal cramps, undigested stools.
 - Rhus Toxicodendron:** Watery diarrhoea, mucohaemorrhagic, restlessness, drowsiness. Result of getting wet.
 - Veratrum alb.:** Vomiting and diarrhoea with violent shivering and collapse. Diarrhoea in summer.
- Dosage:**
- In acute fever,** every $\frac{1}{4}$ -1 hour, 20 drops undiluted. When improving, generally a 10-15 drops, reduce the dose to 10-15 drops every 1-2 hours. It is advisable to continue the treatment for about a week at the rate of 10-15 drops, 3 times a day, before meals, until complete recovery.
 - In ordinary diarrhoea,** without fever, according to graveness 10-15 drops every 1-3 hours.
 - In typhoid fever,** without intestinal disturbances, 10-15 drops every 1-2 hours.
 - In chronic diarrhoea,** 3 times a day 10-15 drops before meals.
- Remarks:**
- In long standing cases with low vitality and poor reactivity additionally R 26, 10-15 drops once daily.
 - In intestinal spasms: additionally R 37.
 - During convalescence: Vita-C 15.



R5 Gastreu – Stomach Drops

- Ingredients:** Anacardium D 6, Argent. nitric. D 6, Arsen. alb. D4, Belladonna D 4, Carbo vegetab. D8, Chamomilla D 2, Chelidonium D3, Lycopodium D 5, Nux vomica D 4, Scrophularia nod. D 1.
- Indications:** **Especialy ulcus parapyloricum.** Acute and chronic gastritis, dyspepsia, chronic relapsing gastritis with or without ulceration.
Heartburn, bad taste in mouth, frequent belching, flatulence, meteorism. Acts on the inflamed mucosa of stomach, on the physiology of stomach.
- Mode of action:** **Anacardium:** Gastric complaints, improving after eating, pains around midnight.
Argent. nitric.: Epigastric complaints, noisy and frequent belching with temporary improvement.
Arsen. album: Remedy for mucous membrane, burning pain in the stomach with vomiting.
Belladonna: Epigastric sensitivity to pressure, and other disturbances, nausea, vomiting.
Carbo vegetabilis: Sensation of repletion in abdominal cavity, asthenia and exhaustion.
Chamomilla: Nervous hypersensitivity and irritability. Swelling of the stomach.
Chelidonium: Effective for liver and bile, choleric, improvement of gastric disorder by ingestion.
Lycopodium: Gastro-intestinal disturbances, bitter taste in mouth, lack of appetite, constipation, flatulent colic.
Nux vomica: Nervous irritability, hypochondria, stomach constriction, disturbances due to nicotin.
Scrophularia nodosa: Gripping pains in abdomen, hyperacidity improving after eating.
- In some patients, sensitive to drugs, the pains may grow worse after a few days of treatment, which is the so-called primary reaction. In such cases it will be advisable to discontinue the treatment completely for 1-2 days. Resumption of treatment will result in continued improvement. In other cases follow treatment with intermissions, or reduce the dose, or give the drops on a full stomach.
- It is characteristic in the use of Dr. Reckeweg R 5, to see the usual relapses decrease progressively in graveness and frequency, until they disappear completely.**



Remarks:

The additional use in the first days of the treatment of neutralizing substances in cases of strong hyperacidity, will not adversely influence the efficacy. As to diet, preference should be given to easily digestible food, avoiding fermentative foods such as: legumes, cabbage, heavy fats such as oil sardines, smoked fish, fried potatoes, etc. Chew food well, abstain from tobacco, reduce sugar consumption.

In case of simultaneous liver complaints, use R 7, additionally 2-4 times a day between the meals.

In colics: additionally R 37.

Involvement of the pancreas: additionally R 72.

Also available as injectable



R6 Gripfektan – Influenza Drops

Ingredients:	Aconitum D 4, Bryonia D4, Camphora D 3, Causticum Hahnem. D 6, Baptisia D 4, Eupator. perfol. D 3, Ferrum phosphoric. D 8, Gelsemium D 6, Eucalyptus D 3, Sabadilla D 6.
Indications:	Acute feverish inflammations of the fibrous tissues and the serous membranes. Gripfektan: Specific serous remedy, especially influenza. General infection with pain in the limbs, sensation of prostration, dull headaches, restlessness. Dry and burning skin, acute pains. Feverish catarrh of the mucosa of the upper air-passages, rhinopharyngitis, influenza bronchitis, pneumonia, inflammation of the serous membranes, pleurisy, pericarditis, peritonitis, irritation of the peritoneum during inflammatory processes of the abdominal organs.
Mode of action:	Aconitum: Fever after a chill, with dry hyperemic skin, restlessness. Baptisia: Typhic fever, stupor and lethargy, cold, irritation of the mucous membranes. Bryonia: Catarrhal fever, headaches, piercing pains, inflammation of the serous tissues. Camphora: Analeptic, calmative. Causticum: Sensation of rawness of mucosa, hollow cough, weakness of the sphincter of bladder. Eucalyptus: General agitation and accelerated breathing, weariness and rigidity of limbs, headaches, fever. Eupatorium perfol.: Fever with sensation of prostration. Catarrhal inflammation of the upper air-passages with tendency to cough and sensation of rawness of mucosa. Ferrum phosphoricum: Remedy for fever and inflammation, low pulse, rush towards the head. Especially effective in inflammations of the upper respiratory tracts and in bronchopneumonia. Gelsemium: Congestive headaches, sleepiness, shivering and prostration. Sabadilla: Convulsic stimulus of the sneezing centre, burning cold, stimulus of the coughing centre, stitches on the chest.
Dosage:	Acute illness with feverish tendency; 10 drops in some water every 15 to 30 minutes. As soon as fever is abating (generally after 1-2 days) and perspiration appears, take the medicine every 1-2 hours 10-15 drops. When fever has gone, take during several days every 2-3 hours 10 drops in some water. Prevention in influenza epidemics; 3-4 times a day 10-15 drops in some water.
Remarks:	In acute infection with high fever and inflammation localized mainly in the mucosa of the head (redness, delirium, conjunctivitis), use R 1. In bronchitis: see Jutussin drops R 9 and syrup R 8. In pleuritis: see R 24. Involvement of sinuses: see R 49. Above remedies are administered in addition to or in alteration with R 6 depending on the symptomatology. Chickenpox: administer additionally R 68.

Also available as injectable



R7 Hepagalen – Liver and gallbladder drops

- Ingredients:** Carduus mar. D 2, Chelidonium D 2, China D 3, Cholesterinum D6, Colocynthis D6, Lycopodium D4, Nux vomica D4, Ethanol, Aqua pur.
- Indications:** Organic and functional complaints of liver and gallbladder, hepatopathy, cholecystopathy, calculi, disturbances of the biliary secretion, hepatitis, swelling of the abdomen, premature satiety, lack of appetite, bitter taste in mouth, flatulence, constipation, weariness after meals, irritation, hypochondria.
- Mode of action:**
- Carduus mar.:** Painful swelling of the liver, jaundice, biliary calculi, cholangitis.
 - Chelidonium:** Swelling of the liver with sensation of pressure on liver and biliary vesicle and extending to right shoulderblade, cholagogue.
 - China:** Meteorism, swelling of abdomen, flatulent colics.
 - Cholesterinum:** Enlargement of the liver, jaundice and formation of gallstones.
 - Colocynthis:** Cramplike pains in abdomen, cannot stand pressure of clothes. At the time a pain occurs, improvement is obtained through strong pressure on abdomen and through bending over.
 - Lycopodium:** Meteorism and flatulence, bitter taste in mouth, bad humour, constipation.
 - Nux vomica:** Hypochondria, liver constriction and congestion, nausea, abuse of tobacco, icterus, gastro-duodenal catarrh, constipation.
- Dosage:** Generally 3 times a day 10-15 drops in some water before meals. If no improvement occurs within 8-14 days take 10-15 drops 4-6 times a day and reduce the dose when improving. Even after complete disappearance of the complaints, take 10-15 drops 1-3 times a day for a longer period of time, watching diet rigorously available
- Remarks:**
- In inflammatory diseases of liver and biliary vesicle, additional use of R1.
 - In simultaneous gastric diseases (gastritis, ulcers), use also R 5.
 - In ulcers, take 10-15 drops of R 5 3 times a day before meals, and 10-15 drops of R 7 2-4 times a day between meals.
 - In hamorroids, additional use of R 13.

Also available as injectable



R8 – Cough syrup R9 – Cough drops

Ingredients:

Syrup: Decoctum of: Lichen Islands, Flores Rhoeados, Herba Thymi, Herba Plantag. lanceolat., Herba Urticae, Folia Rubi frutic., Flores Chamomillae, Folia Trifolii fibrini, Flores Malvae.

Belladonna D3, Bryonia D2, Coccus cacti D5, Corall. rubr. D12, Cupr. acet. D12, Drosera D3, Ipecacuanha D5, Spongia D 5, Sticta D 3, Thymus vulg., Liquor Ammonii anisat., Saccharum, Ethanol, Aqua pur. **Drops:** Belladonna D4, Bryonia D3, Coccus cacti D6, Corallium rubr. D12, Cuprum acet. D12, Drosera D4, Ipecacuanha D6, Spongia D 6, Sticta D4, Thymus vulg., Ethanol, Aqua pur.

Indications:

Catarrhal affections of the upper air passages. Rhino-laryngopharyngitis, **especially bronchitis and whooping cough at all stages.** Effective expectorant in chronic bronchitis, bronchial asthma, fits of coughing in phthisis.

Mode of action:

Optimum concentration of divers ethereal oils, with specific effect on the mucous membranes of the upper air passages. Strong soothing effect, secretory and antiseptic due to its phenol and turpentine components, sedative on account of its contents of Flores Rhoeados.

Mobilisation of the defensive elements of the organism by the additional use of active homeopathic ingredients with organo-tropic effects on the mucous membranes of the upper air passages.

Belladonna: Convulsiv cough attack, hollow and barking cough, dry mucous membranes.

Bryonia: Harsh and dry cough with pain in chest.

Coccus cacti: Hypersensitivity of the mucosa of the pharynx. Spasmodic cough with viscous glairy expectorations.

Corallium rubrum: Violent attack of convulsic cough with choking fit.

Cuprum aceticum: Spasmodic cough, viscous mucus, dyspnea.

Drosera: Convulsive cough with cyanosis and suffocation, spasmodic asthma.

Ipecacuanha: Dry asphyxiant cough with glottis spasm, nausea and emesia.

Spongia: Hollow cough, cough at night.

Sticta: Cold down from the nose to the pharynx and trachea, followed by bronchitis. Pressure on the root of the nose.

Thymus vulg.: Expectorant.

Dosage:

Whooping cough: In the beginning of the treatment frequent doses, every $\frac{1}{2}$ -1 hour 10 drops in some water, or one teaspoon of syrup. It is advisable to alternate from hour to hour the cough syrup and the cough drops. After attenuation of the graveness and frequency of the fits of coughing (generally in 2-3 days) take the medicine every 2 hours.

In the treatment of non-specific catarrhs, following whooping cough, take 4-6 times daily 10-15 drops in some water, or one teaspoon of syrup.

Acute bronchitis and laryngo-pharyngitis:

Every 2-3 hours 10-15 drops or one teaspoon of syrup.

This medicine may be taken by everybody, even by babies, to whom a non-liquid diet should preferably be given.



R10 Klimakteran – Climacteric drops

- Ingredients:** Acid. sulfuric. D4, Cimicifuga D4, Lachesis D12, Sanguinaria D4, Sepia D4, Ethanol, Aqua pur.
- Indications:** Climacteric complaints, flushes of heat, attacks of perspiration, physical weakness, depression, headaches, irregular menstruations, fluor pruritus vulvae, psychic exhaustion, indifference.
- Mode of action:** R 10 exerts a favourable biological influence on all ovarian disorders.
- Acid. sulf.:** Physical weakness, flatulence, prostration, flushes followed by perspiration, tendency towards hemorrhage, pruritus vulvae.
- Cimicifuga:** Endocrine dysfunction, especially during menopause. Psychogenic depression and excitement. Restlessness.
- Lachesis:** Emotional outbursts and sensations of throbbing, vertigo, oppression, suffocation, heart weakness. Improvement at the time of menstruation.
- Dosage:** **Sanguinaria:** Vaso-motoric irritations, alternating heat and cold, nervous irritability, headaches.
- Sepia:** Hormonal effect, Physical and spiritual weariness, exhaustion, lack of energy, sleepiness, indifference. Rush of heat followed by perspiration. Psychic hypersensitivity and irritability. Sinking feeling in abdomen, excessive fluor, irregular menstruations.
- According to the state of acuteness 3-6 times a day 10-15 drops in some water. When improving, reduce the dose immediately to 10-15 drops three times daily. It is advisable to continue the treatment for a longer period of time at the rate of 10-15 drops, 1-2 days, until the physiological transformation of the body has been reached.
- R 10 does not contain hormones, which are usually employed. The additional use of such preparations does not influence its biological effectiveness, but will be unnecessary in most cases.
- Remarks:** R 10 also proves to be effective in diseases of the female organs, especially fluor genitalis. In metritis, peri-parametritis, ovariitis, alternate R 10 and R 1, every 2-3 hours.

Also available as injectable



R11 Lumbagin – Rheumatism drops

- Ingredients:** Berberis D4, Calcium phosphoric. D12, Causticum Hahnem. D6, Dulcamara D4, Nux vomica D4, Rhododendron D4, Rhus Toxicodendron D4, Ethanol, Aqua pur.
- Indications:** Acute and chronic myalgia, lumbago, rheumatic diathesis aftereffects of drenchings, sprains, overstraining. Back pains of unknown genesis. Growing pains in muscles and bones.
- Sciatica from getting wet, from sitting on cold seat and suppressed perspirations. Chronic articular rheumatism with deformations. Spondylarthritis, spondylosis, sacroiliac arthritis.
- Rheumatic aches (muscles, articulations, ligaments) growing worse with change of temperature (humidity).
- Mode of action:** **Berberis:** Acute and undetermined pains in the loins. Acid urine, gravel.
- Calcium phosphor.:** Weakness and muscles of neck and along spine, deformed bones. Rheumatic diathesis, worse in damp weather. Acts on the constitution:
- Causticum Hahnem.:** Pains in the loins, especially when trying to get up. Painful rigidity of the neck and dorsal muscles. Neuralgic pains. Painful, rigid, distorted and weak articulations.
- Dulcamara:** Neuralgic rheumatism of limbs and articulations, weakness and rigidity, shivering in sacral region. The pains grow worse with change of weather and in damp cold weather. Improving by warmth. Rheumatic-gouty diathesis often caused by sitting on cold seat.
- Nux vomica:** Loins feel like crushed, worse when sitting and at night (has to sit up to turn over). Rheumatism of the dorsal muscles after chills, worse when cold, and in the morning. In general, great nervousness, acts on liver.
- Rhododendron:** Rheumatism especially of the small joints. Aggravation of symptoms before thunder storms, rain and storm.
- Rhus Tox.:** Dislocation of limbs, feels as if crushed, consequences of drenching or suppressed sweating. Symptoms grow worse at night and when resting. Better by motion, by heat.



Remarks:

In acute rheumatic polyarthritis, use R 1 and R 6.

In prolapse of intervertebral discs followed by sciatica, etc. administer R 71 rather frequently and in alteration.

In intercostal neuralgia: additional R 69.

Sacral back pain in woman resulting from pelvic diseases: R 50.

In osteo-arthritis: additionally R 73.

In acute rheumatism of joints: see R 1 and R 24.

Rheumatism of shoulders, arm and hands: see R 46.

If the disorder is accompanied by osteoporosis, the additional administration of R 34 is recommended.

In all forms of rheumatism R 61 (Rheumatic ointment) and Atomare-Beckeron R 30 have proved themselves to be successful.

Available as injectable



R12 Multojodin – Arteriosclerosis drops

Ingredients:	Arnica D 3, Arsen. jodat. D 4, Aurum chlorat. D 6, Barium chlorat. D 4, Calcium jodat. D 3, Conium D 5, Glonoinum D 6, Kalium jodat. D 3, Plumbum acetic. D 6, Phosphorus D 5.
Indications:	General arteriosclerosis and hypertonia. Cerebral arteriosclerosis, aortic and coronary sclerosis, nephrosclerosis, dysbasia, abdominal dyspragia. Senility, weak memory, congestion of blood, vertigo, forgetfulness, tendency towards apoplexy and its consequences, predisposition to goitre, thyreotoxicosis.
Mode of action:	<p>Extended iodine therapy by using different iodates in combination with active biologic elements.</p> <p>Arnica: Tendency towards apoplexy, favors resorption at the beginning of an apoplectic stroke.</p> <p>Aurum chloratum: Depressive psychosis. Congestion of blood towards the head. Palpitation.</p> <p>Barium chlorat.: Progressive loss of memory, unsteadiness and psychic changes, vertigo, deafness and senility.</p> <p>Conium: Vertigo, loss of memory, impotency.</p> <p>Iodates: Increasing viscosity of bloods, acts on the thyroid glands, hypertonia and general arteriosclerosis.</p> <p>Glonoin.: Congestions in head, strong pulse, oppression in chest and heart.</p> <p>Phosphor.: Vertigo, especially on rising, congestion of blood, loss of memory, psychic changes, general weakness of nervous system and hypersensitivity.</p> <p>Plumbum aceticum: Pale hypertension with mental dementia. Nephrosclerosis with consequences of apoplexy. Intermittent limping.</p>
Dosage:	<p>Generally 10-15 drops three times daily, in some water. In acute cases, in the beginning of the treatment, 4-6 times daily. After improvement (taking 2-3 weeks) continue the treatment for a longer period of time once or twice a day. During the treatment the use of salt should be forbidden and only be allowed in small quantities after improvement has set in. In predisposition to goitre and thyreotoxicosis, a treatment of 10-15 drops once a day for about 4-6 weeks is recommended, and should be repeated at intervals of one month.</p> <p>In apoplexy, frequent doses in the beginning, at the rate of 10-15 drops every 1-2 hours, then 4-6 times a day 10-15 drops.</p>
Remarks:	<p>In simultaneous cardiac weakness, use alternatively R 12 and R 3, each one 2-3 times daily.</p> <p>In myocardial infarct: see R 67 and R 2.</p> <p>In angina pectoris: alternative with R 2.</p> <p>In cardiac insufficiencies: see R 3.</p> <p>In cardiac decompensation: R 58.</p> <p>In vertigo: alternative with R 29.</p> <p>In intermittent claudication, peripheral vascular disturbances, etc: see R63.</p>

Also available as injectable



R13 Prohaemorrhin – Hemorrhoidal drops

- Indications:** Hemorrhoids, itching, pains, bleeding, anal fissures, anal prolapsus, anal eczema, plethora.
- Mode of action:**
- Acidum nitricum:** Stabbing in the intestine, splinter pain, sensation of constriction during defecation with persistent pain after stool.
 - Aesculus hipp.:** Dryness and burning of external hemorrhoidal mucosa (dark red prolapsing hemorrhoids). Dull pains in sacral region, venous stasis.
 - Collinsonia can.:** Venous congestion in the pelvis, obstipation, flatulence, hematogenic hemorrhoids.
 - Graphites:** Constipation, glairy lumpy stools, flatulence, anal eczema, itching.
 - Hamamelis:** Varices, bleeding, hemorrhoids.
 - Kalium carbonicum:** Backaches, flatulence. Hard stools, burning anal node.
 - Lycopodium:** Meteorism, flatulence, dry stool with incomplete defecation. Hematogenic hemorrhoids with prolapse and anal spasm.
 - Nux vomica:** General hypochondria and dyspepsia, constipation, abdominal plethora, itching and painful hemorrhoids with tendency to hemorrhage. Rhagades. Persisting pain after defecation.
 - Paeonia:** Wet hemorrhoids, painful anal fissures.
 - Sulfur:** Remedy with extensive effectiveness, anal redness, itching, exzema, unhealthy skin.
- Dosage:** Generally 10-15 drops in some water 3 times daily. In acute pains, in the beginning of the treatment, 10-15 drops 4-6 times a day. After complete disappearance of the affliction, continue a treatment with 10-15 drops once or twice a day for a longer period of time.
- It is of great importance to regulate the stools at the same time, in case of constipation. Therefore, laxative nutrition should be recommended for breakfast and supper such as: cooked fruits, linseed, green peas, rye-bread, sourcrout, yogurt etc. Constipating foods such as: white bread, cacao, starches etc., should be avoided.
- Remarks:** In simultaneous liver complaints, use also R 7, 3 times a day 10-15 drops before meals, and twice a day 10-15 drops of R 13 after meals.
- In varicosity and venostasis: additionally or in alternation with R 42. In anaemia resulting from bleeding hemorrhoids: additionally R 31. Sacral back pain in women: see R 50.

Also available as injectable



R14 Quieta – Nerve and sleep drops

Ingredients:	Avena sativa D1, Ammon. bromat. D 3, Chamomilla D 4, Coffea D 4, Eschscholzia D 2, Ignatia D 6, Humulus lup. D 2, Passiflora incarn. D 2, Valeriana Q, Zincum val. D 6.
Indications:	Insomnia and various disturbances of the sleep, superficial sleep, light sleep, sleeplessness, drowsiness in the morning, weariness during the day, vivacity in the evening. Nervous restlessness and over-excitement of the nervous system. Neurasthenia, consequences of mental conflicts of long duration.
Mode of action:	Influences favorably the regularizing of disturbed sleep, and neurasthenic symptoms. Ammonium bromatum: Sedative. Avena sativa: General nervous weakness and sexual neurasthenia, consequences of mental overexertion. Convalescence. Sleeplessness in spite of lassitude. Chamomilla: Effective in overstimulated nervous system with hypersensitivity. Uneasy sleep. Coffea: Mental and physical vivacity when trying to sleep, full of ideas, disturbed non-refreshing sleep. Eschscholzia: Sedative. Humulus lup.: General nervous exhaustion, neurasthenia, hypochondria, sedative. Ignatia: Nervous exhaustion and irritability resulting from psychic afflictions of a depressing nature, following grief or worry. Egocentric solitude. Passiflora incarnata: Sedative. Unrest and irritability of the nervous system. Valeriana: Light sleep, non-refreshing. Nervous weakness and restlessness. Zincum val.: Insomnia with twitching in limbs, nightmares, restlessness of the legs.
Dosage:	In extreme nervous exhaustion and insomnia, 3 times a day 10-15 drops in some water, at night 20 drops in some sweetened water. In most cases general relief and a less agitated sleep follow after several days. Thereupon, 10-15 drops once or twice daily ought to suffice. However, R 14 acts differently on various individuals. Patients sensitive to medicine very often experience an aggravation, chiefly of insomnia. In such cases the dose should immediately be reduced to 5 drops 3 times a day, sometimes even less, even down to once only during the day (not recommended in the evening). Dosage should be adapted to the individual. In some cases, 20-30 drops 3 times a day may have to be taken to obtain any effect. However, before increasing the dose it would be advisable to observe the action of the medicine for several days. Regular treatment should be continued for a longer period of time even after complete recovery, at the rate of 10-15 drops taken in the evening.
Remarks:	In general nervous exhaustion, the simultaneous use of VITA-C 15 will give best results.

Also available as injectable



Vita-C15 – Nerve Tonic

- Ingredients:** Acidum ascorbicum, Decoctum Fruct. Cynosbati, Decoctum Fruct. Sorbi aucupar., extract of Fruct. Citri, Saccharum, Saccharum tostum, Acidum phosphoricum D 3, Cocculus D 5, Helonias dioica D 5, Ignatia D 5, Sepia D 5, Zincum met. D 6, Ethanol, Aqua pur.
- Indications:** Conditions of nervous exhaustion, nervous weakness, weariness and morosity, insomnia following mental conflicts, nervous headaches, easily fatigued, general neurasthenia, lack of energy, inability to concentrate.
- Mode of action:** General physical invigoration resulting from an increase of vitamins. The feeling of exhaustion subsides, and there is a return of the energy to work. The effectiveness is increased by the additional use of homoeopathic medicaments:
- Dosage:**
- Acid. phosphor.:** Physical and mental weakness, weakness of back and sacral region, inability to do mental work. Consequences of grievances and worries. Indifference and discouragement. Drowsiness during day, dislike to converse. Pollutions, impotency.
- Cocculus:** Physical weakness, exhaustion, irritability, state of depression, insomnia, weakness of muscles of the nape, with a feeling of heaviness in head.
- Helonias dioica:** Exhaustion and overexertion (especially of women), accompanied by uterine affeexhaustionrvous irritations, depressions, desire for solitude.
- Ignatia:** Nervous exhaustion and irritability following prolonged mental afflictions of a depressing nature, after grievances and worries. Egocentric solitude.
- Sepia:** Sadness, irritable and moody. Indifference to duties, especially with women in the menopause.
- Zincum met.:** Great nervous exhaustion, restlessness of the legs. Irritability of the nervous system, taciturnity, slow mental conception, weak memory. Burning and weakness along spinal cord, pricking and numbness of the limbs.
- In the beginning of the treatment three times daily from one teaspoonful to one liquor-glass. When improvement sets in, the same dose 1-2 times daily, eventually only in the evening.
- Remarks:** In sleep disturbances: see R 14 which may be administered additionally. During menopause: additionally R 10. In endocrine disturbances: see R 19, respectively R 20. In hypotension: see R 44. In impotency: see R 41.



Vita-C15 Forte – Energy Tonic

Ingredients:

Acid. ascorbic., Decoct. Fruct. Cynosbati, Decoct. Fruct. Sorb. aucupar., extract of Fruct. Citri, Saccharum, Saccharum tostum, Extr. Ginseng, Acid. phosph. D3, Cocculus D 5, Helonias dioica D 5, Ignatia D5, Sepia D 5, Zincum met. D6, Ethanol, Aqua pur.

Due to a larger enrichment with 0,5% of ascorbic acid, it is an excellent cellular as well as humoral activator of the cellular metabolism. Its full tonifying and vitality-stimulating effect has been obtained only after adding Ginseng. As demonstrated in the following explanations, the denomination "Tonic" is therefore justified under every point of view.

Mode of action:

Considering it pharmacologically, Ginseng contains glucosides, panax acid and an essential oil Panacen, vitamins B1 and B2, estrogenic and sexually stimulating components as well as a glucoside Ginsenin, with a sympathotrophic effect, and mineral components with remarkably high content of sulphur (approx. 0,15%). Probably the tonic effect can be explained with the harmonic interaction of the partial components. However, we attribute the tonifying effect so frequently mentioned by enthusiastic therapists to the content of vitamin B1 (thiamine) and B2 (riboflavine) acting together with the l-ascorbic acid on the most important centres involved in stress-situations.

A) Thiamin acts on cells with an elevated need of carbohydrates (nerve cells), cells with a metabolism based mainly on pyruvic acid (cardiac muscle cells), and nervous tissue that liberates acetyl-choline as the active substance, which transmits the nervous impulses from one nerve to another or on to the effector.

Thiamine there inhibits the cholinesterase and increases the effect of acetyl-choline which is very important, as the acetyl-cholinesterase provokes the splitting up to the highly effective acetyl-choline in much lesser effective choline and acetic acids, as this enzyme has a very high ratio of velocities, the duration of the effect on acetyl-choline is very short.

B) Riboflavine can be found in a large amount in the retina, and most likely takes part in the process of seeing, furthermore it acts in different enzymes, such as cytochrome dehydrogenase, aminooxidases and in the enzymes which are responsible for cellular respiration.

Its presence in the retina seems to us the most important factor, as during stress-situations it has been noticed, that there is a decrease of the visual faculty, fogginess and irritations of the eye almost every time that they occur.

So a well-timed supply of the corresponding vitamin prevents a premature decrease of its level.

C) L-ascorbic acid is the activator of the entire cellular metabolism, including cellular as well as humoral processes, and becomes the real physiological tonic due to his tonifying and vitality-increasing effect, as a reducer, in the cellular metabolism it transfers hydrogen, respectively electrones, in a reversible process, taking part in the steroid-hormonal synthesis, vitamin C has great importance during stress-situations.



When, during stress-situations, there is an increase in the production of steroid hormones, the vitamin C level in the suprarenal cortex falls and reactions of adaptation cannot take place anymore, due to the reduced hormonal synthesis, we considered this known fact when we increased the vitamin C content and dosed it to prevent any foreseeable lack of it.

D) The Ginseng's high content of sulphur is undoubtedly a positive factor for the energy exchange of the cells, it is a component of several proteins, e.g. lactalbumine, based on amino-acids containing sulphur such as cysteine, a semi-essential amino-acid, which however is the main carrier for sulphur in the protein molecule. Together with cysteine as intermediate catalysts, they form a reducing system of great importance to the cellular energy exchange; because, being used as a catalyst its task is to absorb and eventually give off again the hydrogen liberated during dehydrogenation, and so allow a gradual release of energy.

Dosage:

We recommend VITA-C 15 FORTE everytime prior to expected stress-situations. To achieve a remarkable invigoration of the nervous system, we advise to follow a treatment with two daily supplies (morning and evening) for 6 days and continue with one daily dose for about three weeks.



R16 Cimisan – Migraine and neuralgia drops

- Ingredients:** Cimicifuga D4, Gelsemium D 3, Iris D 2, Sanguinaria D 3, Spigelia D 4. Ethanol, Aqua pur
- Indications:** Migraine, nervous headaches, neuralgia of the head, indisposition due to continuous headaches frequently resulting from an insignificant chill.
- Mode of action:** **Cimicifuga:** Neuralgia as reflex symptom of ovarian disorders. Supraorbital pains, sensation of heat of top of head.
Gelsemium: Cerebral congestion, feeling of prostration, aversion to light, pain just above eyes.
Iris versic.: Periodic migraine, intense headaches causing occasionally temporary blindness. Vomiting (bitter) at the climax of a headache.
Sanguinaria: Nervous irritability, headaches, alternating heat and shivering, intolerance to noise and light. Improvement on lying down.
Spigelia: Unilateral headache, rising and decreasing with the sun. Reference to the heart.
- Dosage:** According to the acuteness of the headaches, 3-6 times a day 10-15 drops in some water. Even after improvement, take 10 drops three times daily, for 2-3 days.
- Remarks:** In influenza, use also R 6.
In inflammation of the nerves of head and inflammation of the sinuses, use R 1, 10-15 drops in some water 3-6 times daily.
In arteriosclerosis, cerebral sclerotic complaints and hypertension: see R 12.
In rheumatic-neuralgic cranial complaints: see R 11.
In sinusitis: see R 49 and R 1.
In trigeminal and facial nerve neuralgia: see R 70.
All above remedies may be administered in addition to R 16.

Also available as injectable



R17 Cobralactin – Glandular enlargement drops

- Ingredients:** Acidum lacticum D 4, Naja tripudians D 6, Scrophularia nod. D 2, Ethanol, Aqua pur.
- Indications:** All tumours, malignant or benign, carcinomata. Regenerator of diseased tissues (tuberculous ulceration).
Growths and eczema affecting external and internal organs. Inflammatory and trophic rashes. Anomalous epithelial growths, formation of scales and warts.
- Mode of action:** **Acid. lact.:** Cancerous pullulation in all tissues. Regenerator of diseased tissues (formation of tuberculous tumours). Affections of the serous skin, the muscles and the mucous membranes. In tumours the surrounding skin is swollen with slow formation of pus. Patient is excited, cannot sleep. Tuberculosis of the larynx.
Vertigo and pulsations with irritations of the eyes and ears. Articulations are swollen and stiff.
- Dosage:** **Naja trip.:** Regenerator of diseased tissues, suppresses carcinomatous growths, increases the defensive forces of the organism. Skin swellings caused by tumours and eschars, slow formation of pus, attenuation and diminution of pus.
Scrophularia nodosa: Carcinomata, glandular swellings of a cancerous nature. Appearance of malignant and benign lumps in the breast, growing slowly into tumours. Stomach ulcers with a cancerous tendency. Myomae, uterine carcinomata, epithelial and scirrhous tumours.
Usually 10-15 drops in sorile water three times daily before meals. If malignancy is suspected administer 20 drops in some water four times daily. Reduce dosage gradually only after improvement sets in and continue medication for several months.
- Remarks:** The remedy is meant to be a supplementary medication in the treatment of malignancy. It is advisable to administer R 17 post-operatively or after radiation therapy since it has been observed to improve the patient's general sense of well-being.
Severe pains in advanced stages of malignancy are frequently eased by the use of R 17.
Involvement of the femal psomeorgans: additionally R 38, respectively R 39.
In anaemia: additionally R 31.
In diseases of the prostate: see R 25.
To stimulate hepatic function: additionally R 7, **10-15** drops once daily.

Also available as injectable



R18 Cystophylin — Kidney and bladder drops

- Ingredients:** Berberis D 4, Cantharis D 4, Dulcamara D 4, Equisetum hiem. D 6, Eupatorium purp. D 3, Ethanol, Aqua pur.
- Indications:** Inflammation of the kidneys, renal calculi, sharp stinging pains in the kidneys, pains in the sacral region.
- Peritonitis, metritis, piercing pains in the bladder, inflammation of bladder, burning pains when urinating, yellow urine, turbid.
- Mode of action:** **Berberis:** Piercing pains in the renal region getting worse from pressure, pains in sacral region, rigidity and numbness of the back, sensation as if water is running through skin.
- Cantharis:** Dull pains in the renal region, burning pains when urinating, constant urge to urinate. Urine is passed drop by drop, reddish, glairy, tinged with blood. Cystitis.
- Equiset. hiem.:** Similar effects on kidneys and bladder as cantharis, through its content of silicic acid. Lessening of bladder tenesmus and bloody urine. Enuresis, bladder irritations (mainly in women), albumin and blood in urine.
- Eliminates uric acid (causing pain when urinating).
- Eupator. purp.:** Especially indicated in cases of bladder irritations. Frequent urine urge, painful, with abundance or lack of urine, coloured, glairy.
- Dulcamara:** Irritation of the bladder, constant and painful urge to urinate. When urinating, abundance or lack of urine which is coloured, glairy. Paralyzed bladder, worse in damp weather. Specific effect on the mucosa of the bladder. Smelly urine.
- Dosage:** In acute cystitis and cysto-pyelitis, 10 drops in some water one hourly to begin with, thereafter two hourly. As soon as improvement sets in administer 10-15 drops in some water 3-4 times a day.
- In chronic cystitis, cysto-pyelitis and bacteriuria: administer 10-15 drops in some water 2-3 times daily before meals until disappearance of symptoms.
- In bladder irritation: 10-15 drops in some water once or twice a day.
- Remarks:** in nephrolithiasis give additionally R 27, 10-15 drops twice a day.
- In prostatitis: alternate R 18 with R 25.
- In albuminuria, nephrosis and chronic nephritis: give additionally R 64:

Also available as injectable



R19 – Euglandin-M R20 – Euglandin-F

Glandular drops for men Glandular drops for women

- Ingredients:** Glandulae thymi D12, Thyreoidinum D12, Hypophysis D12, Pancreas D12, Glandulae suprarenales D12, Testes D12, (Ovaria D12 in R 20), Ethanol, Aqua pur.
- Indications:** Endocrine dysfunction, growth disturbances, obesity due to pituitary dysfunction, respectively underweight, goitre, Grave's diseases, Addison's disease, myxoedema, etc.
- Mode of action:**
- Glandulae suprarenales:** Asthenia, weight reduction, myasthenia. Allergic conditions, asthma, hypoglycaemia. Hypertonia-Hypotonia.
- Hypophysis:** Essential element of hormonal system. Controls the internal secretion, the contents of lactic acid in the blood, the mineralization and the fluidic content of the body. (anti-diuretic effect).
- Pancreas:** Pancreatic diabetes. Stimulates production of digestive secretions.
- Testes (male) or Ovaria (female):** Senility, declining potency, faulty memory, depression, functional disturbances of the glands, inferiority complex, cryptorchidism, nocturnal enuresis, impotency.
- Frigidity of women, lesbian tendencies, oligo- and azzoospermia, faulty circulation, congestions.
- Attenuates hyperfunction of hypophysis.
- Glandulae thymi:** Exhaustion, mongolism.
- Thyreoidinum:** Regulation of the thyroid gland, interrupted development of thyroid. Mixoedema, hypothermy, hypercholesterinamia, retarded intellectual development, helps drain the organism.
- Dosage:** Generally 3 times daily 10-15 drops in some water.
- Remarks:** The individual remedies have partially been derived and potentised from fetal tissues. In the process of potentisation the surface area is increased resulting in an opposite action of the remedy as compared to its actions in the crude form (following the Arndt-Schulz principle). In this way it is possible to influence endocrine disfunctions that are otherwise extremely difficult to treat.
- To increase the reactivity after debilitating diseases: see R 26. In obesity: additionally R 59.

R 20 is available as injectable



R21 Medorrhan – Skin drops

- Ingredients:** Thuja D 30, Psorinum D 30, Medorrhinum D30, Vaccinium D 30, Ethanol, Aqua pur.
- Indications:** Chronic eczema. Skin disease not yielding to conventional therapy. Constitutional improvement in cases associated with skin diseases. To increase reactivity.
- Mode of action:**
Medorrhinum: Diffuse itching of the skin worse in the evening. Redness with copper red coloured spots, sometimes turning brown, warts. Results from suppressed Gonorrhoea.
Psorinum: Influences the lymphatic and glandular system. Vesicles, nodules and pustules. General debility, offensive discharges.
Thuja: Painful and over-sensitive skin, worse for touch, with formication, itching and burning. Wet eczema particularly on scalp and face, warts.
Vaccinium: Ill-effects from smallpox vaccination, persistent skin eruptions, neuralgias, general dyscrasia.
- Dosage:** Generally 3 times daily 10-15 drops in some water before meals, for a longer period of time.
- Remarks:** In eczema 23. In tendencies to recurrency of complaints administer additionally R 21, 10-15 drops 1-2 times daily. After marked improvement has set in, reduce dosage to once a day for a while.
To stimulate immune response and to improve reactivity use R 26. In psoriasis: see R 65.

Also available as injectable



R22 Najasthen – Drops for nervous disorders

- Ingredients:** Grindelia rob. D4, Lachesis D12, Naja tripud. D12, Ethanol, Aqua pur.
- Indications:** Nervous disturbances, oppression and suffocation, also following flatulence. Anginous condition of the heart.
- Mode of action:** **Naja trip.**: Soreness at forehead and temples due to the anginous condition of the heart. Palpitations of the heart, oppression, general nervousness. Cardiac weakness and irritations caused by nervous coughing, acute condition.
Grindelia rob.: Feels as if heart were too large for thoracic cavity, cardiac and pulmonary weakness, sensation of suffocation in bed.
Lachesis: Nervousness, spiritual animosity, headaches especially above the left eye, palpitations with sensation of suffocation, symptoms worse at bed time and by warmth.
- Dosage:** Generally 3 times daily 10-15 drops in some water before meals, for a longer period of time.
- Remarks:** In myocardial insufficiencies and myocardial degeneration: see R 3.
It may be given in addition to R 22. In angina pectoris: R 2.
In decompensation: R 58.
In myocardial infarct: R 67 and R 55. In cardiac rhythm disorders: R 66.



R23 Nosoderma – Eczema drops

- Ingredients:** Arsen. album D30, Apis mellifica D30, Rhus Toxicodendron D30, Sulfur D30, Ethanol, Aqua pur.
- Indications:** Acute and chronic eczema, pimples, herpes, rashes, eschar.
- Mode of action:**
- Apis mellifica:** Oedematous and erysipelatous circumscribed swelling, stabbing inflammation of serous coat, itching dermatosis.
 - Arsen. alb.:** Dryness of the skin with formation of scales, eczema with formation of blisters turning into pustules and eschar. Dandruff. Thick, scaly eczema of scalp with stinking pus.
 - Rhus Tox.:** Erysipelatous skin, formation of reddish blisters. Erythema turning rapidly into blisters, often accompanied by oedema. Formation of pus and eschar. Skin around eczema is red and inflamed.
 - Sulfur.:** Rashes, acne, pustules healing slowly. Sulfur is very effective when the eczema has been suppressed by salves.
- Dosage:** In the morning and evening 10-15 drops in some water for a longer period of time.
- Remarks:**
- In chronic eczema constitutional improvements may be achieved by adding R 21 daily 10-15 drops.
 - To improve immune response: additionally R 26.
 - In scarlet fever and infections accompanied by skin changes: see R 1.
 - In herpes zoster: see R 68.
 - In psoriasis: see R 65.
 - In cradle cap: compare R 34.
 - In measles: see R 62.



R24 Pleurasin – Pleurisy drops

- Ingredients:** Bryonia D 4, Cimicifuga D 6, Colocynthis D 8, Kalium carbon. D 6, Natrium sulfuric. D 6, Ranunculus bulbos. D 4, Ethanol, Aqua pur.
- indications:** Pleuritis, inflammation of serous membranes accompanied by stinging pain. Appendicitis, ovaritis, peritonitis, pericarditis, etc., acute arthritis and polyarthritis.
- Mode of action:**
- Bryonia:** Acts on the pulmonary tissues, pneumonia after the onset of perspiration. Pleurisy with effusion. pleuropneumonia.
 - Cimicifuga:** Pleurodynia, especially of the right side, mainly in nervous women.
 - Colocynthis:** Influences the nervous system, hence its effectiveness in pleurisy.
 - Kalium carb.:** Pleurodynia; stitches in chest, independent of motion, worse mainly in the afternoon. Pneumonia when abundant exudation and noisy expectoration are present.
 - Natrium sulf.:** Chief remedy in hydrogenoid constitution; pains growing worse in damp weather or damp surroundings, in the region of the 9th and 10th rib on the left side. Catarrh of the chest.
 - Ranunculus bulb.:** Intercostal rheumatism. Sharp pains in the chest, aggravated by breathing, by pressure and change of temperature, suffocation.
- Dosage:** Generally 4-6 times daily 10-15 drops in some water before meals. When improving, reduce the dose to 3 times daily 10 drops and continue this treatment for a longer period of time until complete recovery.
- Remarks:**
- If preceded by influenza: additionally R 6, 2-3 times daily.
 - If preceded by quinsy: additionally R 1 10-15 drops once or twice a day.
 - In bronchitis and whooping cough: compare Jutussin drops R 9 and Jutussin syrup R 8
 - In bronchial catarrh: see R 48.
 - In chronic tubercular bronchitis: see R 57.
 - In ovaritis: alternate with R 1, also compare R 38, respectively R 39.
 - In acute appendicitis, until surgery becomes necessary: give R 24 in alternation with R 38, 10-15 drops of each every 1-2 hours.
 - In chronically recurring appendicitis: give once daily 10-15 drops of R 1, R 24 and R 38.
 - In acute arthritis or polyarthritis: give R 1 in alternation with R 24, 1-2 hourly, in the beginning even half-hourly.
 - In intercostal neuralgia: give R 69 in alternation with R 24.



Original Homeopathic Medicines

DR. RECKEWEG & CO
GERMANY

GMBH



Original Homoeopathic Medicines

DR. RECKEWEG & CO
GERMANY

GMBH



R25 Prostatan – Prostate drops

- Indications:** Acute and chronic prostatitis and its consequences.
- Mode of action:**
- Chimaphila umbellata:** Sharp pains when urinating, frequent urge to urinate at night, pains running from the bladder down to the extremity of the urethra, bladder catarrh due to calculi.
 - Clematis vitalba:** Inflammatory stricture, glairy urine but without pus. Urination intermittent. Long waiting until finally emission, comes in drops with burning pain, followed by painless flow. Gonorrhoea, orchitis.
 - Conium:** Paralytic asthenia, weak urinary stream.
 - Ferrum picricum:** Nocturnal desire to urinate, urinary incontinence. General desire to urinate.
 - Paireira brava:** Acute tenesmus, urination in drops, pain from the kidneys down to the thighs, gravel in urine, bloody and acid. Bladder calculi.
 - Populus tremul.:** Urge to urinate with painful urination. Hypertrophy of the prostate gland.
 - Pulsatilla:** Prostatitis, orchitis gonorrhoeica, turbid and yellowish urine, hypertrophy of the prostate gland. Pain in groins.
 - Sabal serr.:** Hypertrophy of the prostate gland with involvement of bladder, frequent urge to urinate. Painful urination.
- Dosage:** Generally 4-6 times daily 10-15 drops in some water before meals. When improving reduce the dose to 3 times daily 10 drops for a longer period until complete recovery.
- Remarks:**
- In acute prostatitis: additionally R 1.
 - In cystitis-pyelitis: compare R 18. It may also be given in addition to R 25 if symptoms agree.
 - In sciatica: see R 71.
 - In nephrosis: see R 64.
 - In concomittant arteriosclerosis: additionally R 12. In coronary sclerosis: additionally R 2.

Also available as injectable



R26 Remisin – Regeneration drops

- Ingredients:** Acid. nitric. D12, Acid. phosphoric. D12, Calcium jodatatum D12, Ferrum jodatatum D12, Sulfur jodatatum D12, Ethanol, Aqua pur.
- Indications:** Stimulates the defensive mechanism of the enfeebled organism. Increased resistance obtained through the effectiveness of the following elements:
- Mode of action:**
- Acid. nitric.:** Heart palpitations produced by slightest efforts. Exhaustion caused by frequent nocturnal perspiration, skin becomes cold early morning, shivers when going to bed.
- Acid. phosphor.:** General exhaustion, especially of the cerebrospinal system, after overexertions. Heaviness and numbness of the limbs, vertigo.
- Calc. jod.:** Increases viscosity of the blood. Acts on thyroid together with Ferrum jod. and Sulfur. jod.
- Ferrum jod.:** irregular blood circulation, face usually pale but red after slightest excitement. Stomach disturbances. Nose-bleed, headaches, feeling of weariness, pulse full, lax.
- Sulfur jod.:** It is a key remedy in those cases where the indicated remedies do not produce a desired reaction. Sulfur. jod. can cure the case, even through it did not yield to previous therapy, or it will be complementary to the indicated remedy that follows. Old uncured symptoms may reappear temporarily but are then followed by a final cure.
- Dosage:** Give the remedy once daily only in addition to other complexes: 10-15 drops in some water. Failing a response upon administration of this remedy (R 26) repeat it 2-3 times daily, 10-15 drops, for a few days. The old remedy or a new one (according to symptomatology) will be indicated after Sulfur jod. has brought about the desired effect.
- Remarks:** This preparation may be administered in addition to all other complexes bearing in mind, however, that it is mainly indicated in chronic disease. As an intercurrent or as a single administration this remedy may be repeated ad lib whenever a seemingly well indicated remedy does not produce a further reaction.



R27 Renocalcin – Renal calculi drops

- Ingredients:** Acidum nitric. D 6, Berberis D 3, Lapis renalis D12, Lycopodium D5, Rubia tinctor. D 2, Sarsaparilla D 3, Ethanol, Aqua pur.
- Indications:** Renal calculi, sharp pains in the kidneys, pains across the small of the back, prickings, reddish and glairy urine with epithelial cells and amorphous waste matter. Oxalic acid in the urine, gravel.
- Mode of action:** **Acid. nitric.:** Calculi in the urine due to oxalic acid, and when oxalic acid is the main ingredient of the calculi.
Berberis: Sharp pains in the kidneys, growing worse on pressure. Pains in sacral region, coming from kidneys, patient cannot move, leans to right in order to lessen the pains. Glairy, reddish urine.
Lapis renalis: Effective constitutional remedy.
Lycopodium: Painful urination, gravel.
Renal colics (right side affected). Pains along the urethra to the bladder.
Rubia tinctor.: Catarrh of the bladder caused by calculi. Frequent urge to urinate at night, with great weakness. Pains from kidneys to urethra.
Sarsaparilla: Gravel, acute pains when urinating.
- Dosage:** Generally 3 times daily 10-15 drops in some water. After one week of treatment it will suffice to take 5-18 drops, 2-3 times daily for a longer period of time.
- Remarks:** In colics due to renal calculi: R 37, 10 drops in some water 15-30 minutes.
In albuminuria and nephrosis: see R 64.
Cystitis and cysto-pyelitis and bacteriuria: see R 18, in addition or alternation with R 27.
In prostate hypertrophy accompanied by cystitis: see R 25.

Also available as injectable



R28 Secalen – Menstrual disorder drops

- Ingredients:** Acidum sulfuric. D 4, Aesculus D 2, Crocus D 4, Ferrum phosphoric. D 8, Hamamelis. D 6, Secale cornut. D 6, Ethanol, Aqua pur.
- Indications:** Dysmenorrhea, amenorrhea.
Acts on the unstripped muscular fibres.
Conditions of exhaustion due to loss of blood. Flushes of heat followed by perspiration. Dull pains across the small of the back.
- Mode of action:** **Acid. sulf.:** Bleedings of any type, flushes of heat followed by perspiration. Exhaustion, weariness.
Aesculus: Characteristic effect: general venous stasis, worse when across the small of the back, pulsations all over the body.
Uterine prolapsus with strange pain in lumbo-sacral region (left side), same pains as experienced in pregnancy.
Crocus: Menstrual blood is dark or black, clotty. Feeling of something moving around in abdomen, without abortion.
Ferrum phosph.: Acts energetically on the blood circulation, excellent in dilatation of the veins.
Hamamelis: Indicated in hemorrhage, influences especially the veins. Headaches.
Dark coloured blood, sensation of pain in the affected parts. Exhaustion caused by loss of blood.
Secale cornutum: Act mainly on the unstripped muscular fibres; congestion, distress and uterine prolapsus. Primary effect upon contraction, secondary effect produces dilatation of unstripped muscular fibres.
- Dosage:** According to the graveness, 4-6 times a day 10-15 drops in some water before meals. After improvement, reduce the dose to 3 times daily 10 drops. Even after complete recovery, take the medicine for a longer period of time. It will be advisable to take 5-10 drops twice daily (morning and night), for about 8 days before the next menstruation is due.
- Remarks:** In climacteric metrorrhagia: see R 10.
In inflammation of pelvic organs: see R 38, respectively R 39. Those preparations may be given in addition to or in alternation with R 28, provided the bleeding is caused by inflammation, cysts or similar conditions.
R 42 in venostasis.
Sacral pain in women: see R 50.
In anaemia: see R 31.
In dysmenorrhoea: see R 75.



R29 Theridon – Vertigo drops

- Ingredients:** Argentum nitric. D 30, Cocculus D30, Conium D 30, Theridion curassavic. D 30, Ethanol, Aqua pur.
- Indications:** Vertigo caused by a variety of circumstances. Vertigo of Menier's disease. Cerebral vascular disturbances as a result of cerebral sclerosis, ANS dependant circulatory disturbances. Travel sickness.
- Mode of action:** **Argent. nitric.:** Vertigo and general instability, trembling due to weakness of nerves, buzzing noise in the ears, indisposition.
Cocculus: Acts on the cerebro-spinal system. Vertigo, worse when sitting, with nausea, tendency to vomit and faint.
Conium: Cerebral anaemia, sensation of giddiness, worse when turning over in bed. Sensation of numbness in brain. State of exhaustion in old age.
Theridion curassavicum: Vertigo, worse when closing eyes, when sitting or lying down, from noise, exposure to solar heat.
- Dosage:** Generally 3 times daily 10-15 drops in some water before meals, for a longer period of time.
- Remarks:** In arteriosclerosis: additionally R 12.
Cardiac dependant vertigo: additionally R 3.
In angina pectoris: additionally R 2.
During menopause: additionally R 10.
In hypotension: additionally R 44.
In impending collapse: see R 67, if necessary also R 22.
The dosage of the above preparations is to be taken from the description listed under the respective preparation.



R30 ATOMARE - BECKERON — Universal ointment

- Ingredients:** Arnica D 3, Belladonna D 3, Calendula D 3, Camphora, Dulcamara D 3, Echinacea angustifolia D 3, Hamamelis D 3, Hypericum D 3, Millefolium D 3, Nux vomica D 3, Oleum Olivarum, Oleum Pini silv., Oleum Rosmarini, Rhus Tox. D 3, Unguentum Alcoholum Lanae.
- Indications:** An ointment for the rheumatism of muscles and joints, neuralgias and sciatica. Degenerative processes of the intervertebral discs, osteoarthritis, amputation neuralgias. Paralysis due to stroke, facial paralysis, osteochondritis. Contusions, aching of muscles, sprains. Boils and carbuncles.
- Mode of action:** Increased absorption of the homoeopathic ingredients is facilitated by the particular choice of the base fats and essential oils contained in this ointment.
- Dosage:**
- Arnica:** Ill effect from mechanical injuries.
- Belladonna:** Effective in all inflammations associated with hyperaemia.
- Calendula:** Specifically effective in lacerated wounds and bruising.
- Dulcamara:** Medicine against influence of wet and coldness, especially rheumatism and neuralgia.
- Echinacea angustifolia:** Improvement of the tissue resistance.
- Hamamelis:** Venous hemorrhage. General pain and pain in the limb.
- Hypericum:** Specific against bruising of the kidneys, neuralgia and ischialgia.
- Millefolium:** Hemorrhagic remedy.
- Nux vomica:** Backache at night - as if spine would break. Stiffness with tearing pain of spine, turning in bed is extremely difficult, muscle cramps.
- Rhus Toxicodendron:** Alleviates the ill effects from cold, getting wet, sprains due to overlifting, dislocations etc. muscular rheumatism, neuritis, rheumatism of joints, degenerative processes of the intervertebral discs.
- Topical application in the morning and evening is usually sufficient. In acute cases of pain and aching several applications may be necessary. In cases of wounds and boils etc. only the tissue around the affected side should be covered with the ointment.
- Remarks:** The following preparations should be taken internally in addition to the external application of Atomare-Beckeron R 30:
- In rheumatism of joints and muscles, osteoarthritis and osteochondritis: R11.
- In sciatica: R 71.
- Neuralgia in the head and occipital regions: R 16. Rheumatism of shoulder and distal upper limbs: R 46. Backpain with females: R 50.
- Osteoarthritis: R 73.



R31 Contraemin – Anaemia Drops

- Ingredients:** Aranea Diadema D 30, Arsen. jodat. D 6, China D 6, Ceanoth. americ. D 6, Ferrum chlorat. D 6, Lycopodium D12, Sulfur D30, Ethanol, Aqua pur.
- Indications:** Anaemia; lack of appetite, especially among children; often accompanied by swellings. After-effects of acute ailments. All kinds of anaemia frequently induced by the new toxicant effect of the treatment of other illnesses.
- Mode of action:** The therapeutic action is twofold; it is directed towards the liver through the excitation of the fermenting system of the liver (China and Lycopodium), and towards the marrow through a selective excitation (Ferrum chloratum). Arsen. jodatum has a beneficial effect on cellular metabolism. This means that the action extends to the blood-producing system and this is further heightened by the effect of Lycopodium on the functioning of the spleen as energised by Ceanothus americanus.
- The action of the remedy already becomes noticeable after the very first few days of the treatment; it translates as increased appetite and higher number of haematites, without involving the organism into any excess. There will be no accumulation of fat. Homoeopathic medicines always work in a non-toxic and harmonizing way. The technique of R 31 in action is brought out in the following symptomatology:
- Aranea Diadema:** Sensitivity to changes in the weather.
- Arsen. jod.:** Selective action on the variations undergone by tissues; influences the cellular metabolism.
- Ceanothus americ.:** Injured spleen (i.e. after malaria). Pains in the tummy (left side). Perturbations in the production and circulation of the blood.
- China:** Sequels to loss of blood and humours; harm to the liver, after-effects of malaria; tumours of the spleen with swelling of the abdomen; lack of appetite.
- Ferrum chlorat.:** Secondary anaemia; rise in number of haematites.
- Lycopodium:** Tonic and functional remedy of the liver in case of swellings (pain in left side), lack of appetite (quick satiety); reddish deposit in urine.
- Sulfur:** Penetrating reaction agent, activator of the total sulfur metabolism. Rush to the head, disturbed circulation.
- Dosage:** General rule: 3 times a day 10-15 drops in a little water before meals. During the first days of treatment, in case of pronounced anaemia, frequent doses, eventually 6-10 times daily 10-15 drops. On noting improvement, reduce the dose to 2-3 times a day. It is important not to stuff children with chocolate, sweets and eggs, as the overwork the liver and reduce appetite.
- Recommended food for children: milk puddings, oats flakes, vegetables and fruit. Meat is viewed as a complementary food whilst pork in any form: bacon, sausages, ham etc. will be avoided.
- This also applies to anaemic adults.
- Remarks:** In convalescence: see Vita-C 15.
In endocrine disturbances: see R 19, respectively R 20.
In general debility: compare R 26.
- The above preparations may be given in addition to or in alternation with R 1, depending upon symptoms.



R32 Antihidrosin – Hyperhidrosis Drops

- Ingredients:** Acidum nitric. D12, Belladonna D12, Jaborandi D 4, Kalium carbon. D 6, Lachesis D 30, Salvia offic. D 30, Sambucus nig. D 4, Sanguinaria D 6, Sepia D 30, Veratrum D12.
- Indications:** Undue perspiration (hyperhidrosis of varying genesis). Climacteric flushing, with sweat. Excessive perspiration during acute infectious diseases and fever. Other forms of perspiration (unpleasant smell). Nocturnal perspiration with exhaustion (pre-tuberculous cases). Hot, cold or sticky sweat.
- Mode of action:** The operation of this remedy follows the pattern of strict offensive of its constituents:
- Acid. nitric.:** Highly disagreeable sweat.
- Belladonna:** Hot sweat, with vapour.
- Jaborandi:** Hyperhidrosis of varying genesis.
- Kali. carbon.:** Sweating, exhaustion - weakness between the shoulder-blades, especially during nocturnal perspiration.
- Lachesis:** Flushing, with outbreaks of sweating.
- Salvia offic.:** Against sweat and night sweat,
- Sambucus nig.:** Sweating during acute diseases of various kinds.
- Sanguinaria:** Flushing with outbreaks of sweating.
- Sepia:** Climacteric flushing-sweating of the climacteric variety.
- Veratrum alb.:** Cold sweat; choleric.
- The present remedy, then will act in cases of sweats and the different kinds of perspiration which accompany certain illnesses.
- Dosage:** As a prolonged cure 3-4 times a day 10-15 drops will be taken in some water. In cases intermittent perspiration (i.e. flushing, nocturnal sweat) frequent, eventually prophylactic doses, e.g. in nocturnal perspiration several doses, at an interval of $\frac{1}{4}$ hour, of 10-15 drops. If perspiring occurs in the early part of the night the same dosage will hold. One can wash in cold water to which vinegar will possibly have been added, followed by rubbing with a dilution of Hamamelis extract. Also to be recommended are lime baths and treatment with Sauna. To be shunned are toxic agents like synthetic colouring, pork and kind red eatables.
- Remarks:** Complementary products recommended;
- Sweating during infectious diseases (caused by temperature variations) makes it necessary to prescribe the following complexes:
- In angina and influenza: R 1 and R 6.
- In tuberculous affections: R 48 and R 57.
- In bronchial diseases: Jutussin R 8 / R 9 and recom-.
- In circulatory disturbances: see R 3.
- In coronary insufficiency: R 2.
- In thyreotoxicosis: R 51.
- In circulatory collapse: see R 67.



R33 Buforan – Epilepsy drops

- Ingredients:** Belladonna D 30, Bufo D200, Cuprum D12, Pulsatilla D 30, Silicea D 30, Zincum met. D12, Ethanol, Aqua pur.
- Indications:** Epilepsy and epileptoid attacks, twitching muscles.
- Mode of action:** The ingredients form specific therapeutic antigens.
- Belladonna:** Cerebral congestion with venous stoppages, redness of the head, delirium, cramps.
- Bufo:** Specific remedy against epileptic fits and progressive weakness.
- Cuprum:** Against all kinds of cramps, in the thighs for instance, and especially epileptic cramps.
- Pulsatilla:** Promotes vicarious effects in general, in the sense that diseases stifled in the past are rediscovered as an effect of vicariation.
- Silicea:** After-effects of the suppression of perspiration from the feet. Acts on the constitution.
- Zincum:** Various beneficial effects in case of convulsion, brings out stifled diseases of the skin.
- Dosage:** Generally 2-3 times daily 10-15 drops in some water by way of a prolonged cure.
- Prior to attacks or after an attack administer 20 drops every $\frac{1}{2}$ hour for two hours.
- After treatment over a period to three months the dosage may be reduced to 10-15 drops once a day.
- Remarks:** R 36 is considered to be a useful complementary remedy and one is advised to compare the symptomatology as listed thereunder.
- In restlessness and excitement: compare R 14.
- In hysterical attacks: see R 47. Convulsions during teething: R 35. In tetany and eclampsia: see R 34.



R34 Calcossin – Recalcifying drops

- Ingredients:** Calcium carbon. Hahnem. D 30, Calcium fluorat. D12, Calcium phosphoric. D12, Calcium hypophosphor. D 6, Chamomilla D 6, Hekla Lava D12, Mezereum D 6, Mercur. praec. rubr. D12, Silicea D 30, Ethanol, Aqua put
- Indications:** Perturbations in calcareous tissues and the growths of bones, pathological characteristics in the osseous system; exostosis, periostitis, fragility of the bones, osteomalacia, rickets, coxitis and arthritis, as well as nucleus pulposus (complementary).
- Mode of action:** A variety of calcium compounds profoundly influence the calcium metabolism according to the symptomatology listed below:
- Calc. carbon. Hahnem.:** Rickets, softening of the bones, lack of calcium.
- Calc. fluor.:** Acts on the teeth, especially on the enamel.
- Calc. hypophosph.:** Regulating influence on the production of calcium in pregnancy.
- Calc. phosph.:** Perturbations in the growths of the bones, deficiency in calcium production, chronic headaches of anaemic children.
- Chamomilla:** Angry irritation, head sweat, teething trouble of children.
- Hekla Lava:** Exostosis affecting the feet.
- Mezereum:** Inflammation and pains in the skin of bones, especially the shin-bones, the upper part of the arms, and the bones of the chest.
- Mercur. praec. rub.:** Against osseous deficiencies, exostosis and periostitis with nocturnal pains in the bones.
- Silicea:** Stimulant of growths; fights fistulae of the bones.
- Dosage:** Sucklings and children at the growing age will be given, regularly once or twice a day 10-15 drops (for sucklings it will be best to mix with the normal milk-supply in the feeding bottle suitably shaken). In case of disorders, like rickets or other diseases of the bones, to the vitamins already taken one will add 4-6 times a day 10-15 drops in a little water before meals. Pains in the bones at night call for frequent doses; 10-15 drops every $\frac{1}{4}$ hour. Dressings with Fuller's Earth or healing earth can be applied at the same time; as also with fistulae of the bones. The use of pork remains strictly prohibited. In case of difficult teething with children, 3-4 times daily by way of long-term cure; and, in case of sharp pain, every 10 minutes 8-10-15 drops in some water.
- Remarks:** Painful dentition: additionally R 35.
In cradle cap: if necessary additionally R 23.
In hyperhidrosis: compare R 32.
In osteoarthritis: additionally R 73.
In osteochondritis of vertebral discs, vertebral osteoarthritis; additionally R11.

Also available as injectable



R35 Chadontin – Teething Aches Drops

- Ingredients:** Aconitum D 6, Bryonia D 30, Calcium carbon. Hahnem. D 30, Chamomilla D4, Colocynthis D12, Ignatia D 30, Staphisagria D8, Ethanol, Aqua pur.
- Indications:** Painful dentition, dental cramps delayed teething.
- Mode of action:** The therapeutic effects devolve from the action of its potentised constituents.
- Aconitum:** Feverish conditions; ailments occurring from chills under one guise or the other, coinciding or alternating with toothaches.
- Bryonia:** Inflammation of serous skins.
- Calc. carb.:** Acts on the development of the teeth, facilitating teething.
- Chamomilla:** Excitement, tendency to cry, toothaches.
- Colocynthis:** Excited conditions; throbbing pains; agitation; fits of violent anger.
- Ignatia:** Hysterical reactions; continual whimpering; nervous excitation.
- Staphisagria:** Excitation of the nerves and unseemly behaviour in children; continual whimpering and moaning.
- The action of R 35 decreases the pains and inflammation suddenly occurring in various conditions of excitement and frequently preceding illness brought about by a chill, such as bronchitis, eventually also before measles. It is advisable to check the ears at the same time (otitis media).
- Dosage:** The product is almost exclusively used in frequent doses for acute cases. Little children can be given every 5-10 minutes a teaspoonful from a dilution of some 40-50 drops in $\frac{1}{2}$ cup of water. With older children, and in less acute cases 10-15 drops, frequently, in a little water. For aches caused by hollow teeth, introduce a little cotton wool soaked with a little of this product in pure form.
- Remarks:** As complementary products: R 34 to improve the productivity of calcium and the development of teeth.
- In delayed teething, including faulty dental development: additionally R 34, once or twice a day.
- In neurologic pains: compare R 70 and R 16. If accompanied by influenza: additionally R 6.
- In inflammation of the dental root: R 35, in alternation with R 1 every $\frac{1}{2}$ to 1-2 hours.
- To sedate: additionally or alternately with IR 14.



R36 Choresan – Diseases of the Nerves

- Ingredients:** Agaricus D12, Ignatia D12, Lachesis D 30, Magnes. phosphoric. D12, Phosphorus D 30, Zincum valerianic. D 8, Ethanol, Aqua pur.
- Indications:** Over-sensitivity in the nervous system of children in respect of happenings due to varying causation; nervous diseases, as well as St. Vitus' dance, are all cases to be treated by detoxicant medication with a moderate action and a homoeopathic basis like R 36.
- Mode of action:** The indications are the measure of the wide scope of its constituents:
Agaricus: This extract from Amanita muscaria has its specific effect on convulsions of the muscles and nervous twitches.
Ignatia: Nervous irritation with tendency to cry and hysterical fits. **Lachesis:** Acts in all acute cases of nervous irritation and restless sleep.
Magnes. phos.: General remedy for cramps and irritation of the spinal marrow.
Phosphor.: Constitutional remedy in cases of growing too fast and for the very thin generally.
Zincum val.: Convulsions, restlessness in the legs, nervous twitches.
- Dosage:** According to the degree of gravity 2-3 times daily 5-8-10-15 drops in a little water. In acute cases, with frequent fits and continual convulsions, every 1-2 hours, eventually in alternation with the remedies below.
In acute cases of fits the medicine can be taken every five minutes (possibly in alternation) with other products.
Stimulants of all kinds are to be avoided, especially alcohol and tea.
- Remarks:** As complementary products R 33, R 14 and R 31 as well in cases of anaemia in children, or R 12 with scrofulous children.
Use R 22 for irritation of blood-vessels.



R37 Colinteston – Intestinal colic drops

- Ingredients:** Alumina D12, Bryonia D 4, Colocynthis D 4, Lachesis D 30, Lycopodium D 4, Mercur subl. corr. D 8, Nux vomica D 6, Plumbum acetic. D12, Sulfur D12, Ethanol, Aqua pur.
- Indications:** Flatulent colic, meteorism, porphyrinuria, intestinal colic, abdominal spasms of varying genesis which are characteristic in porphyrinuria and affected liver. Cirrhosis of the liver, bilious colic; colic in saturnism, dysmenorrhoea; Complementary remedy for renal colic. In case of chronic constipation gradual regularizing effect.
- Mode of action:** It is a fact that the liver governs almost the whole detoxicating system in the organism, especially in the intestines. All the food decomposed in the intestines is directed towards the liver, except for the fats which are concentrated in the chylifers. It follows that the functional disorders of the liver will involve a repercussion in the intestines (stoppages). On the other hand the liver sends toxic elements outwards through the intestines. In this connection cholesterins and porphyrins deserve special mention as intermediaries among the hemoglobin tissues; they are consumed by the liver. In modern therapy the liver is exposed to harmful retoxication in many ways. This entails a merely intermittent emission or absorption of intermediary elements and this intermittence has repercussions in the intestines. The outcome is flatulence, meteorism, flatulent colic, intestinal cramps which are often considered as the after-effects of appendicitis or even of tumours. These ailments can also be induced by nicotine. Chronic constipation is a frequent concomitant and R 37 becomes even more imperative.
- Alumina:** Stool in small lumps; constipation.
- Bryonia:** Constipation; dark stools.
- Colocynthis:** Flatulent colic; tendency to contraction.
- Lachesis:** Bad digestion especially after an excess of quinine or alcohol.
- Lycopodium:** Flatulent in the evening.
- Mercur. subl. corros.:** Tenesmus, dysenteriform intestinal cramps.
- Nux vomica:** Intestinal spasms.
- Plumbum acet.:** Intestinal colic. Watery and nauseous stools; chronic diarrhoea. Abdomen very sensitive to touch.
- Sulfur:** Reaction agent, malodorous flatulence, swelling of the abdomen. Matutinal diarrhoea.
- R 37 regularizes stools and will end constipation in many cases.
- Dosage:** As prolonged cure 3 times daily 10-15 drops in a little water before meals. In case of intermittent pains, colic, meteorism and suspected perforation, (eventually the undiluted drops can be held in the mouth and spat out), take for a short while, $\frac{1}{2}$ -1 hour every 3-5 minutes 5-10-15 drops. In case of fundamental changes, bilious colic, renal colic, inflammation of the appendix and others, the following remarks apply:
- Remarks:** In gallbladder colics: additionally or alternately with R 7.
In kidney stone colics: additionally or alternately with R 27.
To sedate: compare R 14.
In enterocolitis: alternate with R 4.
In duodenal ulcer and gastritis: additionally R 5.
In pan creatitis: see R 72.

Available as injectable



R38 Dextronex— Ovary drops (right side)

- Ingredients:** Apis mellifica D6, Apisinum D12, Arsen. alb. D 200, Bryonia D 30, Sulfur D30, Ethanol, Aqua pur.
- Indications:** Affections of the ovaries, right side, inflammation of the ovaries (right side), adnexitis, salpingitis, parametritis. Cysts and benign tumours of the ovaries, oedema of the larynx, after-effects of stynx and for a beginning of inflammation of the appendix.
- Mode of action:** The combined action of the various elements concentrates on the right side of the abdomen.
- Apis:** Specific action on burning pains in the abdomen (right side) as found in inflammation of the ovaries. Beneficent action on cysts by resorption.
- Apisinum:** Intensifies the effect of Apis. Acts as isolated toxic with a specific action on the right side of the abdomen.
- Arsen. alb.:** Remedy with specific action in renal disorders (right side) and renal colic.
- Characteristics:** Agitation and discouragement caused, in this case by annexitis, parametritis, salpingitis and other affections of the right side.
- Bryonia:** Lessens inflammation of the appendix.
- Main symptom:** Improvement when resting and under pressure. Inflammation of the abdomen (improvement brought when lying on the side affected).
- Sulfur:** Increases the effect of Apis while completing it. Reducing itching and psoric disorders which always follow ovary affections.
- Dosage:** As prolonged cure 3 times daily 10-15 drops in some water before meals. In case of acute inflammation and convulsive pains or colic a more frequent dose is to be administered.
- According to degree of acuity, every 5 minutes, or every 15-30 minutes, 10 drops (possibly in a little warm water). Also to be advised are hot poultices or the application of healing earth.
- With inflammation of the abdomen on both right and left sides the alternative use of R 39 and R 38 is indicated at intervals of 1-2 hours. With fever, R 1 which will also decrease the inflammation. One is never to lose sight of the fact that such affections are also liable to reaction on the kidneys. And so R 27 is also to come of eventual use.
- Remarks:** Collaterally as well:
- R 17 with suspected tumours.
 - R 4 with intestinal spasms.
 - R 37 in constipation and convulsive flatuosities.
 - R 11 for shooting pains in the back, also in this case.
 - R 50, pains in the sacral region of women.
 - R 16 will be of benefit in case of neuralgia.



R39 Sinistronex – Ovary drops (left side)

- Ingredients:** Lachesis D30, Lycopodium D30, Palladium D12, Saxifraga D30, Vespa crabro D12, Ethanol, Aqua pur.
- Indications:** Affections of the ovaries (left side), parametria and annexes. Cysts, inflammation, tumours.
Beneficent action in case of inflammation; annexitis, salpingitis, parametritis, and cysts of the ovaries.
The present remedy should be tried before deciding upon a surgical operation, also in cases of bad cicatrizing after an operation, and illdefined affections of the parametrium (left side) R 38 is to be tried if the right side is the affected.
- Mode of action:** **Lachesis:** Convulsive pains in the abdomen (left) with flushing.
Lycopodium: Specific action in convulsive pains located around the descending colon sigmoid (S-romanum), arousing fears of cancer that are often all too well-grounded.
Palladium: Acts of cysts of the ovaries and inflammation, acute and chronic.
Saxifraga: Specific action in renal calculi (left side). The action of the present remedy is directed in the main against affections of the feminine abdomen (left), when the pains radiate in the upper parts and are eventually accompanied with renal calculi or intestinal pains. These general conditions of irritation are echoed as vegetative reflexes throughout the several organs and can contaminate the latter.
Vespa crabro: Specific action in inflammation of the ovaries (left side).
- Dosage:** As prolonged cure 3 times daily 10-15 drops in some water before meals, eventually to be alternated with other, complementary, remedies listed under "Remarks". In cases of acute inflammation with fever and pains suddenly developing, the same dose every 1-2 hours (possibly in a little warm water). Simultaneous application of hot poultices, cooked potato poultices or physiotherapeutic treatments like short wave rays.
- Remarks:** Although the working out of a diagnosis is a very delicate matter for the doctor in attendance with diseases of the feminine abdomen, the present remedy is recommended in case of abdominal ailments (left side) of different nature. If no fundamental change appears, even after alternation with several complementary remedies, the way will remain open to more drastic means. Among the complementary remedies to be listed:
R 37 in constipation and convulsive pains in the abdomen, possibly due to intestinal spasms.
R 38 in abdominal ailments (right side).
R 50 in case of sharp pains in the sacral region.
R 42 for venous stasis, varicosis and inflammation of the veins.
R 1 with inflammation of all kinds especially when fever is a concomitant.
R 4 in case of convulsive intestinal spasms and diarrhoea.
R 13 bleeding haemorrhoids and affections of the rectum.
R 17 for suspected tumours.
R 20 for disorders in the ovarian secretion.
R 27 with renal calculi.



R40 Diaglukon – Diabetes drops

- Ingredients:** Phaseolus nanus D12, Acid. phosphoric. D12, Arsen. alb. D 8, Lycopodium D 30, Natrium sulfuric. D12, Uranium nitric. D30, Secale cornut. D 4, Ethanol, Aqua pur.
- Indications:** Diabetes, pernicious anaemia and phases of degeneration centred in the blood and glandular system, such as leucemia, anaemia, lymphogranulomatosis, but especially diabetes.
- R 40 lessens the secondary symptoms like: depression, agitation, flatulent sensations, lack of appetite, aggravation when the weather changes, thirst, itching etc. The present remedy cannot be expected to bring about a permanent cure.
- Mode of action:** Even though it is almost impossible to cure diabetes mellitus this complex nevertheless ameliorates many of the unpleasant concomitant symptoms.
- In the insulin dependant diabetic a carefully measured reduction of the insulin units is possible after long continued administration of R 40.
- Acid. phosphor.:** Thirst, sexual impotence, psychic depression.
- Arsen. album:** Unquenchable thirst, progressive exhaustion.
- Lycopodium:** Remedy of the liver, flatulence, swelling sensation.
- Natrium sulf.:** Remedy of the liver, specific action in case of aggravation in damp weather.
- Phaseolus nanus:** Sugar in urine, irregular cardiac action.
- Secale corn.:** Thirst, prickles and paresthesia, longing for cold.
- Uran. nitric.:** Specific in diabetes of varying genesis.
- Dosage:** As prolonged cure, 3 times daily 10-15 drops in a little water before meals. After some improvement reduce the dose to twice daily.
- Remarks:** In case of complications or other complementary symptoms the following remedies will apply:
- R 1 inflammation, especially with carbuncles and boils.
 - R 7 functional disturbances of the liver.
 - R 10 menopause, climacteric ailments and diabetes in old age.
 - R 19 or R 20 as stimulant of germinal glands.
 - R 21 skin diseases (boils).
 - R 41 impotence and general lack of vigour in man.
 - R 37 constipation, intestinal sluggishness, flatuosity and meteorism.
 - R 42 venous stasis; varicose and inflamed veins. R 31 lack of appetite; emaciation; pale complexion.
- Through the appropriate combination surprising results can be attained, even in cases of long standing.



R41 Fortivirone Plain

— Sexual neurasthenia Drops

- Ingredients:** Acidum phosphoricum D12 1 g, Agnus castus D8 1 g, Damiana D6 1 g, Ethanolum, Aqua purificata, in 10 g.
- Indications:** Sexual asthenia, spermatorrhoea, general debility especially in men. After-effects of debilitating illnesses, overwork on physical or other planes, overexcitement, nervous exhaustion. Against various kind of ailments in old-age.
- Mode of action:** Tissues grow old through a variety of causes. The formation of rings can be noticed in the albuminous molecules bringing about a rarification of water and consequent parching. As these albuminous molecules loose their working efficacy they can no longer fulfil their detoxicant role towards the cells. This in turn means an accumulation of harmful tissues. It is through a homoeopathic medication stimulating the detoxicant cellular mechanism that an outward bound elimination of these toxins is achieved. The composition of R 41 has been adapted in such a way as to influence the different systems, with special emphasis on the sexual glands. It is universally admitted that the function of the germinal glands affects the whole life-current in an individual.
- Other indications in accordance with the following symptomatology.
- Acidum phosphoricum:** Tonic in case of impotence and lack of libido.
- Agnus castus:** Lack of virility; weakness.
- Damiana:** Strengthens the genital regions.
- Dosage:** Generally 2-3 times daily 15 drops in a little water before meals. In cases of long standing and to achieve a more rapid result, for 2-3 days 10-15 drops can be taken every 1-2 hours.
- Remarks:** As complementary remedies R 19 is recommended, as well as R 31 after illnesses bringing on exhaustion, and in cases of anaemia.
- VITA-C 15 as nerve tonic, R 2 for perturbations in the circulation, and R 3 with muscular weakness of the heart as found in potatoric cases and in old age. R 48 for weakness of the lungs; R 51 for cases of emaciation and overfunctioning of the thyroids.

Also available as injectable



R 41 Forte Impotence Drops

— Sexual asthenia, spermatorrhoea, nervous exhaustion, premature ejaculation.

Ingredients: Acidum phosphoricum D8 0,25 g, Agnus castus D6 0,50 g, China D8 0,5 g, Conium D30 0,25 g, Damiana D6 0,5 g, Lecithinum D6 1 g, Panax ginseng D6 1 g, Phosphorus D8 0,5 g, Procainum hydrochloricum D3 1 g, Sepia D30 0,25 g, Tocopherylis acetate D6 1 g, Yohimbinum hydrochloricum D4 0,5 g, Excipients: Ethanolum, Purified water in 10 g.

Indications: Sexual asthenia, spermatorrhoea, general debility especially in men. After-effects of debilitating illnesses, overwork on physical or other planes, overexcitement, nervous exhaustion. Against various kind of ailments in old-age.

Mode of action: Tissues grow old through a variety of causes. The formation of rings can be noticed in the albuminous molecules bringing about a rarification of water and consequent parching. As these albuminous molecules loose their working efficacy they can no longer fulfil their detoxicant role to-wards the cells. This in turn means an accumulation of harmful tissues. It is through a homoeopathic medication stimulating the detoxicant cellular mechanism that an outward bound elimination of these toxins is achieved. The composition of R 41 has been adapted in such a way as to influence the different systems, with special emphasis on the sexual glands. It is universally admitted that the function of the germinal glands affects the whole life-current in an individual. Other indications in accordance with the following symptomatology.

Acidum phosphoricum: Tonic in case of IMPOTENCE and lack of libido.

Agnus castus: Lack of virility; weakness.

Damiana: Strengthens the genital regions.

Dosage: Generally 2-3 times daily 15 drops in a little water before meals. In cases of long standing and to achieve a more rapid result, for 2-3 days 10-15 drops can be taken every 1-2 hours.

Remarks: As complementary remedies R 19 is recommended, as well as R 31 after illnesses bringing on exhaustion, and in cases of anaemia. VITA-C 15 as nerve tonic, R 2 for perturbations in the circulation, and R 3 with muscular weakness of the heart as found in potatoric cases and in old age. R 48 for weakness of the lungs; R 51 for cases of emaciation and overfunctioning of the thyroids.

Also available as injectable



R42 Haemovenin – Varicosis drops

- Ingredients:** Aesculus D30 1 g, Belladonna D12 1 g, Calcium fluoratum D30 1 g, Carduus marianus D12 1 g, Hamamelis D6 1 g, Mezereum D12 1 g, Pulsatilla D30 1 g, Secale cornutum D30 1 g, Vipera berus D12 1 g, Ethanolum, Aqua purificata, in 10 g.
- Indications:** Venous stasis, varicosis and varicose ailments, varicose eczema, inflammation of the veins, choking of the veins in the lower limbs, together with sensation of heaviness and, eventually, eczema and itching.
- Mode of action:**
- Aesculus:** Specific remedy for dilatation of the veins and venous stasis.
 - Belladonna:** Localised inflammation.
 - Calcium fluoratum:** Favourably affects weak tissues and varices.
 - Carduus marianus:** Eczema on the thighs (lower part).
 - Hamamelis:** Specific in case of all kinds of affections of the venous system, especially those involving pain in the parts affected.
 - Mezereum:** Eruptions in the form of vesicles; the affected parts feel cold.
 - Pulsatilla:** Against the formation of obstructions in the veins.
 - Secale Cornutum:** Disorders in the arterio-venous anastomoses and the precapillaries.
 - Vipera berus:** Diseases of septic nature coupled with feeling of heaviness as found in case of inflammation of the veins and venous stasis.
- Dosage:** The general action of the present remedy is directed against the symptomatic complex of venous stasis, including the formation of varices and its sequels, elephanthiasis and oedemae on the lower part of the thighs. As prolonged cure 3 times daily 10-15 drops in a little water before meals. In case of inflammation and eczema, frequent doses (specially if intermittent pain is felt). As a rule 10 drops every $1\frac{1}{2}$ -1 hours.
- Remarks:** Complementary preparations:
- R 1 for acute inflammation.
 - R 2 to strengthen the heart in case of thrombosis and threatened embolism.
 - R 26 as a general eliminating therapeutic agent.
 - R 39, R 38 and R 50 in affections of the abdomen or after child-birth.

Also available as injectable



R43 Herbamine – Asthma drops

- Indications:** Arsenicum album D8 1 g, Carbo vegetabilis D30 1 g, Kalium phosphoricum D30 1 g, Natrium sulfuricum D200 1 g, Yerba santa D12 1 g, Ethanolum, Aqua purificata, in 10 g.
- Mode of action:** When treating asthma it is the constitutional amelioration of the fermenting systems that is of paramount importance and not the treatment of the actual fits by means of products the sole effect of which is to intercept or paralyse histamin. This constitutional amelioration is achieved by R 43. The indications are the outcome of the following symptomatology:
- Arsenicum album:** Intense restlessness, anxiety.
- Carbo vegetabilis:** Exertions to inhale fresh air; stifling.
- Kalium phosphoricum:** In exhaustion for strengthening. Nutrive remedy for the nerves.
- Natrium sulfuricum:** Constitutional remedy in case of hydrogenoid constitution, worse in damp weather (fog).
- Yerba santa:** Asthmatic bronchitis, with cough and expectoration.
- Dosage:** As prolonged cure 2-3 times daily 10-15 drops **in some water** before meals. In periods free of fits the same dose needs only be taken once or twice daily. As soon as fits manifest, frequent doses are in order, first every 1/2 hour, then every 1/4 hour or every 5-10 minutes 10-15 drops, preferably in a little warm water to increase the effect.
- Remarks:** Complementary preparations which are welcome adjunctions.
- R 14 after strong emotions.
 - R 3 when the heart feels oppressed.
 - R 2 pains and palpitations.
 - R 48 acute and chronic cases. Status Asthmaticus.
 - R 45 hoarseness and catarrh of the larynx.
 - R 6 when feverish bronchitis is a concomitant.

Also available as injectable



R44 Hypotonol – Hypotension drops

- Ingredients:** Crataegus D1, Laurocerasus D 3, Oleander D3, Spartium scoparium D 2, Ethanol, Aqua pur.
- Indications:** Weakness of the conduction and hypotony. Exhaustion of the heart and lassitude ensue.
- Mode of action:** **Crataegus:** General tonic of the myocardium.
Laurocerasus: Irritation of the breathing system as a result of its content of prussic acid.
Oleander: Specific action on conduction; raises blood-pressure.
Spartium scoparium: Selective action on low blood-pressure which it regularizes.
- The combined effect of the present remedy already shows after a few days treatment a correction of the venous tension and a regularization of the blood-pressure.
- This preparation is ideal for feminine anaemia following upon loss of blood in child-birth, or in cases of low blood pressure following upon infectious illnesses, i.e. influenza, angina etc.; also in general vegetative dystonia coupled with a lowering of blood pressure.
- Dosage:** As prolonged cure: 3 times daily 10-15-20 drops in some water before or after meals. In acute cases every 1-2 hours 10-15 drops.
- Remarks:** In case of recurring pains and intermittence of circulatory weakness, 10-15 drops every 5-10 minutes, possibly undiluted or in a little warm water. Sleep must be regularized; this is especially imperative with young mothers weakened after childbirth.
- Complementary remedies: R 31 and R 2.

Also available as injectable



R45 Laryngin – Laryngitis drops

- Ingredients:** Argentum nitric. D12, Arnica D30, Arum maculatum D12, Calcium carb. Hahnem. D 30, Phosphorus 0 30, Ethanol, Aqua pur.
- Indications:** Hoarseness - as liable to affect singers, actors, teachers and orators. Catarrh in the larynx with sensation as of a wound.
Can be used as an additional preparation in tuberculosis of the larynx and nervous disorders i.e. hysterical ball and as a complementary remedy in influenza.
- Mode of action:** **Argentum nitricum:** Decreases catarrh of the larynx and the irritation of the vocal chords which manifests after undue stress on the voice.
Arnica: Counteracts the effect of undue stress and injury of the vocal chords, and brings inflammation under control.
Arum maculatum: Lessens the sensation of wound, raucousness of the larynx and catarrhic conditions of the rear-part of the mouth.
Calcium carb. Hahnemanni: Specifically indicated for hoarseness (not painful) of the type found also in case of paralysis of the nerves (Nervus recurrens).
Phosphor.: Specific action on the mucus in the larynx, lessens the hoarseness and pains of the larynx (singers, teachers, actors, orators etc.).
This remedy has a swift and lasting efficacy and can be considered as indispensable in the afore-mentioned professions. It has the property, after prolonged use, of strengthening the resistance of the larynx.
- Dosage:** As prolonged cure, 3 times daily 10-15 drops in some water before meals. In hoarseness and undue stress on the voice frequent doses are recommended: 10-15 drops every 5-10-15 minutes.
- Remarks:** Recommended complementary products:
R 43 in case of asthma.
R 48 in tuberculosis and secondary tuberculosis of the larynx or lungs.
R 51 in Basedow's disease.
R 47 for hysterical ball (very complex in case of catarrh of the larynx).



R46 Manurheumin – Arthritis drops

- Ingredients:** Ferrum phosphoric. D12, Lithium carb. D12, Natrium sulfuric. D 30, Nux vomica D30, Rhododendron D 6, Spiraea Ulmaria D12, Ethanol, Aqua pur.
- Indications:** In rheumatism and gout of fore-arms and hands, with swelling of articulations. In acute cases, benumbedness and swelling of articulations, characteristics in arthritis with deformation.
Frequently such pains grow worse with change of weather (humidity). This remedy may also be used in other rheumatic aches (growing worse in damp weather) such as: sciatica, rheumatism in the knees, shoulders, pains in the sacral region, inflammation of articulations of the haunches, intercostal neuralgia, rheumatism of the occiput.
- Mode of action:** The present remedy may also be used in feverish infections growing worse or caused by humidity.
Ferrum phosph.: Against inflammations. Influences secondary anaemia frequently occurring in rheumatism and arthritis with deformation.
Lithium carb.: Specific effect in rheumatism and gout, in arthritis with deformation and rheumatic-gouty illnesses.
Natrium sulf.: Aggravation by humidity in rheumatism and asthma. **Nux vomica**: Worse on getting up, low spirits in the morning.
Rhododendron: Chronic rheumatism, pains in limbs and mainly in bones of fore-arms and hands.
Spiraea Ulmaria: Fluttering pains, localized in the articulations of the elbows.
- Dosage:** Will be adapted according to the acuteness of the pains. In general 2-3 times daily 10-15 drops in a little water before meals for a longer period of time (eventually to be alternated with other complementary remedies). In acute cases take 10 drops every $1/2$ -1 hours. After improvement take 10-15 drops every 2-3 hours (also the other complementary remedies - eventually in the morning, at noon and at night).
- Remarks:** Complementary remedies:
R 1 in pains arising from the tonsils or articular inflammations following angina.
R 6 in feverish infections or influenza after drenching.
R 11 in case of general rheumatic constitution.
R 16 in migraine and neuralgia (coming from the sacral region radiating up to the nose).
R 24 with intercostal neuralgia.
R 50 in sacroiliac complaints of women, eventually with pains along the vertebral column.
It is advisable to use only R 46 in the beginning (especially when the pains are localized in the articulations of the hands), before making any combinations with two or three complementary remedies.

Also available as injectable



R47 Neuroglobin –Hysterical complaints dorps

- Ingredients:** Asa foet. D12, Coffea D 30, Glonoinum D12, Ignatia D 30, Lachesis D 30, Moschus D12, Pulsatilla D30, Ethanol, Aqua pur.
- Indications:** Hysterical ball. Constrictions and disturbances from the stomach up to the throat. Sensitivity to noises, nervousity and hysteria of women. Other hysterical sensations, suffocating during the night, throbbing and constriction in the throat. Aggravation "ante menses".
- Mode of action:** The combined effect of the homoeopathic therapy, such as found in R 47, acts ⁱⁿ a specific way on one organ or a complex of symptoms, in this particular case in hysterical ball and other similar conditions.
- Asa foet.:** Sensation of a ball in the throat.
- Coffea:** Hypersensitivity to noises, insomnia, great nervousness.
- Glonoin.:** Strong pulse perceivable in the throat and sensation of suffocation.
- Ignatia:** Sensation of pressure in the throat, hysterical ball disappearing when swallowing and eating.
- Lachesis:** Sensation of suffocation, cannot stand pressure of clothes around the neck. Fits during the night, sudden awakening.
- Moschus:** Sensitivity of hysterical women to noises and odours.
- Pulsatilla:** Hysterical ball and sensation of pressure in the chest arising from the stomach, especially before the next menstruation is due.
- As a whole R 47 acts in such complaints of women which occur at all ages, in youth as well as in the climacteric age. It is obvious that such complaints are caused by functional disturbances in the ovaries, essentially influenced by Lachesis and Pulsatilla, as well as by the other ingredients. R 47 is more effective than any psychotherapy, rapidly lessens the complaints which subsequently disappear.
- Also in St. Vitus' dance it may be used as a complementary remedy.
- Dosage:** In the beginning 4-6 times daily 10-15 drops in some water before meals. In fits, the same dose every 15 minutes is recommended.
- Remarks:** As complementary products: R 14 in acute restlessness.
R 34 in lack of calcareous substances and tetany.
R 16 in neuralgia, R 31 in anaemia and after exhausting diseases.
R 1 with inflammation in the throat and the rear-part of the mouth.
R 45 in hoarseness and catarrh of the larynx.
R 51 in case of hyperfunction of thyroid glands, and thyreotoxicosis.
However, R 47 will be used alone for several days before using additional complementary remedies according to the condition.



R48 Pulmosol – Pulmonary diseases

Ingredients:	Acid. picrin. D 8, Bryonia D12, China D 6, Dulcamara D 30, Ferrum phosphoric. D12, Kalium carb. D 6, Lycopodium D30, Phosphorus D 30, Sepia D 6, Silicea D 30.
Indications:	<p>Pulmonary weakness and first appearance of tuberculous diseases. Complementary remedy in bronchial asthma, chronic pulmonary catarrh, cough resulting from excessive smoking.</p> <p>Complementary or alternative remedy in all catarrhal affections of the upper air passages. Weakness and pains between the omoplates, weariness, nocturnal perspiration.</p>
Mode of action:	<p>Acid. picrin.: In case of lassitude and burning pains in and between the omoplates.</p> <p>Bryonia: Attenuates the catarrh and irritation in the costal pleura. Indicated in pleurisy which frequently leads to the development of tuberculosis.</p> <p>China: Weakness between the omoplates. General tonic after loss of humours and exhausting illnesses.</p> <p>Dulcamara: Consequences of drenching in hydrogenoid constitution. Pressure on the shoulders.</p> <p>Ferrum phosphoricum: After cold with irritation of the upper air passages and continuous stimulation of cough. In feverish bronchitis and peribronchitis with bronchopneumonic foci, in pulmonary tuberculosis with febrile and subfebrile temperatures.</p> <p>Kalium carb.: Against nocturnal perspiration and weakness between the omoplates, frequently as pre-tuberculous symptoms.</p> <p>Lycopodium: Effective for the liver, support of the detoxication function. Aperitive.</p> <p>Phosphor.: Selective effect in pulmonary diseases, in pneumonia and tuberculosis.</p> <p>Sepia: General effect on the physical constitution, general tonic for the body. Against weariness, weakness, lack of energy, fatigue.</p> <p>Silicea: Effective in case omimates the inflammation and inflammation of the pulmonary alveoli (hilus gland).</p> <p>The present remedy acts mainly on the constitutional weakness, especially of the lungs, and in pre-tuberculous conditions of weakness. It may be used in cases of tuberculosis as a tonic and to ameliorate the constitution. It may also be used as a complementary remedy in bronchial asthma and in case of weakness resulting from a cold, etc.</p>
Dosage:	Generally 3 times daily 10-15 drops in some water before meals. In dorsal pains, take every 5-10 minutes the same dose.
Remarks:	<p>Complementary remedies:</p> <p>R 43 in asthma.</p> <p>R 6 in case of influenza and fever.</p> <p>R 24 in irritation of the costal pleura and pleurisy.</p> <p>R 32 in exhausting perspiration, specially nocturnal.</p> <p>R 34 to improve calcification in the focal centre of the lungs, with tuber-culosis of the hilus glands in children.</p>



R49 Rhinopulsan – Sinusitis drops

- Ingredients:** Arsen. alb. D12, Calcium carb. Hahnem. D30, Cinnabaris D12, Kalium bichrom. D12, Mercur. sol. Hahnem. D30, Pulsatilla D12, Sepia D12, Sulfur D30, Ethanol, Aqua pur.
- Indications:** In acute and chronic catarrh of the nose and maxillary sinus. Sinusitis, etc. In formation of polypus in children. Lack of olfaction and taste.
- Mode of action:**
- Arsen. alb.:** Chronic diseases in general with depression.
 - Calc. carb. Hahnem.:** Constitutional remedy in swelling of mucosa, pastoesem habitus, swelling of glands (for instance in scrofula of children).
 - Cinnabaris:** Catarrh of the maxillary sinus and the forehead.
 - Kali. bichrom.:** Helps the emission of glair (nose and maxillary sinus).
 - Mercur. sol. Hahnem.:** Suppurations, suppurative inflammations of mucosa.
 - Pulsatilla:** Similar effects, improvement in the fresh air.
 - Sepia:** Constitutional remedy, chronic conditions of irritability of mucosa, chronic catarrh and expectorations (yellowish).
 - Sulfur:** Constitutional remedy (antipsoric).
- Dosage:** In acute conditions take every 1-2 hours 10 drops in some water. In chronic conditions take 3-4 times daily 10-15 drops.
- Remarks:** In or after influenza, additional use of R 6 is recommended. 45 in hoarseness and catarrh of the larynx.
R 8 / R 9 in cough and R 24 in pleurisy and intercostal neuralgia.

Also available as injectable



R50 Sacrogynol – Gynecological sacroiliac complaints.

- Ingredients:** Aesculus D 6, Cimicifuga D 4, Colocynthis D 6, Natr. chlorat. D 30, Nux vomica D30, Phytolacca D 8, Strontium carb. **D12**, Ethanol, Aqua pur.
- Indications:** Pains of various nature in the sacral region, mainly resulting from abdominal diseases. Pains in the vertebral column, sacroiliac complaints of indefinite genesis. Pains radiating along the vertebral column up to the head and the tip of the nose, sometimes also in abdominal organs. The pains grow worse when moving but may also be acute when resting or at night.
- Frequently pains in the sacral region are caused by re-toxicating treatments of the fluor albus (loss of white, treatments by cauterization and others).
- Mode of action:** **Aesculus hipp.:** Tearing pains (as in hemorrhoids), pains radiating in the sacral bone.
- Colocynthis:** Sharp pains in the sacral region, radiating in the legs. **Cimicifuga:** Specific effect on the feminine sexual organs. Against pains in the breasts, occurring ante menses. Specific action in sacroiliac complaints in connexion with the abdominal organs, pains radiating in the back and the head and up to the nose. May also be effective in pains occurring after a fracture of the skull or concussion of brain.
- Favorable influence in rheumatism in the tendons and ligaments.
- Natrium chlorat.:** Sacroiliac pains, with constipation and shivering, eventually with sneezing in the morning and nervous hypersensitivity.
- Nux vomica:** Sacral weakness (especially when standing), loins feel as crushed.
- Phytolacca:** Sacral sciatic-like pains, radiating into the legs.
- Strontium carb.:** Arthritis and rheumatism of different kinds, mainly in the articulations of the haunches.
- Dosage:** As prolonged cure, take 3-4 times daily 10-15 drops in a little water before meals. In case of acute intermittent pains and aggravation, take for a brief period ($\frac{1}{2}$ to 1 hour) 10-15 drops every 5-10 minutes.
- In case of primary reaction (aggravating), the treatment should be interrupted for 1-2 days, afterwards 5-10 drops will be taken 1-2 a day. After the cure, even the pains have completely disappeared, take 1-2 a day 5-10 drops for at least 3 month to avoid relapses.
- Remarks:** Complementary remedies:
- R 38 in abdominal inflammation (right side).
 - R 39 in abdominal inflammation (left) and cysts.
 - R 37 in constipation, intestinal laziness, flatulence (frequently aggravating sacroiliac pains).
 - R 31 in emaciation and anaemia.
 - R 16 in migraine.
 - R 20 in functional disturbances of ovaries.
 - R 13 in haemorrhoids.
 - R 10 when the pains occur at the climacteric age.
 - R 28 in dysmenorrhoea. R 11 in general rheumatic constitution.



R51 Thyreosan – Thyroid Drops

- Ingredients:** Belladonna D 30, Jodum D 30, Lycopus virgin. D12, Natr. chlorat. D 30, Hekla Lava D12, Lapis albus D12, Ethanol, Aqua pur.
- Indications:** Thyreotoxicosis, Basedow's disease, exophthalmia, intoxication of thyroid glands with trembling of the hands, "goggle-eye", perspiration, eventually diarrhoea and emaciation.
- Mode of action:** The ingredients act in the sense of a detoxication of the toxicated thyroid glands.
- Belladonna:** Main indication: "goggle-eye", fits of perspiration, strong pulse.
- Hekla Lava and Lapis albus:** Effective for the constitution of fibrose struma.
- Jodum:** Specific reaction in hyperfunction of thyroid glands due to the excessive action of iodine. In this particular case the remedy does not act in a homoeopathic but isopathic way.
- Lycopus virginicus:** Strong pulse and tachycardia, as they are usually found in thyreotoxicosis.
- Natrium chlorat.:** Effective in palpitations emaciation, irritability. The general action of the remedy is characterized by its regularizing effect on the function of thyroids.
- Dosage:** In the first 8 days, 4 times daily 10-15 drops in a little water before meals. Afterwards for a period of 8 days 3 times daily, then twice daily, the same dose.
- Remarks:** In some patients sensitive to drugs, a primary reaction may occur, notwithstanding the high dilution. In such cases the treatment should be interrupted for about 2-3 days. In the meantime the following remedies may be administered:
- R 31 with emaciation and weakness. R 4 with diarrhoea.
- R 2 with strong pulse.
- Also our remedies for the nerves are frequently indicated such as R 36 and R 33.
- It is obvious that any treatment with iodized salts or any use of iodine as well as the use of hormones (thyroid glands) should be stopped, as these are liable to cause acute aggravation.



R52 Vomisan – Vomiting Drops

- Ingredients:** Aethusa D 6, Apomorphin. hydrochl. D12, Cocculus D12, Colchicum D12, Ipecacuanha D 8, Nux vomica D 30, Petroleum D12, Veratrum D 30, Ethanol, Aqua pur.
- Indications:** Nausea, sickly feeling (e.g. when driving or flying), sea-sickness, nausea in pregnancy (soothing effect). Nausea as the effect of other disorders, weakness of conduction, gastric catarrh, nausea of children (atrophy and dystrophy).
Acaetonemic vomiting of sucklings and children. Vomiting on rising and gastric catarrh of heavy drinkers. Cold perspiration and nausea especially in weakness of the conduction and prior to biliary colic. Complementary remedy in renal colic with vomiting, in cysts of the ovaries with vomiting, in intestinal spasms and colic, in meteorism with nausea and vomiting.
- Mode of action:** **Aethusa cynap.:** Specific action in gastric catarrh with nausea and urge to vomit, also of children and sucklings.
Apomorphin. hydrochlor.: Specific remedy in vomiting of different kinds, symptomatic action in hyperemesis gravidarum.
Cocculus: Nausea when driving (by car, train, when flying or at sea).
Colchicum: Vomiting tendency and nausea caused by the smell of food.
Ipecac.: Vomiting and nausea (although the tongue is not loaded). **Nux vomica:** Early morning vomiting of heavy drinkers and smokers. **Petroleum:** Against nausea when driving.
Veratrum: Circulatory debility with collapse. Giddiness and sweat.
- Dosage:** Frequent doses are generally recommended in nausea with tendency to vomit in pregnancy, in sea-sickness, in inflammation of the appendix, inflammation of the gallbladder, intestinal cramps, weakness of the conduction, gastric catarrh of sucklings, etc., at the rate of 10-15 drops (possibly in a little warm water or undiluted, e.g. on the hand when driving) every 5-10 minutes. Unpleasant effects are not to be feared as the remedy is not harmful to the liver but, on the contrary, acts as its stimulant. At the most vomiting might increase in the beginning, after absorption of toxicant food. From a biological view-points this reaction is not untoward.
- Remarks:** Complementary remedies:
R 2 in weakness of the conduction.
R 4 in cholerae.
R 7 in affections of liver and gallbladder.
R 16 in vomiting caused by migraine.
R 37 with intestinal colic and nausea.
R 9 in whooping cough.
In circulatory disturbances: R 67.
In cardiac arrhythmias: R 66.
In kidney disease: R 64.



R53 Comedonin – Acne vulgaris Drops

Ingredients: Bromum D12 1 g, Hepar sulfuris D30 1 g, Juglans D30 1 g, Kalium bromatum D12 1 g, Ledum D30 1 g, Natrium bromatum D12 1 g, Natrium chloratum D200 1 g, Viola tricolor D12 1 g, Ethanolum, Aqua purificata, in 10 g.

Indications: Acne vulgaris, pimples, suppurative diseases of the skin, eczema and dermatitis.

Mode of action: Acne vulgaris and pimples occur at the age of puberty, when there is insufficient activity of the germinal glands. For this reason the use of extracts and triturations of **Placenta** is appropriate, on account of its regenerative action on the conjunctive tissues and its effect of excitation on the germinal glands.

The other ingredients, such as **Bromum** and **bromine salt** have a selective and antagonistic effect, according the law of "ARNDT-SCHULZ" in diseases of the skin.

Ledum has a specific effect in suppurative rashes.

Hepar sulfuris: acts in suppurative comedones and

Natrium chloratum. acts specifically when acne is restricted to the scalp.

Viola tricolor: Miliaria, pustules with crust formation and papules over the whole body, especially on the face and ears. Strong itching. Blood purification agent.

Dosage: 3 times daily 10-15 drops in a little water before meals. In acute suppuration and inflammation the same dose every sulfur.s.

In order not to impede the effect of the present remedy it will be of paramount importance to avoid toxicating nutrition, especially bacon, ham, sausages of any kind and pork. These substances promote the formation of pus and acne. Even a small slice of sausage may have an injurious effect upon the efficacy of the present preparation.

Remarks: Complementary remedies:

R 1 in acute suppuration.

R 19 or R 20 to stimulate the function of the glandular germinal system.

R 31 in anaemia, lack of appetite and exhaustion (frequently noticed in young girls).

It will be important to regularize the intestinal function at the same time. To achieve this, R 37 is indicated.

To purify the blood: additionally R 60, 10-15 drops twice a day.



R54 Imbelion – Memory Drops

- Ingredients:** Anacardium D6, Arsenicum alb. D 30 Belladonna D12, Gelsemium D12, Kalium phosphoric. D6, Lycopodium D30, Phosphorus D6, Sepia D 8, Ethanol, Aqua pur.
- Indications:** Disturbances in cerebral function, weakness of memory. Faulty spiritual development of school-children, indifference, lassitude exhaustion.
- Mode of action:** A variety of remedies with particular cerebral activity are included in this complex. The individual symptomatologies as follows:
Anacardium: Specific action in weakness of memory.
Arsenicum alb.: Helpful in cerebral anaemia, stimulant of the cellular function.
Belladonna: In cerebral congestion. **Gelsemium:** In vertigo.
Kalium phosph.: General tonic of the cerebral function.
Lycopodium: Very effective with irregularities in the development of children, through its influence on the cletoxicating function of the liver.
Phosphor.: Excellent nutritive remedy for the nerves. **Sepia:** Against exhaustion and morosity.
- Dosage:** Generally 3-4 times daily 10-15 drops in some water before meals. After improvement 2-3 times daily the same dose.
- Remarks:** Complementary remedies: R 33 for epileptic tendency.
R 36 with soothing effect in chorea minor and the nervousity of children.
R 31 in anaemia.

Also available as injectable



R55 Rutavine – Injury Drops

- Ingredients:** Arnica D 3, Belladonna D 4, Calendula D 3, Echinacea angust. D 3, Hamamelis D 4, Rhus Tox. D 6, Ruta D 6, Symphytum D 6, Ethanol, Aqua pur.
- Indications:** Injuries of all types, fracture, luxation, sprain, concussion of brain, wounds caused by fire-arms or sharp weapons, involving bleeding. May be used as a complementary remedy in feverish infections, sepsis, and in general on account of its stimulating effect on the defensive energy of the organism.
- The present remedy also covers excesses in sports, overstrain, as for instance of labourers carrying heavy weights (heart strain), and rheumatism occurring where old injuries have been sustained.
- Mode of action:** **Arnica:** Acts on the arterial system, regularizing effect on the blood circulation, eliminates stoppages.
Belladonna: Against inflammation.
Calendula: Specially in contusion.
Echinacea angustifolia: Against inflammation and septic complications.
Hamamelis: Bleeding and venous stasis.
Rhus Toxicodendron: Consequences of overexertion and dislocation.
Ruta gray.: Unduly strenuous efforts.
Symphytum: In fracture.
- Dosage:** In acute injuries every 10 minutes 10-15 drops in a little water or undiluted. In fracture, take, the first day every 1/4 hour, the second day every 1/2 hour, the third day every hour, 15 drops. Then 3-6 times daily 10-15 drops, possibly before meals.
- In influenza and cardiac complaints (caused by overstrain) use the present remedy alternatively with other remedies according to the degree of gravity, every 1/4-1/2 hour.
- Remarks:** Auspicious complementary remedies:
 R 3 in muscular weakness of the heart.
 R 6 in feverish infections.
 R 11 in rheumatism.
 R 46 with injuries on the hands.
 R 16 with migraine and neuralgia.
 In impending collapse: add in time R 67.

Also available as injectable



R56 Oxysan – Worms drops

- Ingredients:** Artemisia vulg. D1, Cina D4, Filix D3, Graphites D30, Mercur. subl. corr. D6, Tanacetum vulg. D1, Ethanol, Aqua pur.
- Indications:** Worms of all types, ascarides and oxyures. Subventional remedy in specific mortification processes (i.e. of a taenia).
- Mode of action:** R 56 is not a fast acting vermifuge. Its indications are in particular to remove the concomitant symptoms of this parasitic complaint and to improve the constitution. In this way a lasting cure from helminths is possible and relapses are prevented. The symptomatology of the individual remedies is:
- Artemisia vulgaris:** Spasms in children having worms.
- Cina:** Pale children with dark shadows around the eyes. Grating teeth during sleep, easily startled, starting of the limbs, nasal itch. Active against ascarides.
- Filix mas.:** Specifically active as anthelmintic, particularly tape worms.
- Graphites:** Constitutional remedy. Large appetite, greedy, meteorism, flatulence.
- Mercurius sublimat. corrosivus:** Inflamed mucous membrane of the gut with tenesmus. Sticky nocturnal perspirations.
- Tanacetum vulgare:** Helminthic infection, starting during sleep, easily startled.
- Dosage:** 10-15 drops in some water before meals 2-3 times a day.
To prevent relapses R 56 should be taken 4-6 weeks after the intensive treatment in the same dosage as mentioned above.
- Remarks:** In intestinal colics: additionally R 37.
In hepatic complaints: compare R 7. In gastric complaints: compare R 5.



R57 Scorosan – Pulmonary tonic Drops

- Ingredients:** Arsenum jodat. D6, Calcium carb. Hahnem. D30, Lycopodium D30, Phosphorus D30, Silicea D 30, Teucrium Scorod. D6, Ethanol, Aqua pur.
- Indications:** Weakness of the perenchymateous organs, specially of the lungs, frequently characterized by weakness of the back, nocturnal perspiration, sensitivity to colds, disturbances of the blood circulation (cold feet), lack of appetite, paleness and limpid aspect of the face, following upon loss of blood.
- Mode of action:** Two groups of remedies are contained in the complex. The one group exerts its influence on the bronchial mucous membranes and the other group, consisting of constitutional remedies, being of benefit to the ashenic as well as the phlegmatic types. In this way it is possible to reduce the susceptibility to tuberculosis and to reduce any existing infection by way of stimulating the endogenous immune response.
- Arsenum jodat.:** Tonic, stimulates the appetite.
- Calc. carb. Hahnem.:** Similar recalcifying effect, eliminates the excess of water in the tissues.
- Lycopodium:** Increases the activity to the liver, stimulates the appetite, facilitates the detoxicating function of the liver.
- Phosphor.:** Specific in pulmonary diseases, pneumonia and tuberculous affections of the lungs.
- Silicea:** Recalcifying effect on the scirrhus pulmonary focal centre.
- Teucrium Scorodonia:** Specific in tuberculous diseases of the lungs.
- Dosage:** Generally 2-3 times daily 10-15 drops in a little water before meals, eventually to be taken alternatively with other remedies.
- Remarks:** Recommended complementary remedies:
- R 31 in anaemia.
 - R 32 with nocturnal perspiration.
 - R 26 as an eliminating stimulant.
 - R 43 in asthmatic constitution.
 - R 8 and R 9 with catarrh and cough.
 - With pulmonary weakness in diabetes also make use of R 40.



R58 Vernadon – Oedema drops

- Ingredients:** Adonis vernalis D 2, Convallaria maj. D 2, Crataegus D1, Digitalis D 3, Helleborus D 4, Scilla D 2, Ethanol, Aqua pur.
- Indications:** Muscular weakness of the heart and appearance of hydropsy and oedema of the legs. Hydropsy in the abdomen frequently due to the muscular weakness of the heart.
- May also be effective in renal oedema.
- Mode of action:** The effect of the present remedy manifests as an eliminating stimulation of oedema, appearing in muscular weakness of the heart, in cardiac affections or infectious diseases.
- Adonis vernalis:** Digitalis alike glycosid reaction without danger of cumulation. Diuretic effect in arrhythmia and tachycardia.
- Convallaria:** Tonic of the heart.
- Crataegus:** Enlarges the coronary blood-vessels.
- Digitalis:** Increasing of the muscular strength of the heart.
- Helleborus:** Reinforcement of the diuretic components.
- Scilla:** Marked diuretic action. Indicated also in hydrops, exudative (fibrinous) form of pleuritis and arrhythmia absoluta.
- Dosage:** As a general effect, an increasing of the muscular strength of the heart and of the blood circulation will be obtained. Through the additional use of Scilla, good results may sometimes be obtained in oedema, due to disturbances in the renal function, in nephritis and renal stoppages.
- It will be of great importance to reduce the absorption of liquids.
- Three times daily 15-20 drops before or after meals. In acute conditions, 6 times daily 20-30 drops in a little water. After improvement, reduce the dose 2-3 times daily 10-15 drops.
- Remarks:** Complementary remedies:
- R 2 all conditions.
 - R 3 in muscular disturbances of the heart and bad conduction.
 - R 12 in high-tension and sclerosis.
 - R 19 or R 20 in glandular disturbances, specially at the climacteric age.
 - R 59 in obesity causing overstrain of the cardiac-muscle.
 - R 37 in flatulence (stomach) with gastro-cardiac symptomatic complex.
 - R 40 in diabetes.
- In renal oedema: see R 64.



Original Homoeopathic Medicines

DR. RECKEWEG & CO
GERMANY GMBH



R59 Vesiculine – Slimming Drops

- Ingredients:** Calcium carb. Hahnem. D12, Fucus vesiculos. D 2, Graphites D12, Natrium sulfuric. D 2, 01. crotonis D 4, Spongia D 3, Ethanol, Aqua pur.
- Indications:** Obesity, tendency to put on weight due to faulty activity of the glandular secretion.
May also be used to combat incipient goitre.
- Mode of action:** The effectiveness obtained through iodized combinations, brought together in organic ways, such as found in **Fucus vesiculosus** and **Spongia**, highly stimulates the function of the thyroid glands and act towards formation of goitre. We add to this medicinal composition constitutional stimulants such as homoeopathic triturations of **Graphites** and **Calc. carb.** as well as of **Natrium sulf.**, a functional stimulant of the liver, and **Oleum Crotonis**, a functional stimulant of the intestines.
- Dosage:** As a whole, the action of the present remedy is revealed as having a stimulating effect on the metabolism of tissues and on the combustion, as well as an eliminating effect on the excess of fluidic contents in the tissues and a regularizing effect on the function of the thyroid glands.
2-3 times daily, in acute conditions 4-5 times, 10-15 drops in a little water. It is recommended to use in the beginning (for 5-6 days) frequent and high doses. Subsequently, take 2-3 times daily 8-10 drops.
In children, reduce the dose according to the age (5-8-10 drops).
- Remarks:** Complementary remedies:
R 10 in the climacteric age, as well as, R 19 or R 20.
R 2 in cardiac weakness.
R 27 to stimulate the renal function.
R 40 in coexistent diabetes.
R 31 with chlorosis.



R60 Purhaemine – Blood purifying Drops

- Ingredients:** Aranea Diad. D 12, Conium D30, Fumaria officinalis D6, Hepar sulfur. D12, Galium Apar. D12, Juglans D6, Myosotis arvensis D6, Sarsaparilla D6, Scrophularia nod. D 6, Ethanol, Aqua pur.
- Indications:** Impurities of the blood, unclean skin (e.g. pimples), swelling of lymph glands, blood purifying remedy. General improvement of the humoral composition i.e. of the blood and other vital fluids needed in all circumstances of illness and more so in protracted illnesses. Scrofulosis.
- Mode of action:** Preparation has a deep effect on the constitution, acting on the blood and lymphatic glands. The connective tissue becomes more resistant by stimulating the endogenous immune system.
- Aranea diad.:** Great susceptibility to dampness, all symptoms are worse during cold damp weather.
- Conium:** Enlarging and hardening of glands. Paralytic asthenia of limbs with tremor and sweat.
- Fumaria officinalis:** Scrofulosis, swelling of lymph glands, blood impurities.
- Galium Aparine:** General dyscrasia. Incarnate with tropic ulcers, diuretic.
- Hepar sulf.:** Promotes healing of devitalised tissue as caused by pus, boils and abscesses.
- Juglans regia:** Blood purifier.
- Myosotis arvensis:** Nocturnal perspiration with secretions and emaciation. Tubercular diathesis.
- Sarsaparilla:** Delayed development of children together with eczema.
- Scrophularia nodosa:** Scrofulos swelling of lymph glands, lymphatic constitution (hydrogenoid constitution).
- Dosage:** 5 to 15 drops taken 2 or 3 times daily in water before meals. Drops given according to age. In chronic cases 1 or 2 times daily.
- Remarks:** To stimulate the immune response particularly in chronic conditions, compare R 26.
- In eczema: R 23 and R 21. In tumours: R 17.
- In anaemia: compare R 31. In excessive perspiration: R 32. In TB of lungs: R 48 and R 57. In acne vulgaris: compare R 53.



R61 Lumbagin – Rheumatic ointment

- Ingredients:** Berberis vulgaris D1 0,1 g, Camphora (oleos) D3 1 g, Dulcamara D1 0,1 g, Nux vomica D1 0,1 g, Oleum Gaultheriae 10 % 3,5 g, Oleum Lavendulae 1 g, Oleum Pini silvestris 10 % 2 g, Rhododendron D1 0,1 g, Rhus toxicodendron D1 0,1 g, Unguentum Alcoholum lanae ad 100 g.
- Indications:** Lumbago, backache due to degenerative rheumatic processes such as is found in chondritis, osteochondritis and osteo-arthritis.
Acute and muscular rheumatism.
Ankylosing spondylitis, cervical and lumbar syndrome, brachialgia, intercostal neuralgia (fibrositis) and sciatica.
Chronically inflamed tendons, ligaments and joints of rheumatic origin.
- Mode of action:** The hyperaemic action is intensified by the addition of nicotinic acid-benzylester. The individual remedies are potentised with 01. Pini thus achieving a larger surface action and a better absorption of the plant extracts through the skin. The symptomatology of the ingredients is synonymous with that of the oral administration (R 11).
- Berberis:** Backache with great weakness.
- Dulcamara:** Neuralgic pains in limbs and joints of rheumatic origin together with stiffness, particularly caused by sitting on cold surfaces.
- Nux vomica:** Spine feels as if broken, worse from sitting, worse at night and in the morning when getting up.
- Rhododendron:** Rheumatism of small joints. Pain in worse before rain and thunderstorms.
- Rhus Tox.:** Tearing and drawing pain of rheumatic origin in all limbs and joints. Worse at rest and at night. Better from continued motion.
- Dosage:** Apply ointment over the affected areas repeatedly.
- Remarks:** Prescribe R 11 additionally for internal use.



R62 Morbillin – Measles Drops

- Ingredients:** Arum triphyllum D3, Belladonna D4, Ferrum phosphoric. D8, Mercur. solubil. Hahnem. D8, Pulsatilla D4.
- Indications:** To reduce all types of inflammation of mucous membranes, especially with inflammations of the eye; measles, German measles.
- Mode of action:** Remedies in this combination all reduce inflammation of mucous membranes. The improvement is rapid and lasting.
Complications are largely circumvented by the administration of this combination.
- Arum triph.:** Burning and stitching pain of inflamed mucous membranes together with irritation of the eyes and skin rashes.
- Belladonna:** Acute inflammation, febrile states, congestion of the head, dry mucous membranes, affecting the upper respiratory system in particular.
- Ferrum phosph. and Mercur. sol. Hahnem.:** Catarrhal affections, photophobia, sticky perspirations.
- Pulsatilla:** A near specific remedy in measles.
- Dosage:** In the acute stage frequent repetition is necessary. Start with 8 to 10 drops in water to be given in 1/2 to 1 hour intervals. Babies should be given 3 to 5 drops in water. On improvement reduce the frequency of administration to 1 to 2 hourly.
- Remarks:** For the convalescent stage: R 31.
If illness is complicated by influenza, prescribe in addition to and in alternation R 6.
Tonsillitis or Otitis Media: Prescribe in addition to or in alternation R 1.
Sinusitis: R 49.
When the rash does not develop at all or too slowly give intercurrently, R 23, 8-10 drops 2 or 3 times daily.
Bronchitis: additionally Jutussin drops R 9 or in syrup form R 8.
Pending an involvement of the lungs: R 48 given 3 or 4 times daily in addition to R 62.
Tendency to TB of lungs: R 57, 8 to 10 drops given 1 or 2 times daily.



R63 Endangitin – Circulation Drops

- Ingredients:** Adrenaline DU, Aesculus D 2, Cup urn acetic. 136, Potentilla anserina D 2, Secale cornut. D 4, Tabacum D4, Veratrum D 6.
- Indications:** Peripheral vascular disturbances, acroparaesthesia, endangiitis obliterans, intermittent claudication, Raynaud's disease, cramps in calf muscles, diseases of veins.
- Mode of action:**
- Adrenaline:** Spasmolytic, acting on the muscular layer of blood vessels.
 - Aesculus:** Venous congestion, particularly in the true pelvis.
 - Cuprum acet.:** Spasmodic constriction of voluntary and involuntary muscles, cramps in calf muscles.
 - Potentilla ans.:** Spasms of various kind, cramps in calf muscles.
 - Secale corn.:** Gangrene of the diabetic patient, numbness and paraesthesia in the limbs, cramps with the sensation of coldness or absence of any sensation.
 - Tabacum:** Cramps in all limbs accompanied by weakness and formation.
 - Veratrum:** Sensation of coldness throughout the entire body, cramps in calf muscles, numbness and absence of any sensations.
- Dosage:** 10-15 drops in water, three times daily before meals. In severe cases the initial dosage is 10 drops every 1 to 2 hours.
- Remarks:**
- In diabetic angiopathies: add R 40.
 - If arteriosclerosis is present: add R 12.
 - In venous stasis e.g. varicositis add R 42.
 - In angina pectoris: compare R 2.
 - Paraesthesia as result of sciatica: compare R 71.

Also available as injectable



R64 Nephralbin – Albuminuria Drops

- Ingredients:** Helonias dioica D 3, Kalium arsenicosum D4, Phosphorus D 6, Plumbum metallic. D12, Solidago Virgaurea D2.
- Indications:** Albuminuria, proteinuria, nephrosis, chronic nephritis, nephrosclerosis.
- Mode of action:** The various ingredients of this combination cover those symptoms characteristically found in the late stages of inflammation within the urogenital tract.
- Helonias dioica:** Exhaustion, backache, pressure and drawing pains in the kidney area.
- Kalium arsenicosum:** Chronic nephritis with oedema; heart pathology.
- Phosphorus:** Weakness, parenchymal degeneration, analysis of urine shows protein and blood and cylindrical casts.
- Plumbum met.:** Reduced quantity of urine, proteinuria with hypotrophy of kidney.
- Solidago Virgaurea:** Chronic nephritis, almost specific as a kidney remedy.
- Dosage:** 10-15 drops in water three times daily before meals. In the initial phase of therapy repeat more frequently.
- Remarks:** Acute and chronic nephritis: compare R 1 also R 6.
Relapsing kidney complaints yield better if R 64, is used in alternation with R 1.
In cysto-pyelitis: compare R 18 with R 1.
In kidney-stones: compare R 27 and if necessary R 1. Prostate adenomas associated with cystitis: compare R 25.



R65 Psoriasin – Psoriasis drops

- Ingredients:** Arsenic alb. D12, Berberis aquifol. 0, Calcium carbonic. Hahnemanni D 30, Graphites D12, Hydrocotyle asiatica D 2, Natrium chloratum D 30.
- Indications:** Psoriasis vulgaris, psoriasis-like eczema.
- Mode of action:** All the chosen constitutional remedies have a particular affinity for the skin.
- Arsen. album:** Skin itches and burns, dry exfoliating skin. **Berberis aquifolium:** Has proven itself in psoriasis.
- Calc. carb. Hahnem.:** Scrofulous diathesis, fair, fat, flabby type of patient, impaired nutrition.
- Graphites:** Stout, fair patients. Rough, hard and persistent dryness of areas of skin. Eruptions ooze a sticky exudate.
- Hydrocotyle asiatica:** Great thickening of epidermoid layer with exfoliation of scales. Circular spots with scaly edges.
- Natrium chloratum:** Flabby, debilitated constitution, tending to hyperthyroidism. Seborrhoeiac eczema.
- Dosage:** 10-15 drops in water, 2 to 3 times daily before meals. Period variable depending on the case.
- Remarks:** R 21 if given in addition will enhance the action of R 65. Psoriasis is a deep-seated constitutional complaint that requires time and patience in treatment. Constitutional remedies such as R 21 need time to bring about a reaction.
- If symptoms agree R 23, 10-15 drops daily in water for a period of one week may be thought of in addition to R 65.
- In cases of endocrine secretory disturbances R 19 or R 20 respectively may be used as additional therapy. The dosage being 10-15 drops once daily for a week.



R66 Arrhythmia – Cardiac arrhythmia drops

- Ingredients:** Ammi visnaga D 2, Iberis amara D 3, Leonurus Cardiaca D2, Oleander D 3, Spartium scoparium D 2, Sumbulus moschatus D 2.
- Indications:** Disorders of cardiac rhythm and conduction following degenerative heart disease, post myocarditis and endocarditis, myocardial infarct, tachycardia, cardiac neurosis, Adam-Stokes syndrome.
- Mode of action:** The individual remedies complement each other and have a specific action on the myocardium and heart conduction.
- Ammi visnaga:** Increases coronary blood flow thereby improving oxygen supply to the myocardium.
- Iberis amara:** Palpitations on slightest exertion, angina with atrial flutter and irregular pulse, nervous excitement.
- Leonurus Card.:** Tonic effect on the myocardium achieved by central sedation.
- Oleander:** Palpitations and stabbing heart pain, pulse rate increased, thereafter reduced; occasional missed pulse beat.
- Sumbulus moschatus:** Violent palpitations on slightest exertion, missed and irregular heart beats.
- Spartium scopar.:** Rapid irregular heart beat, often also missing pulse beats.
- Dosage:** 10 drops in water in acute cases repeat frequently $\frac{1}{4}$ to 1 hourly. In order to achieve cure (long term treatment) 10-15 drops in water 3 times daily before meals.
- Remarks:** Acute myocarditis and endocarditis; compare R 22.
Myocardial insufficiencies and myocardial degeneration; compare R 3.
Angina pectoris: compare R 2.
Myocardial infarct: R 67 and R 55.
In case of a decompensated heart: compare R 58.



R67 Kollapsin – Circulatory Debility Drops

- Ingredients:** Ammonium carbonic. D2, Acid. hydrocyanic. D 6, Camphora D 2, Carbo vegetabilis D 30, Crotalus Cascavella D12, Tabacum D6, Veratrum D 4.
- Indications:** Acute circulatory disturbances, circulatory shock, cardiogenic shock following cardiac failure, circulatory disturbances following infectious diseases and injuries. Chronic circulatory disturbances with tendency to syncope, vertigo and sensation of imbalance.
- Mode of action:** All remedies improve the circulation and strengthen the heart.
- Ammon. carb.:** Weak rapid pulse with perspiration and fear of death.
- Acid. hydrocyan.:** Cardiogenic shock with icy cold perspiration and impending respiratory arrest. Syncope and sudden collapse.
- Camphora:** An analeptic in circulatory collapse together with cold sweat, pallor and cyanosis. Almost imperceptible pulse.
- Carbo veg.:** Burning in chest as from glowing coals together with debility and palpitations. Shortness of breath, anxiety.
- Crotalus Cascavella:** Cardiac insufficiencies with tendency to shock particularly due to bacterial toxins. Circulatory disturbances of post-infective genesis.
- Tabacum:** Almost imperceptible pulse with pallor in the face, cold sweat and nausea.
- Veratrum:** Total circulatory shock, cold sweat, imperceptible pulse, cold blue hands, fainting on rising (orthostatic).
- Dosage:** In acute circulatory shock repeat $\frac{1}{4}$ to $\frac{1}{2}$ hourly. If necessary give every 5 minutes 10-15 drops with or without water. Once improvement commences repeat the remedy less frequently. In chronic circulatory disturbances give 10 to 15 drops in water 3 times daily before meals over a variable period of time.
- Remarks:** In acute myocardial infarction give without delay the following three remedies: R 67, R 55, R 2.
- Alternate the 3 remedies every 5-10 minutes to begin with depending on severity of case. Thereafter slowly increase the intervals between administration of the alternating remedy $\frac{1}{2}$ to $\frac{1}{2}$ to 1 to 2 hourly.
- As patient improves and there is no further shock give R 3 and alternate with R 2 in order to prevent permanent damage to the myocardium. In circulatory disturbances during menopause give R 10.
- In hypotonic cases alternate R 67 with R 44.



R68 Herpezostin – Shingles Drops

- Ingredients:** Croton Tiglium D 6, Mezereum D 3, Natrium chloratum D 6, Rhus Toxicodendron D 4.
- Indications:** Herpes zoster. Varioform conditions.
The individual ingredients contained in this preparation are homoeopathic to Herpes zoster:
- Mode of action:** **Croton Tiglium:** Numerous vesicles on the skin showing a reddish base, itching, burning and stitching.
Mezereum: Weeping vesicles on the skin with a red areola around them, itching and burning. Neuralgia.
Natrium chloratum: Herpes labialis.
Rhus Tox.: Intensely itching vesicles and bullae on the skin. Skin is red and painful.
- Dosage:** In acute cases give initially 1/2-1 hourly 10 drops in some water. Once improvement becomes apparent reduce dosage to 2-3 hourly 10-15 drops.
- Remarks:** Herpes that localises around chest or trunk: alternate in addition to R 68 also R 69, 1/2-1-2 hourly 10 drops in some water. Reduce dosage as improvement sets in. If the associated lymph glands are enlarged give additionally to R 68 also R 1, 10-15 drops in some water 1-2 times daily.
Neuralgias occurring subsequently to Herpes zoster: give additionally R 69 and R 70.
In rare cases it may be necessary to give all 3 preparations alternatively 10-15 drops in some water every 1-2 hours; reduce the dosage as improvement sets in. Topically Atomare-Beckeron R 30 may be used. In acute and chronic eczema: compare R 23. In variola form conditions give additionally R 6.



R69 Intercostalin— Intercostal neuralgia drops

- Ingredients:** Arsenicum alb. D12, Colocynthis D12, Ranunculus bulbos. D 2, Rhus Toxicodendron D 30.
- Indications:** Intercostal neuralgia.
- Mode of action:** The individual ingredients are homoeopathic to the symptoms of the intercostal region as follows:
Arsenicum alb.: Burning pains, ameliorated by warm applications. Mid-night aggravations.
Colocynthis: Flashlike neuralgic or neurotic pains. Intercostal pains.
Ranunc. bulb.: Organotherapeutic relationship to the chest-wall with violent pains.
Rhus Tox.: Neuralgic-rheumatic pain associated with restlessness, ameliorated by constant motion.
- Dosage:** Severe pain: 10 to 15 drops in some water in $\frac{1}{2}$ -1 hourly intervals. As improvement sets in reduce the frequency to 1-2-3 hourly. To prevent relapsing conditions it is advisable to carry on the medication over a variable period of time: 10-15 drops once daily.
- Remarks:** In the presence of Herpes zoster or a previous history of this complaint give additionally R 68 in alternation every $\frac{1}{2}$ -1-2 hours.
Trigeminal- or facial neuralgias: give additionally R 70. In sciatica: compare R 71.
In pleurisy: give additionally R 24.
In osteo-arthritis of the thoracic vertebrae as the cause of intercostal neuralgia: give additionally R 11.
In degenerative discs lesions and osteochondritis: compare R 11. Topically use Atomare-Beckeron R 30 or Lumbagin R 61.



R70 Prosopalgin – Neuralgia drops

- Ingredients:** Aconitum D 4, Cedron D 4, Colocynthis D 6, Kalmia D 3, Verbascum D 2.
- Indications:** Neuralgias in various areas. Trigeminal - and facial neuralgia. Neuritis.
- Mode of action:** All remedies are homoeopathic to neuralgic pains, particular by appertaining to the cranium.
- Aconitum:** Burning pain, paraesthesia and anasthesia as a result of exposure to dry cold weather.
- Cedron:** Periodical attacks of pain, often left-sided and supra-orbital.
- Colocynthis:** Cramping and tearing pains, frequently experienced below the orbit radiating to the eye itself, predominantly left sided.
- Kalmia:** Sudden sharp pains and burning, often right sided in the supra-orbital region.
- Verbascum:** Infra- and supra-orbital neuralgias, periodicity.
- Dosage:** In severe pain: 10 drops in some water every $\frac{1}{4}$ to $\frac{1}{2}$ hour. To prevent relapses administer R 70 over a long period 10-15 drops in some water before meals 3 times daily.
- Remarks:** The following preparations have proved themselves useful to be given in alternation or in addition to:
- In the presence of sinusitis alternate R 70 with R 49, 1-2 hourly.
 - In occipital- and ciliary neuralgia alternate with R 16.
 - In intercostal neuralgia: compare R 60.
 - In sciatica: compare R 71.
 - In neuralgic-rheumatic pains: additionally R 11.
 - In rheumatism over the shoulder area and the distal parts of the upper limbs - hands: compare R 46.
- Topically apply additionally Atomare-Beckeron R 30, if necessary also Lumbagin R 61, rheumatic ointment.



R71 Ischialgin – Sciatica drops

- Ingredients:** Aconitum D4, Arsenic. album D30, Colocynthis D4, Gnaphalium polycephalum D 3, Magnesium phosphoricum D 8.
- Indications:** Sciatica. Sciatica as a result of prolapse of the vertebral discs. Paraesthesia, formication in legs.
- Mode of action:**
- Aconitum:** Colds caused by dry cold air. Formications and pains in legs. Paraesthesia especially at night.
- Arsen. alb.:** Burning pain especially at midnight. Ameliorated by warm applications.
- Colocynthis:** Violent pains that are aggravated by slightest movement, cold or even touch. Cramplike drawing pain along the sciatic nerve.
- Gnaphalium polycephalum:** Nerve root pain with formications. Ameliorated on sitting.
- Magn. phosphor.:** Nocturnal pain, ameliorated by warm applications and pressure.
- Dosage:** In acute cases give initially 8-10 drops in some water every $\frac{1}{4}$ to $\frac{1}{2}$ hour. When improvement sets in reduce the dosage to 10-15 drops every 1-2 hours.
- Remarks:**
- In the case of prolapse of the vertebral discs or spinal osteoarthritis it is recommended to give additionally R 11, 10 to 15 drops 3-4 times daily.
- In sciatica after getting wet: give additionally 10 to 15 drops of R 11 3 times daily.
- In the presence of diabetes mellitus: compare R 40. Intercostal neuralgia: compare R 69.
- In the presence of hypertrophy of the prostate gland: if necessary give in addition to R 71 also R 25.
- Peripheral vascular disorders together with acroparasthesia: compare R 63.
- In trigeminal- and facial neuralgias: compare R 70.
- Topically use Lumbagin R 61 rheumatic ointment, if necessary also Atomare-Beckeron R 30.

Available as injectable



R72 Pankropatin – Pancreas drops

- Ingredients:** Colocynthis D 6, Lycopodium D 6, Momordica Balsamina D 3, Apis millifica D 5, Phosphorus D 6.
- Indications:** Pancreatitis, diseases of the pancreas.
- Mode of action:** The clinical features of chronic pancreatitis are usually ill defined but include relapsing upper abdominal pain. The pain radiates to the back and is relieved by crouching forward or by lying prone. The pain also increases usually 2--3 hours after meals. Early stage symptoms comprise of intolerance to sweet foods. In case of severe damage to the pancreas steatorrhoea, undigested food in stool and large stools are commonly found.
- A differential diagnosis of stomach-, intestinal-hepatic or gallbladder involvement must be made since the above mentioned symptoms can mimic any of those illnesses. Left hypogastric pain is typical of chronic pancreatitis. Violent upper abdominal pain, however, is a constant feature of acute pancreatitis. Hospitalization is necessary.
- The ingredients contained in R 72 cover the symptoms associated with chronic pancreatitis:
- Apis:** Stitching pain, oedema.
- Colocynthis:** Spasmodic pain of the abdomen relieved by bending double.
- Lycopodium:** Pain from bloated abdomen, in left hypogastric region.
- Momordica Bals.:** Increased flatulence in the splenic flexure.
- Phosphorus:** Gastric symptoms, oily stools, fatty degeneration in advanced cases.
- Dosage:** In pancreatitis and diseases of the pancreas: 10-15 drops in some water 3-4 times daily.
- Remarks:** Ill defined upper abdominal pain and gastric symptoms. give additionally R 5, 1-2 times daily.
- Hepatic and gallbladder symptoms: give additionally R 7, 1-2 times daily.
- When pain increases and becomes severe acute pancreatitis must be suspected, give: a) R 1, 10-15 drops 4-6 times daily; b) R 72, 10-15 drops 3 times daily before meals.
- Reduce dosage as amelioration sets in.



R73 Spondarthrin – Osteo-arthritis Drops

- Ingredients:** Acid. sulfuricum D 6, Argentum D12, Arnica D4, Bryonia D 4, Causticum Hahnemanni D12, Ledum D 3.
- Indications:** Osteo-arthritis especially of the large joints, arthritis of the knee and hip-joint, osteo-arthritis of the vertebrae.
- Mode of action:** The ingredients contained in this preparation influence the metabolism of cartilage in particular. Long term medication is necessary before definite improvement sets in. This is best explained by the fact osteo-arthritis is a gradual degenerative process.
- Acidum suit.:** Arthralgia in different joints. Markedly influences the metabolism of cartilage.
- Argentum:** Arthralgia associated with degeneration of joints. **Arnica:** Painful joints.
- Bryonia:** Swollen, stiff joints, worse on movement.
- Causticum Hahnemanni:** Joint deformity associated with paralytic weakness and stiffness.
- Ledum:** Rheumatic joint pain, cramping pain in hip area.
- Dosage:** To begin with give 10-15 drops in some water 4-6 times daily. After 2-3 weeks treatment the dosage may be reduced to 2-3 times daily.
- Remarks:** Rheumatic pains, intervertebral disc lesions and osteo-arthritis of the spine: give additionally R 11 on 2 to 3 occasions with R 73.
- In sciatica: give additionally R 71.
- In hypertrophy of the prostate gland: R 25.
- In backpain in the female: compare R 50.
- In osteoporosis: give additionally R 34.
- Acute arthritis: compare R 1 and R 24.
- Rheumatism of the shoulder girdle, arms and hands: compare R 46.
- Topically apply Atomare-Beckeron R 30 or Lumbagin R 61 rheumatic ointment.

Available as injectable



R74 Nocturnin – Enuresis Drops

- Ingredients:** Calcium phosphoricum D 30, Causticum Hahnemanni D 30, Ferrum phosphoricum D 8, Kalium phosphoricum D12, Pulsatilla D12, Sepia D 6.
- Indications:** Nocturnal enuresis, bladder weakness.
- Mode of action:** The remedies contained in this preparation bring about an improvement in nervous and debilitated constitutions. They also have an affinity to the motor nerves controlling the bladder functions.
- Calc. phosph.:** Constitutionally indicated in the asthenic patient.
- Causticum Hahnem.:** Specific affinity to the bladder sphincter (insufficiency of).
- Pulsatilla:** Incontinence of urine, particularly in girls.
- Ferr. phosph.:** Incontinence of urine, also during the day.
- Kali. phosph.:** Nervous constitutions. General debility and weakness.
- Sepia:** Nocturnal enuresis during first sleep. Close relationship to sexual sphere.
- Dosage:** Nocturnal enuresis in small children: 8-10 drops in some water 3 times daily. Reduce dosage after 2-3 weeks to twice daily.
- The same regimen applies to older children, however increase the dosage to 10-15 drops.
- Adults should be given 10-15 drops 3 times a day over a longer period of time.
- Remarks:** Many causes may precipitate nocturnal enuresis or bladder complaints and it is advisable therefore to elicit the deeper lying causes to those complaints. 'Spina bifida occulta' must be thought of.
- Inflammatory processes in the urogenital tract: compare R 18 to be given in addition to or in alternation with R 74.
- Involvement of the prostate gland: R 25.



R75 Dolomensin – Dysmenorrhoea Drops

- Ingredients:** Caulophyllum thalictroid. D2, Chamomilla D30, Cimicifuga D3, Cuprum aceticum D4, Magnesium phosphoricum D 6, Viburnum Opulus D 2.
- Indications:** Dysmenorrhoea. Cramping pains. Labour pains.
- Mode of action:** The contained ingredients have an affinity to the female i.e. the reproductive organs, upon which the remedies act in such a way as to palliate the pain and to act as an antispasmodic.
- Caulophyllum thalictroides:** Fits of lower abdominal spasms.
- Chamomilla:** Oversensitive state.
- Cimicifuga:** Sudden flashlike, shooting pains in the lower abdominal region.
- Cuprum aceticum:** Severe dysmenorrhoea.
- Magn. phosph.:** Dysmenorrhoea ameliorated by natural discharges such as onset of menses.
- Viburnum Opulus:** Lower abdominal spasm extending in the thighs. Irregular menses.
- Dosage:** In severe pain and in labour pains: frequent administration of 10 drops in some water every $\frac{1}{4}$ to $\frac{1}{2}$ hour. As improvement sets in give 10-15 drops every 1-2 hours.
- In dysmenorrhoea give 10-15 drops in some water 2-3 times a day over longer periods.
- Remarks:** In menorrhagia and metrorrhagia: compare R 28. If spasms radiate to the entire abdomen give additionally R 37.



R76 Herbamine forte – Asthma forte Drops

- Ingredients:** Aconitum D3, Ammi visnaga D2, Convallaria majalis D1, Drosera D1, Ephedrinum hydrochloricum D2, Kalium jodatum D3, Lobelia inflata D3, Mentholum D2, Stramonium D3, Ethanol, Aqua pur.
- Indications:** Constitutional asthma - therapy.
- Mode of action:** As a prolonged cure "Asthma forte " has a favourable influence on the constitution of asthmatic dispositioned persons.
- Aconitum:** Stabbing pain in the chest, feeling of anxiety, thanatophobia, cough gasping and dry, sensation of constriction of chest.
- Ammi visnaga:** Circulation disorders, cardiac affections.
- Convallaria majalis:** Marked respiratory distress, auricular flutter, stabbing pain in the chest.
- Drosera:** Asthma convulsivum with cyanosis and vomiting.
- Ephedrinum hydrochloricum:** Dyspnoea, disorder of breathing, asthma-thoide bronchitis, asthma bronhiale.
- Kalium jodatum:** Conditions of weakness of curative forces.
- Lobelia inflata:** Asthma bronchiale, spasmodic cough. **Mentholum:** Reliefs breathing.
- Stramonium:** Sensation of constriction within the chest, wheezing respiration.
- Dosage:** 3 times daily 20 drops in some water. In case of attack 10 drops every 5-10 minutes.
- Remarks:** In case of bronchial-catarrh additional use of R 48 is recommended, if larynx is affected use additionally R 45, in case of cardiac insufficiency R 3, angina pectoris R 2, as sedativum use R 14 and Vita-C 15.



R77 Fumacin – Anti-Smoking Drops

- Ingredients:** Agaricus D5, Echinacea angustifolia D10, Hypophysis D4, Natrium chloratum D2, Robinia D6, Tabacum D4.
- Indications:** For withdrawal of smokers, smokers hangover, headache caused by smoking too much and thus arisen vasoconstriction, nausea, pain in the stomach, constipation, arrhythmic palpitation (beating of the heart), liver complaints, tympanitis. Disturbances of the function of the connective tissues. Disturbances of the endocrinum, vascular disturbances, smoker's leg.
- Mode of action:** The combination of the ingredients counteracts damages coming from a permanent supply of nicotine.
- If taken regularly over a longer period of time, the power of resistance will be strengthened the function of the autonomic nervous system will be restored and the vessels will better be supplied with blood.
- As result that the nicotine for maintenance of an imitated equilibrium gets superfluous and a general well being arises, if tobacco is renounced.
- Agaricus:** Circulatory disturbances, irregular beating of the heart, liver bloated, coated tongue, pain in the stomach and nausea.
- Echinacea angustifolia:** Strengthens the power of resistance, internal antiseptic with influence on the lymphatic system. Stimulation of the all detoxification-mechanisms.
- Hypophysis:** Disturbances of the function of connective tissues, disturbances of endocrinum, stimulation of blood flow (supply).
- Natrium chloratum:** Temporal headache, arrhythmic palpitation, constipation with hard and dry stool.
- Robinia:** Pain in th stomach caused by smoking to much, acid gastritis (catarrhs of the stomach).
- Tabacum:** Against abuse of tobacco with collapse, paleness, perspiration, trepidation, cold of the limbs, neuralgia and vertigo, nausea and vomiting. Specifically effective on peripeheral and arterial disturbances. Smoker's leg.
- Dosage:** 3 times daily 15-20 drops in some water.
- Remarks:** In case of nervousness due to withdrawal additional use of Vita-C15 forte Tonic is recommended.



R78 Ocuvit – Eye-care Drops

Ingredients:	Aconitum D 4, Apis mellifica D 4, Belladonna D 4, Euphorbia cyparissias D 3, Euphorbium D 4, Euphrasia D 2, Hamamelis D 2, Kalium carbonicum D 4, Mercurius bijodatus D 5, Rhus toxicodendron D 4, Ruta D 2, Scrophularia nodosa D 2, Spigelia D 4, Staphisagria D 4, Sulfur D 4.
Indications:	Chronic conjunctivitis, blepharitis, hordeolum, catarrhal conjunctivitis, eyestrain, opacity of vitreum, diplopia, incipient cataract.
Mode of action:	Aconitum: Analgesic. Apis mellifica: Stabbing pain, epidemic conjunctivitis. Belladonna: Conjunctivitis, blepharitis. Euphorbia cyparissias: Irritation of the mucous membrane. Euphorbium: Watering eyes, catarrh conjunctivitis. Euphrasia: Eyestrain, photophobia, high intraocular pressure, conjunctivitis, lacrimation, blepharitis, ciliaris, ulcus cornea. Hamamelis: Vitreous haemorrhage, eyestrain. Kalium carbonicum: Oedema of the upper eyelids with strong swelling. Mercurius bijodatus: Blepharitis, ciliaris, iritis, ciliary, neuralgia (left side). Rhus toxicodendron: Conjunctivitis, swelling of eyelids with matterly discharge. Ruta: Dysopia caused by eyestrain. Scrophularia nodosa: Scrofulous eye diseases, hordeolum. Spigelia: Catarrhal conjunctivitis. Staphisagria: Hordeolum chalazion. Sulfur: Red eyelids with tendency to purulent inflammation, hordeolum.
Dosage:	3 times daily 20 drops in some water.
Remarks:	In case of local inflammations, acute and chronic, of catarrhal and purulent nature, the additional use of R 1 is recommended.



R79 – Heart Capsules

- Ingredients:** Allium sativum D1, Crataegus D1, Viscum album D2.
- Indications:** Hypertension, attacks of vertigo, dyspnoea, weariness, forgetfulness, for regularisation of blood circulation, arteriosclerosis, hyperlipidaemia, angina pectoris.
- Mode of action:**
- Allium sativum:** Vasodilator; very useful in vertigo associated with arteriosclerosis, its healthbuilding action is known since long. The Bulgarians high age seems to be connected to its regular ingestion as Allicin, one of the active constituents of Allium sativum, exerts a regenerative function and preservative effect to the cells. Allium sativum invigorates the stomach and intensifies the gastric secretion. This increases the choleresis (secretion of bile).
Intestinal infection and constipation will be prevented as Allium sativum hampers bacterial multiplication.
- Crataegus:** Heart tonic, it enhances the functional heart capacity and prevents disordered actions of the heart if intaken regularly. Reduces blood pressure, strengthens the myocardium and dilates the coronary vessels.
Useful in arteriosclerosis; dissolves fatty deposits on the arteries. Angina pectoris, especially on exertion, depression and premature fatigue are prevented if under stress.
- Viscum album:** Reduces the blood viscosity, effects a capillary dilatation and normalizes the heart rate cuasing such a decompression. Sensations of dizziness and increased congestion of blood with its often related headaches may be prevented.
- Dosage:** Swallow whole one capsule three times daily before meals.
- Remarks:** In case of angina pectoris: R2 and R3
Arteriosclerosis: R12
Circulatory disturbances: R67
Vertigo: R29
Suitable for diabetics!



R80 – Arnica Oil

Ingredients:	Homoeopathic Arnica Extract in Oleum Olivarum base.
Indications:	To be applied locally for the relief of muscular soreness and stiff joints.
Mode of action:	Effects from mechanical injuries, act on the arterial system, regularizing effect on blood circulation, eliminate stoppages. Painful joints. Brings inflammation under control.
Dosage:	Topical application in the morning and evening is usually sufficient. In acute cases of pain and aching several applications may be necessary.
Remarks:	In rheumatism of joint and muscles, osteoarthritis and osteochondritis: R11 and R 30 In sciatica: R 71 Neuralgia in the head and occipital regions: R 16 Rheumatism of shoulder and distal upper limbs: R 46 Backpain with females: R 50 Osteoarthritis: R 73



R81 Maldol – Analgesic Drops

- Ingredients:** Anamirta cocculus D 4, Aranea diadema D 4, Cimicifuga racemosa D 4, Citrullus colocynthis D 4, Cyclamen europaeum D 4, Gelsemium sempervirens D3, Ginkgo biloba D 3, Spigelia anthelmia D 4.
- Indications:** Headaches, neuralgic pains, myalgic pains, arthralgia.
- Mode of action:**
- Anamirta cocculus (Cocculus):** Vertigo caused by a variety of circumstances, occipital headache, algospasms, menstrual pains.
- Aranea diadema:** Dysarteriotony, recurrent neuralgic pains, painful arthralgies.
- Cimicifuga racemosa (Cimicifuga):** Myalgic and muscular pains caused by the vertebral column, pains from myocardial spasm, algospasms of gastro-intestinal tract, gallbladder and in region of female genital organs.
- Citrullus colocynthis (Citrullus):** Algospasms of gastro-intestinal tract, biliary tract and urinary organs. Neuritis and neuralgic pains especially in face. Ischialgia.
- Gelsemium sempervirens (Gelsemium):** Headaches, tendency to convulsions.
- Spigelia anthelmia (Spigelia):** Acute carditis, stenocardia, neuralgic pains, headaches.
- Cyclamen europaeum (Cyclamen):** Headaches, migraine, painful menstrual disorder.
- Ginkgo biloba (Ginkgo):** Headaches, painful writers cramp.
- Dosage:** Generally 3-4 times daily 15 drops in some water before meals. In severe cases every 1/2-1 hour 15-20 drops.
- Remarks:** In case of migraine R16.
In inflammation of the nerves of head and inflammation of the sinuses use R1 10-15 drops in some water 3-6 times daily.
In trigeminal and facial nerve neuralgia see R 70.



R82 MyCOX – Anti Fungal Drops

Indications: Fungal infections including ringworm, jock itch, athlete's foot, white flaky skin on hands or feet, thrush in throat, soreness, earache with earitch, white discoloration under fingernails, vaginal yeast or other fungal skin infections. The patient presents with fatigue, irritability, unclear thinking, inability to concentrate, general dissatisfaction, craving for sweets, flatulence; sensitivities of allergic nature increase.

Mode of Action: *Aspergillus niger*, *Candida albicans*, *Mycosis fungoides*, *Penicillium*: These ingredients provide antigenic or nodosal relief by stimulating the defense mechanism of the body. In our research blood was taken from 10 healthy bodies and under the microscope the white blood cells were measured for speed of movement toward fungal cell, ease and time of phagocytosis. The nosode of these fungi were given to the participants, 30 minutes later blood was retaken and the white blood cells efficacy remeasured. In all cases the white blood cells were 25% to 30% faster and more efficacious in destruction of fungal cells.

Chlamydia trachomatis: For antigenic (nosodal) treatment of rickettsia and for homoeopathic blockage of the chlamyospore stage of candida growth.

Echinacea angustifolia: Lymph cleanser and immune fortifier.

Zincum metallicum: For relief of foggy headedness and inability to concentrate. Stimulant of nutritional absorption of Zinc.

Tecoma: Strongest anti-fungal herbal known.

Dosage: For external indications apply R82 topically to affliction several drops twice daily to condition. R82 is safe for external application even into children's ear with cottonswab (if no perforations of tympanic membrane). Internal application: 10 drops 3 times daily. If the dosage provokes extreme bowel cleansing or too loose stools have the patient back off of the dosage to 1 drop 3 times daily and build up the dosage gradually. As a preventive use 5 drops every other day to prevent recurrence. In sensitiveness to alcohol use 10 drops in a glass of warm water. Let alcohol disperse for one minute. For children under 2 years old administer the drops externally into the belly button and let the child rub the remedy into the skin.

Remarks: For inflammations or with thrush use R1. For fungal infections of urinary tract use R18. If coupled with dyspepsia or intestinal cramping use R5. For prostate involvement use R 25. In case of dysmenorrhoea and amenorrhoea use R 28. If premenstrual tension provokes symptoms use R50 and R75. In stubborn skin conditions and psoriasis use R65. To prevent healing crisis from candida over-kill use R26 and R60. With headache use R16. Etiology Anything which depresses the immune system invites fungal growth. The main causes can be 1. Antibiotic abuse. 2. Birth control pills. 3. Sweets (refined sugar, even honey). 4. Amalgams.

5. Toxicity which upsets bowel flora. 6. Stress.

All of the above should be curtailed as much as possible for best results.



R83 Alimentol – Food Allergy drops

Indications: Food allergy

Mode of Action: Coffea, Faex medicinalis, Lac, Saccharum, Solanum lycopersicum, Solanum tuberosum: The above ingredients in dilute amounts provide antigenically desensitization therapy to lower allergic response.

Adrenalinum: For direct hormonal effect against allergic symptoms.

Hepar: Glandular help for antihistaminic effect.

Histaminum: For antihistamine effects provides the best anti-allergic response.

Dosage: 5 to 10 drops 3 times daily is normally recommended, but some cases of extreme reactivity will react to this concentration. In these cases the drops should be put into a glass of water and then the patient should drink some of the water.

Remarks: In case of food allergies use of R16, R37, R43, R49 is recommended. Etiology: Stress and over-activity or anything that overstimulates the sympathetic nervous system can drain its ability to counteract the immune defense of the parasympathetic nervous system. Extreme antibody response can develop in an unbalanced body.



R84 Inhallergol – Inhalent Allergy drops

Indications: Inhalent allergy.

Mode of Action: Pili animalum, Fungi, Semen et pollen graminis, Pulvis herbae inutilis, Pollen :The above formula provides antigenic desensitization of the hyper-immune response these allergens provoke.

Adrenalinum: Low potency for hormonal anti-allergic response.

Histaminum: Provides an anti-histamine effect for the body.

Dosage: 5 to 10 drops 3 times daily is normally recommended, but some cases of extreme reactivity will react to this concentration. In these cases the drops should be put into a glass of water and then the patient should drink some of the water.

Remarks: In case of food allergie use of R16, R37, R43, R49 is recommended. Etiology Stress and over-activity or anything that overstimulates the sympathetic nervous system can drain its ability to counteract the immune defense of the parasympathetic nervous system. Extreme antibody response can develop in an unbalanced body.



R85 Cephabol– High Blood Pressure drops

- Indications:** Blood pressure with systolic above 140 or diastolic over 90 (hypertension).
- Mode of Action:**
- Allium sativum:** Lowers blood pressure.
 - Citrus medica limonum:** Strong diuretic effect.
 - Cor:** Glandular stimulation. Glandulae suprarenales: Glandular stimulation.
 - Kalium iodatum:** Stimulates potassium absorption, increases viscosity of blood.
 - Kalium phosphoricum:** Conduction disturbance.
 - Mesencephalon:** Glandular stimulation.
 - Ren:** Hormonal blood pressure regulation. Tartarus depuratus: Strong diuretic effect.
 - Valeriana:** Calming effect.
- Dosage:** 10 drops 3 times is normally recommended, with as large an amount of water as the kidney can handle. 5-10 drops 6 times daily for more severe of chronic cases, supplement diet with potassium rich foods or natural potassium supplements.
- Remarks:** In case of nervous heart types use R2 and R66; with kidney involvement R18 and R27; with protein clogging of kidney R64; with impaired circulation R63 and R67; with venous stasis R42 and in case of nervousness use Vita-C15, R22, R36, R47.



R-86 Hypocin –Low Blood Sugar Drops.

Indications: Adenosin-Tri-phosphat D 6, D 12, Adrenalinum D 6, D 12, D 30, Arsenicum album D 12, Hepar D 6, D 12, D 30, Hypophysis D 6, D 12, D 30, Hypothalamus D 6, D 12, D 30, Insulinum D 12, D 30, Nux vomica D 30, Oenanthera biennis D 3, Saccharum D 30.

Ingredients: Fatigue, depression (post prandial), irritability, headache, food craving, inability to concentrate, eating helps symptoms, craving stimulants, hypoadrenia, or other hypoglycemic symptoms.

Mode of Action: Adrenalinum, Hepar, Hypophysis, Hypothalamus, Insulinum: For glandular regulation of the blood-sugar chain

Arsenicum album: For mental fatigue and exhaustion.

Adenosin-Tri-phosphat: For energy stabilization.

Nux vomica: For food craving.

Oenanthera biennes: Regulates sugar metabolism.

Saccharum: To reverse the addictive properties.

Dosage: 10 drops 3 times daily; use product 1/2 hour before meals for best results. When healing occurs slowly, encourage more small slow meals.

Remarks: In case of stress use Vita-C 15, Vita-C 15 forte; with compromised digestion R 5, R 7, R 37, R 72; hormonal disturbance R 19, R 20; anemia R 31, R 37; in advanced stages (early diabetic) R 40, nervous cases R 22, R 36, R 47; vertigo R 29; functional brain disturbance R 54; climacteric complaints R 10, R 28, R 75.

Etiology: Hypoglycemia or low blood sugar usually means hyper insulin response to food. The classic hypoglycemic does not have chronically low blood sugar, but rather a highly variable blood sugar which fluctuates from high to very low levels. This fluctuation disrupts brain function and musculature performance, leading to body and mind fatigue, irritability, depression, indecisiveness, and a host of miscellaneous symptoms.

The natural mechanism of blood sugar regulations is conducted by the hypothalamus and pituitary which release hormones upon detection of low blood sugar levels. This hormonal message may act in three ways. If there is food in the digestive tract, these hormones trigger pancreatic insulin release. Or, in the process of glycogenolysis, the hormones prompt adrenal release of minerals and glucocorticoids to stimulate the liver's release of glycogen stores. Adipose transition into glucose occurs through glyconeogenesis, which is also contingent on release by the pituitary and hypothalamus to the adrenal. Disorders of this processes come primarily from the following:



R-87 Bacterol – Anti -Bacterial drops

Indications: Botulinum D 12, D 30, E-Coli D 12, D 30, Glandulae thymi D 6, Hydrastis D 3, Pneumococcinum D 12, D 30, Proteus D 12, D 30, Pseudomonas D 12, D 30, Salmonella D 12, D 30, Streptococcinum D 12, D 30, Tuberculinum D 12, D 30.

Ingredients: Bacterial infections, internal or external. Weakened immune system, or as preventive to bacterial infiltration.

Mode of Action: **Botulinum, E-Coli, Pneumococcinum, Proteus, Pseudomonas, Salmonella, Scarlatinum, Staphylococcinum, Streptococcinum, Tuberculinum:**

The above ingredients in high potencies act on the immune system antigenically to the key the white blood cells to detect and destroy the excess bacteria. The principle is the same as immunization, only in higher dilutions, or potencies the action is free of side effects.

Glandulae Thymi: Glandular key to bacterial immune system.

Hydrastis: Powerful natural anti bacterial.

Dosage: For a natural side effects free effect free immunization formula use 3 drops 3times daily for 3 days once a month for the first 2 years of life. For order patients use 10 drops 3 times daily for bacterial infections. 10 drops once a day for a preventative.

Remarks: In case of fever or sore throat use R 1, for diarrhoea R 4, for urinary infections R 18, R 25, for laryngitis R 45, for injuries R 55, for acne R 53.

Etiology: Bacteria of all types exist on the skin and in the bowel. These creatures live in symbiosis with their human host. The immune system of the host keeps the bacteria in check so they can help the digestion, absorption, and detoxification processes. Bacteria provide many needed functions and are needed for existence. Antibiotics attack these bacteria directly without benefit of the immune system.



R-88 Devirol – Anti-Viral drops

Indications: Carophyllus aromaticus D 3, Coxsackie D 30, D 60, D 200, Diphterinum D 30, D 60, D 200, Epstein Barr D 30, D 60, D 200, Eupharasia D 5, Herpessimplex D 30, D 60, D 200, Herpes zoster D 30, D 60, D 200, Influenzinum D 30, D 60, D 200, Mononucleosis D 30, D 60, D 200, Morbillinum D 30, D 60, D 200, Poliomyelitis D 30, D 60, D 200, V-Grippe D 30, D 60, D 200.

Ingredients: Any viral type disease such as measles, mononucleosis, herpes, flu.

Mode of Action: **Coxsackie, Diphterinum, Epstein Barr, Herpes simplex, Herpes zoster, Influenzinum, Mononucleosis, Morbillinum, Poliomyelitis, V-Grippe:** The above ingredients are highly diluted so that none of the virus remains in the product but that the energy of the virus stimulates the immune system to defend against the intruders. This becomes a safe immunization formula to safely (without side effects) increase the natural defense against virus.

Caryophyllus aromaticus: Natural anti viral.

Euphrasia: Immune stimulant.

Dosage: As a natural immunization formula this anti viral formula is safe for children and should be used 3 drops 3 times a day for 3 days. Every month for the first two years of life. The Formula can be administered into the umbilicus and rubbed into the skin with child's hand. For use with older children or adult 10 drops 3 times daily to counteract viral diseases or 10 drops once a day as a preventative.

Remarks: In case of influenza use R 6; for fever R 1; Chickenpox R 68; Herpes zoster R 68, R 30; Measles R 62; Mumps R 1, R 26; Cough R 8, R 9.

Remove patient from animal protein and increase vitamin C use and essential fatty acids.

With bacterial involvement R 87.

With fungal involvement R 82.

To build immune system R 93.

For stress involvement Vita-C forte.

Etiology: Exposure to virus starts the infiltration to the disease. The immune system's condition during the incubation stage determines the degree and extent of the proliferation of the viral disease. Preventing exposure is important but even more so is keeping a healthy immune system, which allows the virus to do its work without threat to penetrate a cell to proliferate. Virus are modified types of RNA or DNA which carry messages from organisms to organisms. In nature virus are kept in check by bacteria and fungus. This triangle of micro organisms supplies a needed balance so that neither of these three becomes dominant, Excess antibiotics upsets this balance and lets virus and fungus grow.



R-89 Lipocol – Hair Care Dorps

Indications: Alfalfa D 3, Hypophysis D 6, D 12, Kalium phosphoricum D 4, D 6, D 12, Lactuca sativa D 2, Lecithinum D 3, Oenothera biennis D 3, Polysorbatum D 3, Testes D 6, D 12

Ingredients: Alopecia, baldness, premature hair loss, premature gray hair, weakness, too much cooked food, headaches.

Mode of Action: **Alfalfa, Lactuca sativa, Lecithinum, Oenothera bienneis:** Anti-hormonal effects, topical for hair loss,

Hypophysis: To stabilize hair growth.

Juglans: Blood purifier, essential fatty acids.

Kalium phosphoricum: Well known biochemic cell salt for hairrestoration.

Polysorbatum: For topical treatment of premature balding.

Testes: Glandular action.

Dosage: 3 times daily 20 - 30 drops after meals; once a day massage into bald area vigorously for 5 minutes.

Remarks: In case of toxemia use R 26, R 60, for septicemia: R 82, R 87, R 88, with skin disorders R 21, R 23, glandular balance R 19, R 20, anemia R 31, constipation R 37.

Etiology: Excess male sex hormone, improper fatty acid and fat metabolism or impure blood can cause baldness or alopecia. Heredity can play some part, but usually children copy the improper lifestyles and eating habits that can lead to hair loss. Fatty acids counteract the hormones and toxicagents which cause hair loss. proper fatty acids occur in vegetable sources but are heat sensitive and destroyed at temperatures of 45°C or lower. Eating too much cooked and processed foods can limit their absorption. Heat treated animal or vegetable fat can go rancid in the body, by pass the liver's detoxifying process by passing into the lymph stream via the intestinal chilifers and proceed to do cellular damage in the body. Impure or toxic blood can also cause hair loss and skin involvement. Hence, certain toxemia or septemia can produce hair loss.



R-91 – Sports Drops

Indications: Poor oxygenation, weakness, fatigue. For sport use with any training program.

Ingredients: Acidum desoxyribonucleicum (DNA) and Acidum ribonucleicum (RNA):
From yeast sources for nucleotide stimulation of oxygen transport.

Mode of Action: **Acidum folicum:** For cellular energy use.

Amygdalus persica e cortice: Supplies B17 for oxygen intra-cellular use.

Calcium pangamat: B15 supplies a strong methyl donor effect. Essential in oxygen transport.

Fucus vesiculosus: Iodine source.

Pollen: Age old supplier of nutrients and oxygenators of tissue.

Vitamin B12: For cellular energy use.

Zincum metallicum: For oxygen utilization in lung and ph-balancing.

Dosage: 30 drops 3 times a day for athletes in training. 2 times a day for oxygenating effects in normal clients.

Remarks: With sport injuries: 55, sport injuries topically: R 30, anemia: R 31, with obesity: R 59. As a special tonic use Vita-C 15 forte.

Etiology: Sport conditioning requires proper oxygen transport and utilization. This formula increases oxygenation to muscles and nerves. It can even reduce soreness for those just beginning and exercise program.

Contraindication: Severe pollen allergy.



R-92 – Digestive Enzyme Formula

Indications: Queasy Stomach, intestinal pain, stress involvement in digestion, hypochlorhydria, dry mouth, weak parotid, stomach, intestine, liver or pancreas, disorders needing enzymatic help.

Ingredients: Berberis, Caryophyllus aromaticus, Cinnamomum and Coriandrum:
Provide digestive stimulation.

Mode of Action: Bromelainum: Enzymatic support.

Hepar: Providing bile and other emulsifying ingredients, but more for stimulation of proper liver function.
Intestinum tenue: Stabilize proper intestinal function.

Pancreas: Providing protein, fat, carbohydrate and nucleotide enzymes for slight digestive capacity. But more for stimulation of proper pancreas function.

Parotis glandulae: To stabilize and stimulate the first stage of enzymatic digestion.

Species ad Longam vitam: For digestive stabilization.

Ventriculus: Stabilization of stomach's enzymatic capacity.

Dosage: 1 tablespoon after meals provides digestive stimulation and benefits any digestive disorder. This formula also makes an excellent after dinner drink either 2 tablespoon in some water or straight the formula is excellent for relaxing the alimentary tract to allow maximum digestion. As the condition improves use the formula later and later after meals, as 1 hour after meals is the perfect time for pancreas and liver stimulation.
In case of liver type R7
For pre-ulcer stomach pain R5
For pancreatitis R72

With enema R31

Etiology: Stress, toxicity, worry and lack of exercise all have detrimental effects on the digestive system. Disorder include : dry mouth from weak parotid (salivary) gland, dyspepsia from unbalanced stomach secretions, weak liver or pancreas secretions interfering with emulsification or enzymatic release, weak small or large bowel inhibiting absorption absorption of nutrients, or some combination of the preceding.

Dumping large amounts of enzymes into the tract might help temporarily, but to correct the problem we recommend a subtle formula of low potency glandulars supplying small amounts of enzyme, high potency glandulars to stabilize and restore organ function, and finally, herbal formulas to help produce relief and to cure the digestive disorders. This formula is also a safe healthy after dinner drink to assist digestion.



R-93 – Immune System Fortifier

- Indications:** Disorders of immune system, weak immune system or allergic immune response.
- Ingredients:** Allium sativum: Immune system fortifier.
Coecum, Galndulae thymi, Tonsillae palatinae, Tonsillae pharyngeae:
Glandulars for control of cellular and humoral immune systems.
- Mode of Action:** **Lymphocytes:** For regulation of reticulo-endothelial'system.
Medulla ossium, Nodi lymphatici, Splenum: Glandular stimulation and regulation of white blood cell development.
Zincum metallicum: Irritability of the nervous system, slow mental conception.
- Dosage:** 10 drops 3 times daily, for children 5 drops 3 times daily.
- Remarks:** With pulmonary cases: R 57; if stubborn, for drainage R 26; for responsevity of white blood cell: R 82, R 87, R 88; for depression Vita-C 15 forte, R 47; with calcium disturbance R 12, R 34; with influenza R 6; with inflammations R 1; with anemia R 31.
- Etiology:** Stress, worry, toxicity, increased radiation exposure, and decreased exercise are all having negative effects on our health. Imbalance in the immune system can result in disorders ranging from a hypo immune system where the body can't defend against microorganism to hyper immune system conflicts where the immune system over reacts to invader as allergic complaints. Some people even can get both as one part of the immune system can over react and another under react. Recent revelations describe that the immune system is weakened by mental states like fear, depression, worry, etc. cancer is a result of a weak immune system which is overwhelmed by toxins. Lifestyle changes are essential for total immune system rebuilding.
- Eliminate:** smoking, depression, worry and negativity through counseling or other means. Implement a program of good nutrition and exercise, and use this formula to speed relief and rebuilding.



R-94 - Cicatin Lotion (Calendula Solution)

- Ingredients:** **Calendula:** Specifically effective in lacerated wounds and bruising. In contusion.
- Indications:** Use as a healing aid and to prevent infection. Apply directly to minor cuts scratches and burns, or saturate a bandage with succus.
- Dosage:** Topical application in the morning and evening is usually sufficient in acute cases of pain and aching several applications may be necessary.
- Remarks:**
R 55 in acute injuries of all types
R 30 ill effect from mechanical injuries
- Possible precipitation is a common effect in natural products Safety and efficacy are not affected if this happens
- shake before use.



R-95 — Alfalfa Tonic

- Ingredients:** Feeling of exhaustion and anxiety due to overwork and worry rapidly subside and general physical improvement in the patient very shortly appears.
- Indication:** Dr. Reckeweg's Alfalfa Tonic is a carefully composed remedy of natural homoeopathic ingredients, which provides a tonic effect for all ages, in condition of anaemia, loss of appetite, convalescence, specially after debilitating fever or surgical operations, pregnancy, loss of weight and in growing children.
- Mode of Action:**
- Acidum phosphoricum:** Physical and mental exhaustion, impotence, pollutions, lack of concentration, apathy, sleepiness during day time.
 - Avena sativa:** Neurasthenia mental overstrain, sexual debility, rich in vitamins and minerals.
 - Calcium phosphoricum:** Deficiency in calcium production and perturbation of the growth of the bones.
 - China:** General tonic after loss of humours and exhaustion, illnesses, impotence thereafter.
 - Cinnamomum:** Convalescence, prevents all kind of bleeding
 - Ginseng:** Its excellent roborant result is due to Vitamin D1 and B2 (Thyamine and Riboflavine) as well as to its mineral ingredients with high content of sulfur
 - Hydrastis:** General tonic in illness-related weight reduction, exhaustion and hyposthenia.
 - Magnesium phosphoricum:** Stabilization of the central nervous system, pains and cramps in nerves and muscles, neuralgia.
 - Medicago sativa (Alfalfa):** Contains amino acids, which are indispensable for the bodily structure
 - Nux vomica:** Stabilization of cramps in nerves.
- Dosage:** Adult one tablespoon, children one teaspoonful 3 times daily before meals.



R-96 — Sinusitis nasal spray

- Safe**
- No preservatives or propellants
 - “Airless pump” delivers a single dose protected from contaminants
- Effective**
- Decongests and unblocks nasal passages from catarrhal and coryza symptoms
 - Clears nasal discharges of all variety
- Versatile**
- Can be used for patients of all ages babies (0-24 months): 1 pump stroke, 1-2 times daily Infants (2-5 years): 1 pump stroke, 2-3 times daily Children (6-12 years): 1 pump stroke, 3-4 times daily Adult (12+ years): 1 pump stroke, 3-4 times daily.

The remedies that constitute this nasal spray act directly on the mucous membranes of the nasal passages. This spray is ideal during the cold and flu season when symptoms of blocked, noses, profuse nasal discharges, violent sneezing, and catarrhal symptoms are all too common obstruction of the nose can be create subsequent problems of foul orders, loss of smell, and an inability to breath properly.

Ingredients & Mode of Action:

Calcarea carbonicum D12 - Carbonate of Lime Nostrils are sore, dry, ulcerated Blockage of the nose with foul, yellow discharge, Offensive odor in nose Polyps Coryza, alternating with colic Cattarrhal symptoms Kali bichromicum D6 - Bichromate of Potassium Affinity for the mucous membranes; polyps Cattarrh of the nose, larynx, Pressure and pain at the root of the nos, Offensive smell, Discharge is thick, ropy, greenish-yellow, Loss of smell, Inability to breath through nose, Coryza, with obstruction of nose, Violent sneezing, Profuse, watery nasal discharge Cinnabaris D8 - Red Sulphide of Mercury Pressing sensation in nose, Pain at the root of the nose, Extending into bones on each side, Stringly mucous passing, through posterior nares into throat Pulsatilla D6 - Wind Flower Coryza, loss of smell, Blockage of right nostril; stoppage in evening, Prassing pain at root of nose, Large green fetid scales in nose, Yellow mucous profuse discharge in morning

Note:

Use spray within 6 weeks of opening. Do not use after expiration date If causes hypersalivation, stop therapy.



R-97 – Allergy nasal drops

Safe

- No preservatives or propellants
- “Airless pump” delivers a single dose protected from contaminants

Effective

- Liquefies and drains the nasal passages
- Decongests and clears nasal symptoms brought on by an allergic reaction

Versatile

- Can be used for patients of all ages; appropriate for both children and adults

Indication:

As indicated from the remedies that make up R-NAS2, this nasal spray is specially indicated to clear nasal symptoms brought on by an allergic reaction. Keynote signs involve inflammation of the mucous membranes of the nasal passages. Typical manifestations of the allergic reaction are experienced as nasal congestion and obstruction, mucosal secretions (discharge that can be very watery, acrid, and profuse), and frequent sneezing. Often these allergic responses are accompanied by an irritating tickling in the throat, which most often translates into spasmodic, dry coughing, the mucous membranes of the respiratory system can often be affected in these situations. A typical constriction sensation of the lungs can lead to breathing difficulties and typical asthmatic conditions.

Ingredients & Mode of Action:

Acid formicicum D12 - Formic acid polyyps, cattarrh

Aralia racemosa D6 - American Spikenard (plant) asthmatic conditions; spasmodic cough tickling iri throat, Iray asthma patient is week, relaxed, exhausted mucous secretions acrid smarting soreness of the posterior nares, caused by passage of acrid mucous obstruction in the nose, spring hay fever frequent sneezing copious watery, excoriating nasal discharge of salty acid taste

Histaminum hydrochloricum D8 - antihistamine effects indicated for allergic reactions, bronchial asthma, rhinitis blockage of nostrils and itching sensation feeling of constriction, hard to breath tickling in throat, dry cough opens sinus and bronchial passages inflammation Luffa

operculata D4 - Dried fruit of a Brazilian plant called Cabacinha acts on mucous membranes of the respiratory tract allergic rhinitis with clear or whitish discharge, especially in the morning burning and itching in the nose sneezing hypersensitivity to scents of flower and perfumes.



R-118 – Dengue-Fever tablets

Indication: Adjuvant Homoeopathic Therapy for Dengue-Fever. For amelioration of ailment in case of uncomplicated course of disease and Dengue viral infection. Symptoms of Malaria and Typhoid.

Mode of action: **Belladonna:** Sudden incidence of feverish inflammation, exanthema, dry mucous membranes, restlessness.

Chininum sulphuricum: Joint and muscle pain, periodicity of ailment

Eupatorium perfoliatum: Severe osteochondral pain, ague, abnormal fatigue, dolorous eye balls.

Rhus toxicodendron: Drowsiness, restlessness, severe headache, diarrhoea.

Dosage:

Remarks:

Three to five tablets three times daily.

Take four tablets a day for prevention of the disease.



R-130 – Insulin Drops

Diabetes is an age old chronic lifelong disease of malfunction of the Pancreatic Cells (which produces little or on insulin) and carbohydrate metabolism resulting in High Blood Sugar, disturbance in production of glycogen and its storage in the liver and muscle tissues.

Due to the present hectic lifestyle, improper food and late eating habits, inadequate physical activity, being over weight, increased cholesterol and tension etc. Diabetes has become a fast spreading disease all over the world. To control Diabetes the above mentioned causes should be addressed with regular exercise, long walks, diet and medication, otherwise serious health consequences would occur.

Dr. Reckeweg R-130 consists of a unique formula (Insulin and Epinephrin) which in combination with other regular indicated remedies for DIABETES MELLITUS has a more effective action for the metabolism and pancreatic excretory dysfunction.

R-130 takes into consideration the long term possible damage of High Blood Sugar on various organs like the liver, kidneys, heart etc.

Ingredients & Indications

1. Acid Phos D1: Frequent urination specially at night. Mental and Physical weakness. Cramps on the legs at night.
2. Epinephrin (Adrenalin) D6: Angina and High Blood Pressure due to increased level of Sugar.
3. Alchemilla Vul D1: Stimulates the malfunctioning liver.
4. Allium Sativa D1: Vaso dilator, reduces Cholesterol. Heart Stimulant.
5. Arsenic Alb D2: Weakness, increased thirst and restlessness. Affections of the Kidneys, urine contains blood, albumin and pus.
6. Insulin D8: The Pancreatic enzyme that restores the ability to oxidize carbohydrates and maintain the blood sugar level.
7. Myrtillus Ø: Urinary infections in Diabetes.
8. NuxVomica Ø: Very irritable, high tempered and sensitive patients, frequent desire to urinate.
9. Stigmata Ø: Decreased urine with blood and phosphates.
10. Syzygium Jamb Ø: One of the most specific remedy for Diabetes. High Blood Sugar, increased thirst and weakness. Constant Itching and rash over the body.
11. Taraxacum D1: Liver enlarged, constipation. Reduced appetite with bitter taste and swellings.

Dosage: 5 to 10 drops 3 times daily 10 minutes before meals.

Note: R-130 is not a replacement therapy for insulin which should be continued.



R-131 —Carduus Hepatic Drops

This Formula consists of remedies which detoxify the liver and supplemented with ingredients that stimulate the pancreas, spleen, kidneys, and the heart, which become affected in the advanced stage of liver disease.

Indications	Cirrhosis of the Liver, Hepatitis, Jaundice, Pancreatic Dysfunction. Chronic Liver Disease due to high intake of alcohol and strong medications like anti lipid, anti hypertensive drugs etc
Ingredients	
Cardus Mar	Cirrhosis of the Liver, Hepatitis, Swollen Gall Bladder, Gall Stones, Jaundice, Hepatic congestion.
Chimaphilla	Diuretic and stimulant, Hepatic and Renal Dropsies Expells toxins and excess water from the body.
Juglans	Stimulates the Liver, Intestines, and promotes the flow of Bile. Painful Gallstones, Soreness in the region of the Liver, Itching of the body due to Liver disturbances.
Phaseolus	Weak Heart with generalized swelling. Diabetic Complications.
Quassia	Liver Cirrhosis with swelling. Gas and Acidity, Increased Urination. Liver dysfunction due to Diabetes.
Taraxacum	Enlarged Liver and Spleen, Hepatorenal Syndrome. Loss of Appetite, Bitter Taste, Flatulence.
Scilla	Diuretic remedy with Odema, Cardiac and Circulatory weakness.
Sarsaparilla Dosage	Metabolic Regulator and Diuretic Stimulant. Itching on hands and feet. Five Drops three times daily.



R-182 – Stomatitis Drops

- Ingredients:** This medicine covers affections of the month due to allergy and hyperacidity etc.
- Indications:** Inflammatory lesions of the oral mucosa (e.g. aphthae), adjuvant treatment of thrash, vericles on the tongue.
- Mode of Action:**
- Acid nit:** Putrid breath, Salivation, Bleeding of gumps, Painful pimples on the sides of tongue. Tongue red. Teeth loose; gumps soft and songy. Ulcers in soft palate, with sharp, splinter-like pains. Salvation and fetor ovis Bloody Salvia.
- Arum triph:** Raw feeling at roof of mouth and palate. Lips chapped and burning. Comers of mouth sore and cracked. Tongue red, sore; whole mouth raw. Picking lips until they bleed. Salvia profuse, acrid and corroding.
- Borax:** Aphthae, white fungous like growth. Mouth hot and tender; ulcers bleed on touch on eating. Painful gumboil. Crying when nursing.
- Dosage:** Adult and children 12 years acute cases: 5 – 10 drops daily up to a maximum of 12 times daily; in chronic cases 5 – 10 drops 3 times daily in a little water or undiluted, or as directed by a health care practitioner. For more information please consult your health care practitioner.
- Remarks:** Using R1 with R182 can be highly effective. Gargling with Dr. Reckeweg Echinacea Mother Tincture, ten drops in a mouthful of water twice daily is also beneficial.



R-183 – Anti-Allergy drops

Ingredients: 10 g contain: Histaminum dihydrochloricum D8 3,33 g, Luffa operculata D6 3,33 g, Silicea D6 3,33 g.
36 vol. % Alcohol.

Indications: Inflammatory signs on the mucous membranes of the eyes, nose, and the upper respiratory tracts, caused by allergies (hay fever).

Note: Principally, allergic diseases with strong or increasing swelling of the upper respiratory tracts, with or without difficulty in breathing, and a feeling of constriction or the occurrence of generalized allergic symptoms necessitate emergency treatment by a physician.

Mode of Action: Luffa operculata: Histiotropic relation to the mucous membranes of the respiratory tract; allergic rhinitis with clear or whitish discharge, especially in the morning, burning and itching in the nose, sneezing spells, hypersensitivity to scents of flower and perfumes.

Histaminum dihydrochloricum: Allergic symptoms such as itching and sensation of heat in the eyelids, redness of the conjunctiva, blockage of both nostrils and itching sensations. Feeling of constriction with breathing difficulties, dry cough, tickling in the throat.

Silicea: Organo- and histiotropic effect on the mucous membranes of the respiratory tract and on the lymphatic system. Tendency to asthmatic complaints, tickling and irritation in the throat causing slight coughing.

Dosage: If not recommended otherwise, in acute cases 5 – 10 drops daily up to a maximum of 12 times daily; in chronic cases 5 – 10 drops 3 times daily.

Remarks: In case of asthma, the use of R43 and R76 is recommended
Respiratory allergies: BIO 84
Sinus catarrh: R49 and R96
Nasal and respiratory tract involvement due to allergies: R97
For coughs: R8 or R9



R-184 — Anti-Stress Drops

- Ingredients:** Kalium phosphoricum D6, Ignatis D8, Zincum metallicum D6, Ethanol, Aqua pur.
- Indications:** Exhaustion with temporary depression as a result of stress, strain, after severe illnesses.
- Mode of action:** With different action focus, they influence depressive condition as they may occur, in the wake of overexertion, strain, and infectious diseases.
- Kalium phosphoricum:** Functiotropic effect on the nervous system; symptoms such as incapability of mental activities, fatigue during the day, apathy, irritability and restlessness, aversion to company, are all part of the drug picture.
- Ignatia:** Functiotropic effect on the central nervous system. Main symptoms are sadness, sudden changes of mood, mental instability, tendency to inward sorrow, annoyed, timid, fearful dreams.
- Zincum metallicum:** Functiotropic effect on the nervous system; the drug picture displays as the main symptoms aversion to work, fatigue and weakness accompanied by agitation and restlessness, alternatingly irritable, angry, timid, despondent, melancholic, and taciturn. Insomnia, sleepy during the day, reversal of the day-night-rhythm.
- Dosage:** If not recommended otherwise, in acute cases 5 -10 drops daily up to a maximum of 12 times daily; in chronic cases 5 -10 drops 3 times daily.
- Remarks:** Conditions of nervous exhaustion, depression: V-C15.
In case of insomnia and over-excitement of nervous system: R14.
In case of depression related to menopause: R10.
In case of endocrine dysfunction: R19 (men) or R20(women).
In case of great fatigue and anxiety: R95.



R-185 – Hypertension drops

- Ingredients:** Crataegus D4, Arnica D6, Aurum metallicum D12, Etnanol, Aqua pur.
- Indications:** Unstable hypertensive disorders or the blood pressure, borderline hypertension.
- Mode of action:** With different action focus, they influence unstable hypertension.
- Crataegus:** Organotropic effect on the circulatory system. Among the main symptoms are nervousness, rapid, irregular, weak pulse, tonic headache, blood streaming to the head.
- Arnica:** Organotropic effect on the circulatory system. The drug picture displays, among others, such symptoms as hot and red face, headache in the forehead, dizziness, sleeplessness, oppressive feeling in the heart, palpitations and excitement of the blood circulation with pulsation in the vessels, head congestions with bleeding.
- Aurum metallicum:** Functiotropic effect on the circulatory system. Main symptoms are, among others, heat sensation and blood congestion toward head with flushes and buzzing in the head, noise in the ears, strong palpitations, irregular heartbeat with anxiety and shortness of breath, tendency to congestions especially in head, liver, and kidneys.
- Dosage:** If not recommended otherwise, in acute cases 5 - 10 drops daily up to a maximum of 12 times daily in chronic cases 5 - 10 drops 3 times daily.
- Remarks:** For regulation of the circulatory system: R79.
For arrhythmia: R2, R66.
Circulatory disturbances: R63, R67, R44.
Renal complaints: R18, R27.
Arteriosclerosis and hypertension: R12, R79.
Hypotonia: R44.



R-186 — Mumps Drops

- Ingredients:** Belladonna D6, Barium iodatum D6, Pulsatilla D6, Ethanol, Aqua pur.
- Indications:** In case of inflammation of the salivary glands e.g., as a result of mumps. For supportive treatment of parotitis(mumps).
- Contraindications:** Not to be administered without prior medical consultation in case of diseases of the thyroid.
- Mode of action:** With different action focus, they influence the course of a simple inflammation of the thyroid
- Belladonna:** Anti-inflammatory and antipyretic; the main symptoms are, among others, sudden febrile inflammations of various organs with heat, reoness, swelling.
- Berium iodatum:** Histiotropic effect on lymphatic system. Induration and hypertrophy of the lymphatic glands are part of the drug picture.
- Pulsatilla:** Organotropic effect on the mucous membrances and on the reproductive glands; orchitis, ovaritis caused by mumps.
- Dosage:** If not recommended otherwise, in acute cases 5 - 10 drops daily up to a maximum of 12 times daily.
- Remarks:** Anti-viral: R88.
Inflammation of parotid glands and fever: R1, S4.
Drainage for lymphatic system: R60.



R-187 – Neuralgic headache Drops

- Ingredients:** Belladonna D8, Colocynthis D6, Spigelia D6, Ethanol, Aqua pur.
- Indications:** Neuralgic pains in the area of the head, originating in the ears and teeth; trigeminal neuralgia. Facial neuralgia after exposure to cold.
- Mode of action:** With different action focus, they influence neuralgic pains occurring in the are of the head, eyes, ears, teeth.
- Belladonna:** Organotropic relation to the cerebrospinal nervous s/stem. Main symptoms are, among others, sudden intense complaints, head congestion, dry-hot skin, shooting pains, all occurring periodically.
- Colocynthis:** Functiotropic relation to the peripheral nerves. Attacks of neural pains, minutes to hours, numbness.
- Spigelia:** Organotropic relation to the nervous system. The main symptoms are, among others, neuralgic pains with pronounced deterioration during the day, burning, piercing, mainly unilaterally, skin and hair sensitive to the touch, periodicity of the symptoms.
- Dosage:** If not recommended otherwise, in acute cases 5 -10 drops daily up to a maximum of 12 times daily; in chronic cases 5 - 10 drops 3 times daily.
- Remarks:** For inflammation: R1.
Trigeminal and facial neuralgia: R70.
Toothaches: R35.
Neuralgic pains: R81.



R-188 – Warts Drops

- Ingredients:** Stibium sulfuratum nigrum (=Antimon crudum) D8, Acidum nitricum D4, Thuja D4, Ethanol, Aqua pur.
- Indications:** Tendency to the formation of warts (verrucae vulgaris, v. plantaris, v. pianae juvenilis).
- Note:** Changes in the skin lasting more than 4 weeks, whether painless or painful, spontaneously bleeding skin changes, oozing or blistering skin changes necessitate a differential diagnosis by the physician.
- Mode of action:** With different action focus, they influence benign new formations on the skin such as warts.
- Stibium sulfuratum nigrum (Antimon crudum):** Organotropic relation to the skin. Calluses on the soles and horny skin growth, dryness of the skin.
- Acidum nitricum:** The main symptoms of the drug picture are, among others, dry skin, eroded cracked in every angle, itching and stinging in the warts, pain when touched, bleeding when washing.
- Thuja:** Organotropic relation to the skin and the mucosa. The main symptoms are, among others, disorders of the glands, skin and mucosa, deceleration of the cell metabolism with the formation of excrescences and warts. Irritable skin, sensitive to the touch; warts are coarse, jagged and chappy and tend to degenerate.
- Dosage:** If not recommended otherwise, in acute cases 5-10 drops daily up to a maximum of 12 times daily; in chronic cases 5-10 drops 3 times daily.
- Remarks:** Constitutional agent to complete the treatment: R21.
Topical application for pruritus: R30.
If treatment with R188 proves ineffective, opt for R17.



R-189 — Nail disorders Drops

- Ingredients:** Acidum hydrofluoricum D6, Silicea D6, Thuja D4, Ethanol, Aqua pur.
- Indications:** Disorders of nail growth such as soft, thin, brittle nails.
- Acidum hydrofluoricum.** Organotropic relation to the skin. The drug picture also includes symptoms such as accelerated growth of the nails, although the nails are brittle and fragile.
- Silicea:** Organotropic relation to the skin. Main symptoms including disruptions in assimilation, nutrition and resorption; brittle and fragile fingernails and toenails prone to splitting; suppurations in the grooves of the nail bed; nails falling out.
- Thuja:** The drug picture includes the following symptoms: nails that are brittle, soft, ribbed, deformed and break easily.
- Dosage:** If not recommended otherwise, in acute cases 5 -10 drops daily up to a maximum of 6 times daily.
- Remarks:** Recalcifying remedies: R34.
Remineralizing tonic: R95.



R-190 – Digestion Drops

Ingredients: Capsicum D6 3,33 g, Iris versicolor D4 3,33 g, Robinia pseudacacia D6 3,33 g in 10 g. Ethanolum, Purified water

Indications: Mild gastrointestinal disorders with nausea and epigastric pain.
Irritable Stomach; functional disorders in the upper abdomen with sensation of fullness and pressure.

Dosage: Adults and children 12 years acute cases: 5-10 drops daily up to 6 times daily;
In chronic cases 5-10 drops 3 times daily in a little water or undiluted,
or as directed by a health care practitioner.



R-191 — Tinnitus Drops

- Indications:** Ear buzzing as a result of chronic injuries of the inner ear caused by noise; nervous hypersensitivity
- Mode of action:** With different action focus, they influence functional hearing disorders, particularly noises in the ear.
- Asareum eupropaeum:** Organotropic relation to the central nervous system. The drug picture includes the following symptoms: dull buzzing or high ringing in the ears; voices that are close sound far away; a feeling that the ears are plugged.
- Carbo vegetabilis:** Organotropic relation to the gastrointestinal tract and the cardiovascular system. The drug picture is characterized by overall slowing of functions. Sluggish function of the stomach with distension of the epigastric region, flatulence, belching.,
- Phosphorus:** Functiotropic relationship to the central nervous system. The drug picture includes the following symptoms: hypersensitivity to noise, heightened sharpness of hearing, echoing of one's own words in the ears; triggering of symptoms through overexertion.
- Chinium sulfuricum:** Shows a particular relation to the vascular system. The drug picture includes the following symptoms: ringing in the ears, buzzing with deafness, deterioration of ability to hear. Periodical occurrence of the symptoms.
- Dosage:** If not recommended otherwise, in **acute cases** 5 – 10 drops daily up to a maximum of 12 times daily.
- Remarks:** Overexertion of nervous system: **V-C15**
Sclerosis of the tissues: **R12**
In case of vertigo; Meniere's disease **R29**.



R-192 — Constipation Drops

Ingredients:	Carduus marianus D4, Carbo vegetabilis D6, Magnesium sulfuricum D6, Mandragora e radice siccato D4, Ethanol, Aquapur.
Indications:	Indigestion caused by sluggish functioning of liver and gallbladder; constipation, flatulence sensation of pressure and fullness in the right upper abdomen.
Mode of action:	They affect the symptoms of constipation of hepatogenic origin.
Carduus marianus:	Organotropic relation to the hepato-hiliary system. Main symptoms of the drug picture are a slowing and stasis of the portal circulation. Sensation of fullness in the area of the liver, constipation; stool is hard, dark in small lumps.
Carbo vegetabilis:	Organotropic relation to the gastrointestinal tract and the cardiovascular system. The drug picture is characterized by overall slowing of functions. Sluggish function of the stomach with distension of the epigastric region, flatulence, belching.,
Magnesium sulfuricum:	Functionotropic relation to the gastrointestinal tract and also to the liver. The main symptom pattern shows, among other things, metabolic weakness of the liver with distension of the abdomen, sensitivity to pressure in the area of the liver and gallbladder, nausea and pressure on the stomach.
Mandragora e radice siccato:	Functionotropic relation to the liver and to the gastrointestinal tract. Symptoms of the drug picture include bloating, unnecessary urge to defecate, constipation with hard ball-shaped stool, the sensation of not having finished after defecating.
Dosage:	If not recommended otherwise, in acute cases 5 -10 drops daily up to a maximum of 12 times daily; in chronic cases 5 -10 drops 3 times daily.
Remarks:	To stimulate liver and gallbladder: R7. In cases of chronic constipation: R37. Indigestion, flatulence: BC-25.



R-193 —Immune System Fortifier Drops

- Ingredients:** Belladonna D6, Echinacea angustifolia D4, Ferrum phosphoricum D6, Ethanol, Aqua pur.
- Indications:** Strengthening of the immune system against localized inflammatory processes.
- Mode of action:** With different action focus, they influence the body's effort to regulate itself in the presence of localized inflammatory processes.
- Belladonna:** Functiotropic relation to the vascular system. One of the main remedies for inflammatory processes. The drug picture encompasses the following symptoms: sudden and intense congestion, heat, redness, swelling, hypersensitivity to the touch.
- Echinacea angustifolia:** Histiotropic relation to inflammatory-septic processes. Not used according to the principle "Like cures like," but rather according to clinical indication in the presence of inflammatory processes of the skin and the mucous membranes, acute catarrhal inflammations of the mucous membranes, tendency to purulence and foul-smelling secretions or excretions. Stimulation of the immune system.
- Ferrum phosphoricum:** Functiotropic relation to the lymphatic system. Main symptoms include throbbing pain, local redness, swelling, heat, exhausting sweats.
- Dosage:** If not recommended otherwise, in acute cases 5-10 drops daily up to a maximum of 6 times daily.
- Remarks:** In cases of severe inflammation, alternate with R1.
Drainage of the lymphatic system: R60.
To stimulate defensive mechanism of a weakened organism: R26.
Topical antiseptic application to prevent infections: R94. diluted 1:10 parts water.



CINERARIA MARITIMA — Eye Drops

Senecio Bicolor D2 (As per German Homoeopathic Pharmacopoeia)

- Composition:** 10 g contain: Senecio Bicolor (*Cineraria maritima*) D2 2,500 g, Bezalkonium chloratum 0,001 g, excipients, Aqua ad injectionem ad 10 g. Isoton.
- Properties:** Intensifies the irrigation of the anterior ocular region; provides a better nutrition of cornea, lens and vitreous body regulating such the osmotic alimentation of those ocular components which are not directly supplied by blood vessels; bacteriostatic action.
- Indications:** Chronic conjunctivitis, conjunctival irritation, corneal opacity due to metabolic disorders caused by old age, diabetes or gouty conditions; blepharitis. Overstrained eyes, inflammatory eye diseases.
- Dosage / Directions for use:** Unless otherwise prescribed, instil 2 drops 3 times daily into the affected eye. After closing the lid massage it nasally across the conjunctiva to distribute the medicine evenly. Lenticular opacity requires several months treatment.

Please note:

How to open or break the sealing:

- The bottle opens (sealing gets broken) by itself just by carefully tightening the cap clockwise. Inside the cap a special pin like "puncture thorn" creates the necessary opening in dropper tip (see picture). Thereafter turn off the cap and use normally.
- The preparation is absolutely free from noxious side effects.
- No contra indications are known.
- If irritation persists or increases consult physician. Also pregnant and breast feeding women and persons with liver diseases are advised to consult a physician prior to use.
- The product is produced under sterile conditions. Please avoid any contact with the dropper while using the product.
- Good results have been obtained by using Dr. Reckeweg® R78 orally at the same time.
- Use the solution within one month after opening the phial.

Only for use by registered medical practitioners



AMBRA 1000 DROPS

Ingredients: Ambra grisea D6 0,5 g, Cola D4 1 g, Damiana D4 1 g, Kalium bromatum D6 1 g, Muira puama D4 0,5 g, Nuphar luteum D2 1 g, Panax ginseng D4 0,8 g, Selenium D6 0,5 g, Yohimbinum hydrochloricum D4 1,5 g, Excipients: Ethanololum, Aqua purificata in 10 g.

Indication: Asthenia, general debility in men, Nervous exhaustion, after-effects of illness, Premature ejaculation, Vertigo and weakness of memory.

Mode of action: Ambra 1000 drops has been prepared with the variety of tested homoeopathic medicines. It corrects the harmonic system by effecting nervous system, which help to make healthy sexual organs, moreover regularizes the digestive system and elements the brain weakness. Ambra 1000 can also be taken as a general tonic.

Ambra Grisea: Physical and psychological exhaustion, normalizes the heart beat, overwork on physical and other planes.

Damiana: Sexual weakness, strengthen the genital regions, female complications.

Selenium: Dribbling of semen during sleep. Dribbling of prostatic fluid. Loss of sexual power. Increase desire, decrease ability.

Yohimbinum: This medicine is well reputed sex remedy in homoeopathy, especially efficacious in mental and emotional stress resulting in sexual neurasthenia.



DAMIAGOLD DROPS

Damia gold is the latest product of Dr. Reckeweg which has been prepared after extensive tests to be extremely beneficial in cases of sexual weakness and low desire, and consequent general weakness,

As cases of sexual weakness and lack of desire are increasing everyday due to increased pressure of modern day life, stress, and side effects of various medications

Dr. Reckeweg's DAM1AGOLD is a balanced formula of well known Homoeopathic Ingredients which has a stimulant effect on the sexual organs without side effects.

Indications: Sexual weakness

Brief Indications Of The Formula As Under:

1. Acid Phos D6: General weakness with impotency specially in diabetic Patients.
2. Angus Castus D2: Lack of sexual desire, forgetfull and mental depression.
3. Caladium, DI: Impotency with no desire, Spermatorrhoea, no erection on effort.
4. Damiana DI: Sexual neurasthenia, useful in old cases, Revitalization of sexual organs.
5. Muira Puama DI: Absence or low sperm count sexual weakness, deficient sexual power.
6. Nuphar Luteum D2: Absence of sexual desire, no erection, involuntary emission, testicles painful, Penis size reduced.
7. Ginseng DJ: Stimulates physical and mental activity, enhances performance and has a stimulating effect on the sexual glands.

Dosage: 10 drops four times daily.



URANIUM NITRICUM TABLETS

“ANTI DIABETIC”

Ingredients 100 g contain: Uranium nitricum 8 x 100 g.

Uranium Nitricum is a traditional Homoeopathic Remedy used in treating Diabetes Mellitus and its associated symptoms, successfully since the last century.

Dr. Reckeweg's has standardized Uranium Nitricum in 8x potency, in which it has proven to act best, after extensive trials and experiments. Diabetics using Uranium Nitricum with adequate diet control and exercise, can curtail the prognosis of this deadly disease and lead a normal life, which otherwise can lead to a disastrous effect on the vital organs of the body.

Dr. Reckeweg's Uranium Nitricum is used very effectively for the following indications.

Increased sugar in the blood and urine, high blood pressure threatening degeneration of the liver and kidneys, intense weakness, increased thirst, frequent urination and tendency towards ascites, gastric and duodenal ulcers, burning pains and gas, mental depression and impotency.

Dosage: 3 tablets 3 times daily 15 minutes before meals.

1. Stress in life, particularly around eating which causes erratic digestion.
2. Too many processed carbohydrates such as white sugar and white flour which cause excess release of insulin and burn too fast in the system.
3. Toxic liver from a toxic environment or from excess food additives such burden the hepatic system.
4. Hypothalamic conditioning prompting early release of insulin in anticipation of food. Those people exhibiting this syndrome are often conditioned to use food to satisfy other non-nutritional needs, such as love, self worth, boredom, etc.
5. Sugar and other stimulant addiction. (Processed sugar is chemically similarly to cocaine). Coffeine, nicotine, chocolate, etc. All act tot artificially stimulate the organism in the place of good nutrition. Long term addiction upsets the blood sugar thermostat with too wide a range of on and off settings.



6. Poor quality nutrition. Processed carbohydrates are robbed of their vitamins and minerals needed to balance the Krebs Cycle, which converts glucose into ATP. Putting back synthetic vitamins by enriching the wheat does little as natural vitamins in their original form work best in the Krebs Cycle. Fresh and raw natural fruits and vegetables with unprocessed grains, high fiber for mineral absorption, low fat (especially heat treated fats), and lots of good water go a long way to help the hypoglycemic.

7. Weekend digestion from poor quality nutrition organs supply little of the fatty acids, minerals, fat and water soluble vitamins needed for the production of good quality gluco-regulating hormones. Treat digestion with enzymatic or emulsifying agents in the interim (see R 92).

8. Lack of metabolic load. Glucose converts to ATP best with oxygen. Poor conditioning means poor oxygen transport and utilization. The best measure of wellness is oxygen utilization. The Krebs Cycle will work more and more efficiently as the oxygen or aerobic capacity improves (see R 91).

9. A mental system stuck in worry, depression, negativity, and questioning of self worth. We know that the mind affects directly the para sympathetic organs of the immune, digestive, and hormonal systems. As the system becomes more unhealthy the mind set sometimes becomes more negative. Patients must break this downward cycle to cure hypoglycemia.

Perhaps the true cause of hypoglycemia is living in the present day and age: an age of stress, worry, fear, unnatural foods, little conditioning, toxic air and water.

Hypoglycemia opens the door to other illness; to close this door we need a total effort. This product can be a good start, but please encourage lifestyle changes as well.



List of Ingredients

A	
Acidum ascorbicum	(Vita-C 15, Vita-C 15 forte)
Acidum folicum	R 91
Acidum formicicum D 12	D 12 (R 97)
Acidum hydrocyanicum	D 6 (R 67), D 6 (R 189)
Acidum lacticum	D 4 (R 17)
Acidum nitricum	D 6 (R 13, 27) D12 (R 26, 32), R 182, D 4 (R 188)
Acidum phosphoricum	D 3 (R 4, V-C 15, Vita-C 15 forte) D12 (R 26, 40, 41) R 95, D 1 (130), D 6 (Damia Gold), D 8 (R 41F, R 41F)
Acidum picricum	D 8 (R 48)
Acidum stearinicum	(R 30)
Acidum sulfuricum	D 4 (R 10, 28) D 6 (R 73)
Aconitum	D 4 (R 6, 70, 71) D6 (R 2, 35)
Adonis vernalis	D 2 (R 58)
Adrenaline	D 6 (R 63)
Aesculus	D 2 (R 13, 28, 63) D6 (R 50) D30 (R 42)
Aethusa	D 6 (R 52)
Agaricus	D 12 (R 36)
Agnus castus	D 8 (R 41P), D 6 (Damia Gold, R 41F)
Alchemilla Vul D1	D 1 (R 130)
Alfalfa	D 3, (R 89)
Allium sativum	R 93, D 1 (R 130)
Alumina	D 12 (R 37)
Ambra grisea	D 6 (Ambra)
Ammi visnaga	D 2 (R 66)
Ammonium bromatum	D 3 (R 14)
Ammonium carbonicum	D 2 (R 67)
Amygdalus persica e cortice	R 91
Anacardium	D 6 (R 5, 54)
Apisinum	D 12 (R 38)
Apis mellifica	D 4 (R 1) D5 (R 72) D6 (R 38) D30 (R 23)
Apomorphinum hydrochloricum	D 12 (R 52)
Aralia racemosa D6	D 6 (R 97)
Aranea Diadema	D12 (R 60) D30 (R 31)
Argentum	D12 (R 73)
Argentum nitricum	D 6 (R 5) D12 (R 45) D30 (R 29)
Arnica	D 3 (R 2, 12, 30, 55) D4 (R 73) D30 (R 45) D 6 (R 185)
Arsenicum album	D 4 (R 5) D5 (R 3) D8 (R 40, 43) D12 (R 49, 65, 69) D 30 (R 23, 54, 71) D 200 (R 38), D 12 (R 130)
Arsenum iodatum	D 4 (R 12) D6 (R 31, 57)
Artemisia vulgaris	D 1 (R 56)
Arum maculatum	D12 (R 45)
Aurum metallicum	D 12 (R 185)
Arum triphyllum	D 3 (R 62), R 182
Asa foetida	D 12 (R 47)
Asareum eupropaeum	R 191
Aurum chloratum	D 6 (R 2, 12)
Avena sativa	D 1 (R 14) R 95



B

Baptisia	D 4 (R 4, 6)
Barium chloratum	D 4 (R12) D6 (R1)
Barium iodatum	D 6 (R 186)
Belladonna	D 3 (R 8, 30) D4 (R 1, 5, 9, 55, 62) D 12 (R 32, 42, 54) D 30 (R 33, 43, 51), R 118, (R 65), D 6 (R 186), D 8 (R 187), D 6 (193)
Berberis aquifolium	D 1 (R 61) D3 (R 27) D4 (R11,18),R 92
Berberis	R 182
Borax	D12 (R 53)
Bromum	D 2 (R 8) D3 (R 9) D4 (R 6, 24, 37, 73) D12 (R 48)
Bryonia	D 30 (R 35, 38)
Bufo rana	D200 (R 33)

C

Cactus	D 2 (R 3) D4 (R 2)
Caladium	D 6 (Damia Gold)
Calcium carbonicum Hahnem	D12 (R 59) D 30 (R 34, 35, 45, 49, 57, 65), R 95
Calcium fluoratum	D12 (R 34) D30 (R 42)
Calcium hypophosphorosum	D 6 (R 34)
Calcium pangamat	R 91
Calcium phosphoricum	D 3 (R 12) D4 (Al) D12 (R 26), R 95
Calcium jodatium	D12 (R 11, 34) D30 (R 74)"
Calendula	D 3 (R 30, 55) R 94
Camphora	D 2 (R 67) D 3 (R 6, R 30, R 61)
Cantharis	D 4 (R 18)
Capsicum	D 6 (R 190)
Carbo vegetabilis	D 8 (R 5) D 30 (R 43, 67), R 191, D 6 (R 192)
Carduus marianus	D 2 (R 7) D12 (R 42), R 131, D 4 (R 192)
Cariphyllus aromaticus	R 92
Caulophyllum thalictroides	D 2 (R 75)
Causticum Hahnemanni	D 6 (R 6,11) D12 (R 73) D30 (R 74)
Ceanothus americanus	D 6 (R 31)
Cedron	D 4 (R 70)
Chamomilla	D 2 (R 5) D4 (R 4,14, 35) D6 (R 34) D30 (R 75)
Chelidonium majus	D 2 (R 7) D3 (R 5)
Chimaphila umbellata	D 3 (R 25), R 131
China	D 3 (R 7) D6 (R 31, 48) D8 (R 41F), R 95
Chininum arsenicosum	D 3 (R 4)
Chininum sulphuricum	R 118, R 191
Cholesterinum	D 6 (R 7)
Cimicifuga	D 3 (R 75) D4 (R10,16, 50) D6 (R 24)
Cina	D 4 (R 56)
Cinnabaris	D12 (R 49), D 8 (R 96) (= Mercurius sulfuratus ruber)
Cinnamomum	R 92, R 95
Clematis Vitalba	D 3 (R 25)
Coecum	R 93
Cocculus	D 5 (V-C 15, Vita-C 15 forte) D12 (R 52) D30 (R 29)
Coccus cacti	D 5 (R 8) D6 (R 9)
Coffea	D 4 (R 14) D30 (R 47)
Colchicum	D12 (R 52)
Cola	D 4 (Ambra)
Collinsonia canadensis	D 4 (R 13)
Colocynthis	D 4 (R 37, 71) D6 (R 4, 7, 50, 70, 72) D8 (R 24) D12 (R 35), D 6 (R 187)



C

Conium	D 5 (R 12, 25) D30 (R 29, 41F, 60)
Convallaria majalis	D 2 (R 58)
Corallium rubrum	D12 (R 8, 9)
Coriandrum	R 92
Crataegus	D (R 2, 3) D1 (R 44, 58) D 4 (R 184)
Crocus	D 4 (R 28)
Crotalus Cascavella	D12 (R 67)
Croton Tiglium	D 6 (R 68)
Cuprum aceticum	D 4 (R 75) D 6 (R 63) D12 (R 8, 9)
Cuprum metallicum	D12 (R 33)

D

Damiana	D 6 (R 41F), D 6 (Damia Gold, R 41P), D 4(Ambra)
Digitalis	D 3 (R 2, 3, 58)
Drosera	D 3 (R 8) D4 (R 9)
Dulcamara	D 1 (R 61) D3 (R 30) D4 (R11,18) D30 (R 48)

E

Echinacea angustifolia	D 3 (R 30, 55), D 4 (R 193)
Epinephrin (Adrenalin) D 6	D 6 (R 130)
Equisetum hiemale	D 6 (R 18)
Eschscholzia	D 2 (R 14)
Eucalyptus	D 3 (R 6)
Eupatorium perfoliatum	D 3 (R 6), R 118
Eupatorium purpureum	D 3 (R 18)

Ferrum iodatum	D12 (R 26)
Ferrum, chloratum	D 6 (R 31)
Ferrum phosphoricum	D 8 (R 4, 6, 28, 62, 74) D12 (R 46, 48), D 6 (R 193)
Ferrum picricum	D 4 (R 25)
Filix mas	D 3 (R 56)
Flores Chamomilla	(R 8)
Flores Malvae	(R 8)
Flores Rhoeados	(R 8)
Folia Rubi fruticosi	(R 8)
Folia Trifolii fibrini	(R 8)
Fructus Citri	(Vita-C 15, Vita-C 15 forte)
Fructus Cynosbati	(V-C 15, Vita-C 15 forte)
Fructus Sorbi aucupar.	(V-C 15, Vita-C 15 forte)
Fucus vesiculosus	D 2 (R 59), R 91
Fumaria officinalis	D 6 (R 60)

G

Galium Aparine	D 12 (R 60)
Galandulae	R 93
Gelsemium	D 3 (R 16) D6 (R 6) D12 (R 54)
Ginseng	(Vita-C 15 forte), R 95
Glandulae suprarenales	D 12 (R 19, 20)
Glandulae thymi	D 12 (R 19, 20)
Glonoinum	D 6 (R 12) D12 (R 47)
Gnaphalium polycephalum	D 3 (R 71)
Graphites	D 8 (R 13) D12 (R 59, 65) D 30 (R 56)
Ginseng	D 1 (Damia Gold)
Grindelia robusta	D 4 (R 22)



H

Hamamelis	D 3 (R 13, 30) D4 (R 55) D6 (R 28, 42)
Hekla Lava	D12 (R 34, 51)
Helleborus	D 4 (R 58)
Helonias dioica	D 3 (R 64) D 5 (V-C 15, Vita-C 15 forte)
Hepar sulfuris	D12 (R 1, 60) D 30 (R 53)
Herba Plantaginis lanceolatae	(R 8)
Herba Thymi	(R 8)
Herba Urticae	(R 8)
Herpes simplex	D 30, D 60, D200, (R 88)
Herpes zoster	D 30, D 60, D200, (R 88)
Histaminum hydrochloricum D 8	D 8 (R 97), R 183
Humulus lupulus	D 2 (R 14)
Hydrastis	R 95
Hydrocotyle asiatica	D 2 (R 65)
Hypericum	D 3 (R 30)
Hypophysis	D 12 (R 19, 20), D 6 D 12, (R 89)

I

Iberis amara	D 3 (R 66)
Ignatia	D 5 (V-C 15, Vita-C 15 forte) D 6 (R 2, 14), D 8 (R 184)
Influenzinum	D 12 (R 36) D 30 (R 35, 47), D 8 (R 184)
Insulin D 8	D 30, D 60, D 200, (R 88)
Ipecacuanha	D 8 (R 130)
Iris versicolor	D 5 (R 8) D8 (R 52) D6 (R 9)
	D 2 (R 16) D 4 (R 190)

J

Juglans	D 30 (R 53, 131)
---------	------------------

K

Kalium arsenicosum	D 4 (R 64)
Kalium bichromicum	D 4 (R1) D12 (R 49), D 6 (R 96)
Kalium bromatum	D 12 (R 53), D 6 (Ambra)
Kalium carbonicum	D 3 (R 3) D6 (R 13, 24, 32, 48)
Kalium jodatum	D 3 (R12)
Kalium phosphoricum	D 4 (R 2) D6 (R 54) D12 (R 74) D30 (R 43)
	D 4, D 6, D 12, (R 89), D 6 (R 184)
Kalmia	D 3 (R 3, 70)

L

Ledum	D 30 (R 30)
Leonurus Cardiaca	D 2 (R 66)
Lichen Islandicus	R 8
Liquor Ammonii anisatus	R 8
Lithium carbonicum	D12 (R 46)
Luffa operculata D 4	D 4 (R 97), R 183
Lycopodium	D 4 (R 7, 37) D5 (R 5,13, 27) D6 (R 72)
	D 12 (R 31) D30 (R 39, 40, 48, 54, 57)
Lycopus virginicus	D12 (R 51)



M

Magnesium phosphoricum	D 6 (R 75) D8 (R 71) D12 (R 36), R 95
Magnesium sulfuricum	D 6 (R 192)
Mandragora e radice siccato	D 4 (R 192)
Marum verum	D 6 (R 1)
Mezereum	D 12 (R 42)
Medicago sativa (Alfalfa)	R 95
Medorrhinum	D30 (R 21)
Mercurius praecipitatus ruber	D12 (R 34)
Mercurius solubilis Hahnemanni	D 8 (R 62) D30 (R 49)
Mercurius sublimatus corrosiv.	D 5 (R1, 4) D6 (R 56) D8 (R 37)
Mezereum	D 3 (R 68) D6 (R 34) D12 (R 42)
Millefolium	D 3 (R 30)
Momordica Balsamina	D 3 (R 72)
Mononucleosis	D 30, D60 D 200, (R 88)
Muira puama	D 4 (Ambra)

N

Naja tripudians	D 6 (R17) D12 (R 22)
Natrium bromatum	D12 (R 53)
Natrium chloratum	D 6 (R 68) D30 (R 50, 51, 65) D200 (R 53)
Natrium sulfuricum	D 2 (R 59) D6 (R 24) D12 (R 40) D30 (R 46) D200 (R43)
Nuphar Luteum	D 2 (Damia Gold, Ambra)
Nux vomica	D 1 (R 61) D3 (R 30) D4 (R 5, 7, 11, 13) D6 (R 37), D30 (R 46, 50, 52), R 95, Q (R 130)

O

Oenothera biennis	D 3, (R 89)
Oleander	D 3 (R 44, 66) D6 (R 4)
Oleum Crotonis	D 4 (R 59)
Oleum Gaultheriae	(R 61)
Oleum Lavendulae	(R 61)
Oleum Olivarum	(R 30)
Oleum Pini silvestris	(R 30, 61)
Oleum Rosmarini	(R 30)
Ovaria	D12 (R 20)

P

Paeonia officinalis	D 3 (R 13)
Palladium	D12 (R 39)
Panax ginseng	D 6 (R 41F), D 4 (Ambra)
Pancreas	D12 (R 19, 20)
Pareira brava	D 2 (R 25)
Passiflora incarnata	D 2 (R 14)
Petroleum	D12 (R 52)
Phaseolus nanus	D12 (R 40), R 131



P

Phosphorus	D 5 (R 3, 12) D6 (R 41, 54, 64, 72) D30 (R 36, 45, 48, 57), R 19, D 8 (R 41F)
Phytolacca	D 4 (R 1) D8 (R 50)
Placenta	D12 (R 53)
Plumbum aceticum	D 6 (R 12) D12 (R 37)
Plumbum metallicum	D1-2 (R 64)
Populus tremuloides	D 3 (R 25)
Potentilla anserina	D 2 (R 63)
Pollen	R 91
Poliomyelitis	D 30, D60 D 200, (R 88)
Polysorbatum	D 3 (R 89)
Procainum hydrochloricum	D 3 (R 41F)
Psorinum	D30 (R 21)
Pulsatilla	D 3 (R 25) D4 (R 62) D12 (R 49, 74) D30 (R 33, 42, 47), D 6 (R 96), D 6(R 186)

Q

Quassia	R 131
---------	-------

R

Ranunculus bulbosus	D 2 (R 69) D4 (R 24)
Rhododendron	D 1 (R 61) D4 (R11) D6 (R 46)
Robinia Pseud	D 6 (R 190)
Rhus Toxicodendron	D 1 (R 61) D3 (R 30) D4 (R 4,11, 68) D 6 (R 55) D30 (R 23, 69), R 118
Rubia tinctorum	D 2 (R 27)
Ruta	D 6 (R 55)

S

Sabadilla	D 6 (R 6)
Sabal serrulatum	D 2 (R 25)
Saccharum	(R 8), (V-C 15) (Vita-C 15 forte)
Saccharum tostum	(V-C 15) (Vita-C 15 forte)
Salvia officinalis	D30 (R 32)
Sambucus nigra	D 4 (R 32)
Sanguinaria	D 3 (R16) D4 (R10) D6 (R 32)
Sarsaparilla	D 3 (R 27) D6 (R 60), R 131
Saxifraga	D30 (R 39)
Selenium	D 6 (Ambra)
Scilla	D 2 (R 3, 58), R 131
Scrophularia nodosa	D 1 (R 5) D 2 (R 17) D6 (R 60)
Secale cornutum	D 4 (R 40, 63) D6 (R 28) D30 (R 42)
Sepia	D 4 (R 10) D5 (V-C 15) D6 (R 48, 74) D 8 (R 54) D12 (R 49) D30 (R 32, 41F) D5 (Vita-C forte)
Silicea	D30 (R 33, 34, 48, 57), R 183, D 4 (R 189)
Solidago Virgaurea	D 2 (R 64)
Spartium scoparium	D 2 (R 44, 66)



S

Spigelia	D 3 (R 2, 3) D4 (R16) D 4 (R 78, 81)
Spiraea Ulmaria	D 12 (R 46)
Spongia	D 3 (R 59) D5 (R 8) D6 (R 9)
Staphisagria	D 8 (R 35), D 4 (R 78)
Sticta	D 3 (R 8) D4 (R 9)
Stramonium	D 3 (R 76)
Streptococcinum	D 12, D 30 (R 87)
Strontium carbonicum	D 12 (R 50)
Strophanthus	D 3 (R 3)
Sulfur	D 5 (R 13) D12 (R 37) D30 (R 23, 31, 38, 49) D 4 (R 78)
Sulfur jodatatum	D12 (R 26)
Sumbulus moschatus	D 2 (R 66)
Symphytum	D 6 (R 55)
Syzygium	Q (R 130)

T

Tabacum	D 1 (R 130), D 4 (R 77)
Tanacetum vulgare	D 1 (R 56)
Taraxacum	D 1 (R 130)
Testes	D12 (R 19, 41)
Teucrium Scorodonia	D 6 (R 57)
Theridion curassavicum	D 30 (R 29)
Thuja	D30 (R 21), D 4 (R 188), D 4 (R 189)
Thymus vulgaris	0 (R 8, 9)
Thyreoidinum	D12 (R19, 20)
Tocopherylis	D 6 (R 41F)
Tuberculinum	D 12, D 30 (R 87)

U

Unguentum Alcoholum Lanae	(R 30, 61)
Uranium nitricum	D 30 (R 40)

V

Vaccinium	D 30 (R 21)
Valeriana officinalis	0 (R 14) D 2 (R 2)
Veratrum album	D 4 (R 67) D 6 (R 4, R 63) D 12 (R 32) (R 43, 52)
Verbascum	D 2 (R 70)
Vespa crabro	D 12 (R 39)
Viburnum Opulus	D 2 (R 75)
Viola tricolor	D 12 (R 53)
Vipera Berus	D 12 (R 42)

Y

Yerba santa	D 12 (R 43)
Yohimbinium hydrochloricum	D 4 (R 41F, Ambra)

Z

Zincum metallicum	D 6 (V-C 15, Vita-Cforte) D12 (R 33)
Zincum valerianicum	D 6 (R 14) D 8 (R 36)



Clinical Repertory - Index

Abscesses	Dr. Reckeweg R 1
Adams Stoke's Syndrome	Dr. Reckeweg R 66
Adenoids	Dr. Reckeweg R 52
Adiposity (Overweight)	Dr. Reckeweg R 1
Adnexitis	Dr. Reckeweg R 59
	Dr. Reckeweg R 19 / R 20
	Dr. Reckeweg R 1
	Dr. Reckeweg R 38
	Dr. Reckeweg R 39
Acne vulgaris	Dr. Reckeweg R 53
Acro paraesthesia	Dr. Reckeweg R 60
	Dr. Reckeweg R 63
Albuminuria	Dr. Reckeweg R 64
Allergies	Dr. Reckeweg R 23
	Dr. Reckeweg R 183
	Dr. Reckeweg R 97
Alopecia	Dr. Reckeweg R 89
Anaemia	Dr. Reckeweg R 31
Anti bacterial	Dr. Reckeweg R 87
	Dr. Reckeweg R 87
Anal eczema	Dr. Reckeweg R 13
Anal fissures	Dr. Reckeweg R 13
Angina pectoris	Dr. Reckeweg R 2
	Dr. Reckeweg R 3
	Dr. Reckeweg R 66
	Dr. Reckeweg R 11
Ankylosing spondylitis	Dr. Reckeweg R 2
Aortalgia	Dr. Reckeweg R 12
Aortic sclerosis	Dr. Reckeweg R 45
Aphonia	Dr. Reckeweg R 55
Apoplexy	Dr. Reckeweg R 67
	Dr. Reckeweg R 12
	Dr. Reckeweg R 24
	Dr. Reckeweg R 38
Appendicitis acute	Dr. Reckeweg R 1
	Dr. Reckeweg R 24
	Dr. Reckeweg R 38
	Dr. Reckeweg R 79
	Dr. Reckeweg R 31
	Dr. Reckeweg R 12
	Dr. Reckeweg R 1
	Dr. Reckeweg R 46
	Dr. Reckeweg R 24
	Atomare-Beckeron-Dr. Reckeweg F
	Dr. Reckeweg R 73
	Atomare-Beckeron-Dr. Reckweg F
	Or. Reckeweg, R 11
	Dr. Peckeweg R 56
	Dr. Reckeweg R 58
	Dr. Reckeweg R 7
	Dr. Reckeweg R 43
	Dr. Reckeweg R 48
	Dr. Reckeweg R 34
	Jutussin-Dr. Reckeweg R 8 (syrup)
	Jutussin-Dr. Reckeweg R 9 (drops)
	Dr. Reckeweg R 76
	Dr. Reckeweg R 77
Arthritis, osteo	
Arthritis of vertebrae	
Ascariis	
Ascites	
Asthma	



Backpain, lower, in the female

Bacteriuria

Basedow's disease

Blackheads

Blood-impurities

Boil

Bronchitis

Bronchopneumonia

Calcium, malassimilation of

Calcification

Calfmuscle, cramps

Carbuncle

Cardiac decompensation

Cardiac arrhythmia

Cardiac neurosis

Cerebral sclerosis

Children, oversensitivity in

Cholangitis

Cholecystitis

Cholelithiasis

Chorea, minor

Chronic appendicitis

Circulatory disturbances

Cirrhosis of liver

Climacteric complaints

Cold, common

Colics

Colitis

Collapse

Comedones

Conjunctivitis

Constipation

Dr. Reckeweg R 11

Dr. Reckeweg R 50

Atomare-Beckeron-Dr. Reckeweg R 30

Dr. Reckeweg R 18

Dr. Reckeweg R 51

Dr. Reckeweg R 53

Dr. Reckeweg R 60

Dr. Reckeweg R 1

Atomare-Beckeron-Dr. Reckeweg R 30

Dr. Reckeweg R 6

Dr. Reckeweg R 48

Dr. Reckeweg R 57

Jutussin-Dr. Reckeweg R 8 (drops)

Jutussin-Dr. Reckeweg R 9 (syrup)

Dr. Reckeweg R 6

Dr. Reckeweg R 34

Dr. Reckeweg R 189

Dr. Reckeweg R 63

Dr. Reckeweg R 1

Dr. Reckeweg R 58

Dr. Reckeweg R 3

Dr. Reckeweg R 66

Dr. Reckeweg R 3

Dr. Reckeweg R 22

Dr. Reckeweg R 12

Dr. Reckeweg R 54

Dr. Reckeweg R 36

Dr. Reckeweg R 1

Dr. Reckeweg R 7

Dr. Reckeweg R 1

Dr. Reckeweg R 7

Dr. Reckeweg R 1

Dr. Reckeweg R 7

Dr. Reckeweg R 37

Dr. Reckeweg R 36

Dr. Reckeweg R 1

Dr. Reckeweg R 24

Dr. Reckeweg R 38

Dr. Reckeweg R 67

Dr. Reckeweg R 7

Dr. Reckeweg R 10

Dr. Reckeweg R 6

Dr. Reckeweg R 37

Dr. Reckeweg R 4

Dr. Reckeweg R 67

Dr. Reckeweg R 53

Dr. Reckeweg R 1

Dr. Reckeweg R 62

Dr. Reckeweg R 78

Dr. Reckeweg R 7

Dr. Reckeweg R 37

Dr. Reckeweg R 192



Convalescence	Vita-C 15
	Dr. Reckeweg R 31
	Dr. Reckeweg R 41
Coronary insufficiency	Dr. Reckeweg R 2
	Dr. Reckeweg R 3
Coronary sclerosis	Dr. Reckeweg R 2
	Dr. Reckeweg R 12
Cradle cap	Dr. Reckeweg R 34
	Dr. Reckeweg R 23
Cystitis	Dr. Reckeweg R 18
	Dr. Reckeweg R 25
Cysto-pyelitis	Dr. Reckeweg R 18
	Dr. Reckeweg R 27 Dr. Reckeweg R 64
Dangue, Malaria and all types of fever	Dr. Reckeweg R 118
Dental root, inflammation of	Dr. Reckeweg R 1
Digestion	Dr. Reckeweg R 92, Dr. Reckeweg R 190
Diabetes mell.	Dr. Reckeweg R 40
	Dr. Reckeweg R 130
	Dr. Reckeweg Uranium Nitricum
Diarrhoea	Dr. Reckeweg R 4
Disc lesions	Dr. Reckeweg R 11
Dysmenorrhoea	Dr. Reckeweg R 75
Eczema	Dr. Reckeweg R 23
	Dr. Reckeweg R 21
Empyema	Dr. Reckeweg R 1
Endangiitis obliterans	Dr. Reckeweg R 63
Endocrine glands, disturbances of	Dr. Reckeweg R 19
	Dr. Reckeweg R 20
Endocarditis	Dr. Reckeweg R 3
Energy Tonic	Dr. Reckeweg R 84
	Dr. Reckeweg R 95
Enteritis	Dr. Reckeweg R 4
Enterocolitis	Dr. Reckeweg R 4
Enuresis	Dr. Reckeweg R 74
Epilepsy	Dr. Reckeweg R 33
Exhaustion	Vita-C 15
Fitness / Sports	Dr. Reckeweg R 91
Flatulence	Dr. Reckeweg R 7
	Dr. Reckeweg R 37
Furunculosis	Dr. Reckeweg R 1
Atomare-Beckeron-	Dr. Reckeweg R 30
Gastritis	Dr. Reckeweg R 5
Gastro-cardial syndrome	Dr. Reckeweg R 5
	Dr. Reckeweg R 2 Dr. Reckeweg R 3
Gastro-duodenitis	Dr. Reckeweg R 5
Gastro-enteritis	Dr. Reckeweg R 4
Geriatricum	Dr. Reckeweg R 12
	Dr. Reckeweg R 2 Dr. Reckeweg R 54
German measles	Dr. Reckeweg R 62
Glands, disturbances of	Dr. Reckeweg R 19
	Dr. Reckeweg R 20 Dr. Reckeweg R 59
Globus hystericus	Dr. Reckeweg R 47
Goitre	Dr. Reckeweg R 51
	Dr. Reckeweg R 12 Dr. Reckeweg R 59
Grave's disease	Dr. Reckeweg R 51



Haemorrhoids	Dr. Reckeweg R 13
Hair Care / Injury	Dr. Reckeweg R 80
Helminthiasis	Dr. Reckeweg R 56
Hemicrania	Dr. Reckeweg R 16
Hepatitis	Dr. Reckeweg R 7
	Dr. Reckeweg R 1
	Dr. Reckeweg R 131
Herpes zoster	Dr. Reckeweg R 68
Hilar TB	Dr. Reckeweg R 57
Hyperacidity	Dr. Reckeweg R 182
Hyperhidrosis	Dr. Reckeweg R 32
Hypertension	Dr. Reckeweg R 185
Hypertonia	Dr. Reckeweg R 12
Hypoglycemia	Dr. Reckeweg R 86
Hypotonia	Dr. Reckeweg R 44
	Dr. Reckeweg R 67
	Dr. Reckeweg R 29
	Dr. Reckeweg R 52
	Dr. Reckeweg R 41
Impotence	Dr. Reckeweg Damia Gold
	Dr. Reckeweg R 26
Immunoglobulin, formation of	Dr. Reckeweg R 93
Immunity	Dr. Reckeweg R 193
	Dr. Reckeweg R 6
Influenza	Dr. Reckeweg R 55
Injuries	Dr. Reckeweg R 83
	Dr. Reckeweg R 94
	Dr. Reckeweg R 69
	Dr. Reckeweg R 68
	Dr. Reckeweg R 24
	Dr. Reckeweg R 63
	Dr. Reckeweg R 12
	Dr. Reckeweg R 7
	Dr. Reckeweg R 45
	Dr. Reckeweg R 10
	Dr. Reckeweg R 7
	Dr. Reckeweg R 11 and R 61
	Dr. Reckeweg R 57
	Dr. Reckeweg R 48
	Dr. Reckeweg R 1
	Dr. Reckeweg R 1
	Dr. Reckeweg R 1
	Dr. Reckeweg R 62
	Dr. Reckeweg R 88
	Dr. Reckeweg R 28
	Dr. Reckeweg R 7
	Dr. Reckeweg R 5
	Dr. Reckeweg R 28
	Dr. Reckeweg R 10
	Dr. Reckeweg R 16
	Dr. Reckeweg R 186
	Dr. Reckeweg R 11 and R 61
	Atomare-Beckeron-Dr. Reckeweg R 30
	Dr. Reckeweg R 67
	Dr. Reckeweg R 2
	Dr. Reckeweg R 3
	Dr. Reckeweg R 3
	Dr. Reckeweg R 52
Intercostal neuralgia	
Intermittent claudication	
Jaundice	
Laryngitis	
Leucorrhoea	
Liver, diseases of	
Lumbago	
Lung, TB of	
Lymphadenitis	
Lymphangitis	
Mastitis	
Measles	
Menorrhagia	
Meteorism	
Metrorrhagia	
Migraine	
Mumps / Parotitis	
Muscular rheumatism	
Myocardial infarct	
Myocardial insufficiency	
Myocarditis	
Nausea	



Nephrolithiasis	Dr. Reckeweg R 27
Nephrosclerosis	Dr. Reckeweg R 12
Nephrosis	Dr. Reckeweg R 64
Neuralgia	Dr. Reckeweg R 70
	Atomare-Beckeron -Dr. Reckeweg R 30
	Dr. Reckeweg R 81
Obesity (Overweight)	Dr. Reckeweg R 187
	Dr. Reckeweg R 59
	Dr. Reckeweg R 19 and
	Dr. Reckeweg R 20
Occipital neuralgia	Dr. Reckeweg R 16
	Dr. Reckeweg R 70
	Dr. Reckeweg R 6
Oedemas	Dr. Reckeweg R 58'
	Dr. Reckeweg R 64
Osteo-arthritis	Dr. Reckeweg R 73
	Atomare-Beckeron -Dr. Reckeweg R 30
Osteochondritis	Dr. Reckeweg R 11
Osteomalacia	Dr. Reckeweg R 34
Osteoporosis	Dr. Reckeweg R 34
Otitis media	Dr. Reckeweg R 1
Ovaritis	Dr. Reckeweg R 1
Ovarian cyst	Dr. Reckeweg R 38
	Dr. Reckeweg R 39
Oversensitivity of children	Dr. Reckeweg R 54
	Dr. Reckeweg R 36
Oxyuriasis	Dr. Reckeweg R 56
Panaritium	Dr. Reckeweg R 1
Pancreatitis	Dr. Reckeweg R 72
Paraesthesias	Dr. Reckeweg R 63
	Dr. Reckeweg R 71
Parametritis	Dr. Reckeweg R 1
	Dr. Reckeweg R 38
	Dr. Reckeweg R 39
Parotitis	Dr. Reckeweg R 10
Peripheral circulatory disturbances	Dr. Reckeweg R 1
Pertussis	Dr. Reckeweg R 63
	Jutussin-drops-Dr. Reckeweg R 9
	Jutussin-syrup-Dr. Reckeweg R 8
Phlegmon	Dr. Reckeweg R 1
Pleuritis	Dr. Reckeweg R 24
	Dr. Reckeweg R 6
Prostate, hypertrophy of	Dr. Reckeweg R 25
Prostatitis	Dr. Reckeweg R 1
	Dr. Reckeweg R 25
Prostration	Vita-C 15
Pruritus vulvae	Dr. Reckeweg R 10
Psoriasis	Dr. Reckeweg R 65
Pyelitis	Dr. Reckeweg R 18



Rheumatism	Dr. Reckeweg R 11 and R 61 Dr. Reckeweg R 46 Atomare-Beckeron-Dr. Reckeweg R 30
Rheumatoid arthritis, acute	Dr. Reckeweg R 1 Dr. Reckeweg R 24 Dr. Reckeweg R 25
Rheumatoid arthritis, chronic	Dr. Reckeweg R 11 and R 6 Dr. Reckeweg R 46 Atomare-Beckeron-Dr. Reckeweg R 30
Rickets	Dr. Reckeweg R 34
Scarlet fever	Dr. Reckeweg R 1
Sciatica	Dr. Reckeweg R 71 Atomare-Beckeron-Dr. Reckeweg R 30 Dr. Reckeweg R 11 and R 61
Scrofulosis	Dr. Reckeweg R 60
Sea-sickness	Dr. Reckeweg R 52
Shoulder-rheumatism	Dr. Reckeweg R 46
Sinusitis	Dr. Reckeweg R 1 Dr. Reckeweg R 49 Dr. Reckeweg R 85 Dr. Reckeweg R 96 Dr. Reckeweg R 34 Dr. Reckeweg R 11 Dr. Reckeweg R 2 Dr. Reckeweg R 5 Dr. Reckeweg R 82 Dr. Reckeweg R 184
Spasmophilia	Dr. Reckeweg R 1
Spondylosis	Dr. Reckeweg R 1
Stenocardia	Dr. Reckeweg R 1
Stomatitis	Dr. Reckeweg R 57 Dr. Reckeweg R 48 Dr. Reckeweg R 35 Dr. Reckeweg R 34 Dr. Reckeweg R 42 Dr. Reckeweg R 51 Dr. Reckeweg R 191 Dr. Reckeweg R 35 Dr. Reckeweg R 11 Dr. Reckeweg R 17 Dr. Reckeweg R 4
Stress	Dr. Reckeweg R 57
Tonsillar hypertrophy	Dr. Reckeweg R 48
Tonsillitis	Dr. Reckeweg R 1
TB of lung	Dr. Reckeweg R 17
Teething complaints in children	Dr. Reckeweg R 4
Thrombophlebitis	Dr. Reckeweg R 5 Dr. Reckeweg R 5 Dr. Reckeweg R 23 Dr. Reckeweg R 7 and R 27
Thyreotoxicosis	Dr. Reckeweg R 5 Dr. Reckeweg R 42 Dr. Reckeweg R 63 Dr. Reckeweg R 29 Dr. Reckeweg R 52 Dr. Reckeweg R 188 Dr. Reckeweg R 56
Tinnitus	Dr. Reckeweg R 68
Toothache	Dr. Reckeweg R 42
Torticollis	Dr. Reckeweg R 63
Tumors, malignant., benign	Dr. Reckeweg R 29
Typhoid fever	Dr. Reckeweg R 52
Ulcer, duodenal, parapyloric	Dr. Reckeweg R 188
Ulcer, peptic (gastric)	Dr. Reckeweg R 56
Urticaria	
Uric acid diathesis	
Varicellas	
Varices	
Vascular disturbances, peripheral	
Vertigo	
Warts	
Worms	



